

Novell SUSE Linux Package Description and Support Level Information for Contracted Customers and Partners

Definitions and Support Level Descriptions

Date: Apr 8th, 2011

Document Owner: Albert Fischer (fischera@novell.com)

Internal use only

ACC: Additional Customer Contract necessary

L1: Installation and Configuration problem determination, which means technical support designed to provide compatibility information, installation assistance, usage support, on-going maintenance and basic troubleshooting. Level 1 Support is not intended to correct product defect errors.

L2: Reproduction of Potential Issues problem isolation, which means technical support designed to duplicate customer problems, isolate problem area and provide resolution for problems not resolved by Level 1 Support.

L3: Code Debugging and Patch Provision problem resolution, which means technical support designed to resolve complex problems by engaging engineering in resolution of product defects which have been identified by Level 2 Support.

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|--------------------|--|------------------------------------|
| 3ddiag | A Tool to Verify the 3D Configuration | L3 |
| 844-ksc-pcf | Korean 8x4x4 Johab Fonts | L2 |
| 915resolution | This software changes the resolution of an available vbios mode. | L2 |
| a2ps | Converts ASCII Text into PostScript | L2 |
| aaa_base | SUSE Linux Base Package | L3 |
| aaa_skel | Skeleton for Default Users | L3 |
| aalib | An ASCII Art Library | L2 |
| aalib-devel | Development Package for AAlib | L2 |
| aalib-x86 | An ASCII Art Library | L2 |
| acct | User-Specific Process Accounting | L3 |
| acl | Commands for Manipulating POSIX Access Control Lists | L3 |
| acpid | Executes Actions at ACPI Events | L3 |
| adaptec-firmware | Firmware files for Adaptec SAS Cards (AIC94xx Series) | L3 |
| agfa-fonts | Professional TrueType Fonts | L2 |
| aide | Advanced Intrusion Detection Environment | L2 |
| alsa | Advanced Linux Sound Architecture | L3 |
| alsa-devel | Include Files and Libraries mandatory for Development. | L2 |
| alsa-docs | Additional Package Documentation. | L2 |
| alsa-x86 | Advanced Linux Sound Architecture | L3 |
| amanda | Network Disk Archiver | L2 |
| amavisd-new | High-Performance E-Mail Virus Scanner | L3 |
| amtu | Abstract Machine Test Utility | L2 |
| ant | A Java-Based Build Tool | L3 |
| anthy | Kana-Kanji Conversion Engine | L2 |
| anthy-devel | Include Files and Libraries mandatory for Development. | L2 |
| ant-trax | Optional trax tasks for ant | L3 |
| apache2 | The Apache Web Server Version 2.0 | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------------|--|---|
| apache2-devel | Apache 2.0 Header and Include Files | L2 |
| apache2-doc | Additional Package Documentation. | L2 |
| apache2-example-pages | Example Pages for the Apache 2 Web Server | L2 |
| apache2-mod-apparmor | AppArmor module for apache2 | L3 |
| apache2-mod_auth_mysql | Enables the Apache Web Server to Authenticate Users against a MySQL | L2 |
| apache2-mod_macro | Define and Use Macros within the Apache Configuration | L3 |
| apache2-mod_perl | Embedded Perl for Apache | L2 |
| apache2-mod_php5 | PHP5 Module for Apache 2.0 | L3 |
| apache2-mod_python | A Python Module for the Apache 2 Web Server | L3 |
| apache2-prefork | Apache 2 prefork" MPM (Multi-Processing Module)" | L3 |
| apache2-worker | Apache 2 worker MPM (Multi-Processing Module) | L3 |
| apcupsd | APC UPS Daemon (Powerful Daemon for APC UPSs) | L3 |
| apparmor-admin_en | AppArmor Admin Guide (English) | L3 |
| apparmor-docs | AppArmor Documentation package | L2 |
| apparmor-parser | AppArmor userlevel parser utility | L3 |
| apparmor-profiles | AppArmor profiles that are loaded into the apparmor kernel module | L3 |
| apparmor-provider-control | Openwbem CIM provider for AppArmor that exports management interface | L3 |
| apparmor-provider-notifications | CIM provider for managing the AppArmor notification system. | L3 |
| apparmor-provider-reporting | CIM provider for managing the AppArmor reports configuration. | L3 |
| apparmor-utils | AppArmor User-Level Utilities Useful for Creating AppArmor Profiles | L3 |
| argus | Network Monitoring Tool | L3 |
| argus-client | Client for Network Monitoring Tool | L3 |
| argus-server | Daemon for Network Monitoring Tool | L3 |
| arpwatch | Arpwatch Keeps Track of Ethernet and IP Address Pairings | L3 |
| arpwatch-ethercodes | Ethercodes Data for arpwatch | L3 |
| arts | Modular Software Synthesizer | L2 |
| arts-devel | Include Files and Libraries mandatory for Development. | L2 |
| arts-gmcop | A Modular Software Synthesizer | L2 |
| arts-x86 | Modular Software Synthesizer | L2 |
| ash | The Ash Shell | L2 |
| aspell | A Free and Open Source Spell Checker | L3 |
| aspell-af | An Afrikaans Dictionary for Aspell | L2 |
| aspell-am | Amharic Dictionary Package for Aspell | L2 |
| aspell-az | An Azerbaijani dictionary for aspell | L2 |
| aspell-be | Belarusian Dictionary Package for Aspell | L2 |
| aspell-bg | Bulgarian Dictionary for Aspell | L2 |
| aspell-bn | A Bengali dictionary for aspell | L2 |
| aspell-br | A Breton Dictionary for Aspell | L2 |
| aspell-ca | A Catalan Dictionary for Aspell | L2 |
| aspell-cs | A Czech Dictionary for Aspell | L2 |
| aspell-csb | Kashubian Dictionary Package for Aspell | L2 |
| aspell-cy | A Welsh Dictionary for Aspell | L2 |
| aspell-da | A Danish Dictionary for ASpell | L2 |
| aspell-de | A German Dictionary for ASpell | L2 |
| aspell-devel | Include Files and Libraries Mandatory for Development | L2 |
| aspell-el | A Greek Dictionary for ASpell | L2 |
| aspell-en | An English Dictionary for ASpell | L2 |
| aspell-eo | An Esperanto Dictionary for Aspell | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| aspell-es | A Spanish Dictionary for Aspell | L2 |
| aspell-et | An Estonian dictionary for aspell | L2 |
| aspell-fa | A Persian dictionary for aspell | L2 |
| aspell-fi | Finnish Dictionary Package | L2 |
| aspell-fo | A Faroese Dictionary for Aspell | L2 |
| aspell-fr | A French Dictionary for Aspell | L2 |
| aspell-ga | An Irish Dictionary for Aspell | L2 |
| aspell-gd | Scottish Gaelic Dictionary Package for Aspell | L2 |
| aspell-gl | Galician Gaelic Dictionary Package for Aspell | L2 |
| aspell-gv | Manx Gaelic Dictionary Package for Aspell | L2 |
| aspell-he | Hebrew Dictionary Package for Aspell | L2 |
| aspell-hi | An Hindi (ହିନ୍ଦୀ) dictionary for aspell | L2 |
| aspell-hil | An Hiligaynon dictionary for aspell | L2 |
| aspell-hr | A Croatian Dictionary for Aspell | L2 |
| aspell-hsb | An Upper Sorbian (hornjoserbsce) dictionary for aspell | L2 |
| aspell-hu | An Hungarian dictionary for aspell | L2 |
| aspell-ia | An Interlingua dictionary for aspell | L2 |
| aspell-id | An Indonesian (Bahasa Indonesia) dictionary for aspell | L2 |
| aspell-is | An Icelandic Dictionary for Aspell | L2 |
| aspell-it | An Italian Dictionary for Aspell | L2 |
| aspell-ku | An Kurdi dictionary for aspell | L2 |
| aspell-la | An Latin dictionary for aspell | L2 |
| aspell-lt | An Lithuanian dictionary for aspell | L2 |
| aspell-lv | An Latvian dictionary for aspell | L2 |
| aspell-mg | An Malagasy dictionary for aspell | L2 |
| aspell-mi | An Maori dictionary for aspell | L2 |
| aspell-mk | An Macedonian dictionary for aspell | L2 |
| aspell-mn | An Mongolian (Монгол) dictionary for aspell | L2 |
| aspell-mr | An Marathi (मराठी) dictionary for aspell | L2 |
| aspell-ms | An Malay dictionary for aspell | L2 |
| aspell-mt | A Maltese Dictionary for Aspell | L2 |
| aspell-nb | A Norwegian Bokmaal Dictionary for Aspell | L2 |
| aspell-nn | A Norwegian Nynorsk Dictionary for Aspell | L2 |
| aspell-ny | An Chichewa dictionary for aspell | L2 |
| aspell-or | An Oriya dictionary for aspell | L2 |
| aspell-pa | An Punjabi dictionary for aspell | L2 |
| aspell-pl | A Polish Dictionary for Aspell | L2 |
| aspell-pt | A Portuguese Dictionary for Aspell | L2 |
| aspell-qu | An Quechua (Runasimi (qheshwa)) dictionary for aspell | L2 |
| aspell-ro | A Romanian Dictionary for Aspell | L2 |
| aspell-ru | A Russian Dictionary for Aspell | L2 |
| aspell-rw | An Kinyarwanda dictionary for aspell | L2 |
| aspell-sc | An Sardinian dictionary for aspell | L2 |
| aspell-sk | A Slovak Dictionary for Aspell | L2 |
| aspell-sl | An Slovenian dictionary for aspell | L2 |
| aspell-sv | A Swedish Dictionary for Aspell | L2 |
| aspell-sw | An Swahili dictionary for aspell | L2 |
| aspell-ta | An Tamil dictionary for aspell | L2 |
| aspell-tet | An Tetum dictionary for aspell | L2 |
| aspell-tl | An Tagalog dictionary for aspell | L2 |
| aspell-tn | An Setswana dictionary for aspell | L2 |
| aspell-tr | An Turkish dictionary for aspell | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| aspell-uk | A Ukrainian Dictionary for Aspell | L2 |
| aspell-uz | An Uzbek (Ўзбекча) dictionary for aspell | L2 |
| aspell-vi | An Vietnamese dictionary for aspell | L2 |
| aspell-wa | An Kevin Atkinson (kevina@gnu.org) dictionary for aspell | L2 |
| aspell-x86 | A Free and Open Source Spell Checker | L3 |
| aspell-yi | An Yiddish dictionary for aspell | L2 |
| aspell-zu | Zulu Dictionary Package for Aspell | L2 |
| at | A Job Manager | L3 |
| atftp | Advanced TFTP Server and Client | L3 |
| atk | An Accessibility ToolKit | L3 |
| atk-devel | Include Files and Libraries mandatory for Development. | L2 |
| atk-doc | Additional Package Documentation for atk. | L2 |
| atk-x86 | An Accessibility ToolKit | L3 |
| at-spi | Assistive Technology Service Provider Interface | L3 |
| at-spi-devel | Include Files and Libraries mandatory for Development. | L2 |
| at-spi-doc | Additional Package Documentation. | L2 |
| attr | A Command to Manipulate File System Extended Attributes | L3 |
| audiofile | An Audio File Library | L3 |
| audiofile-devel | An audio file library | L2 |
| audiofile-x86 | An Audio File Library | L3 |
| audit | User Space Tools for 2.6 Kernel Auditing | L3 |
| audit-devel | Header files and static library for libaudit | L2 |
| audit-libs | Dynamic library for libaudit | L3 |
| audit-libs-python | Python bindings for libaudit | L3 |
| audit-libs-x86 | Dynamic library for libaudit | L3 |
| autoconf | A GNU Tool for Automatically Configuring Source Code | L2 |
| autofs | A Kernel-Based Automounter | L3 |
| autofs5 | A Kernel-Based Automounter | L3 |
| automake | A Program for Automatically Generating GNU-Style Makefile.in Files | L2 |
| autoyast2 | YaST2 Automated Installation | L3 |
| autoyast2-installation | YaST2 - Auto Installation Modules | L3 |
| awesfx | SoundFont Utilities for SB AWE32/64 and Emu10k1 Drivers | L2 |
| axis | Apache implementation of the SOAP | L2 |
| baekmuk | Baekmuk Fonts (Korean Fonts for the X Window System Bitmap Version) | L2 |
| baekmuk-ttf | Baekmuk Fonts (Korean Fonts for the X Window System True Type Version) | L2 |
| bash | The GNU Bourne-Again Shell | L3 |
| bash-x86 | The GNU Bourne-Again Shell | L3 |
| bc | GNU Command Line Calculator | L3 |
| bcel | Byte Code Engineering Library | L2 |
| bcel-javadoc | Javadoc for bcel | L2 |
| bind | Domain Name System (DNS) Server (named) | L3 |
| bind-chrootenv | Chroot environment for BIND named and lwresd | L3 |
| bind-devel | Development Libraries and Header Files of BIND | L2 |
| bind-doc | BIND documentation | L2 |
| bind-libs | Shared libraries of BIND | L3 |
| bind-libs-x86 | Shared libraries of BIND | L3 |
| bind-utils | Utilities to query and test DNS | L3 |
| bing | A Point-to-Point Bandwidth Measurement Tool | L3 |
| binutils | GNU Binutils | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|----------------------------|--|---|
| binutils-x86 | GNU Binutils | L2 |
| bios_update_tools | Scripts to manage firmware updates | L2 |
| bison | The GNU Parser Generator | L3 |
| bison-x86 | The GNU Parser Generator | L3 |
| bitstream-vera | Bitstream Vera(tm) Truetype fonts | L2 |
| blktrace | Block IO tracer | L3 |
| blocxx | BloCXX--C++ Framework for Application Development | L3 |
| blocxx-devel | BloCXX - Include Files and Libraries | L2 |
| blocxx-doc | BloCXX - Documentation | L2 |
| blt | Tcl/Tk Extension | L3 |
| bonnie | File System Benchmark | L3 |
| boost | Boost C++ Libraries | L2 |
| boost-devel | Development package for Boost C++ | L2 |
| boost-doc | Documentation for the Boost C++ Libraries | L2 |
| bootcycle | Boot Cycle Detection | L3 |
| bootloader-theme-SLES | Boot Loader Background Picture | L2 |
| bootsplash | Graphical System Boot Utilities | L3 |
| bootsplash-theme-SuSE-SLES | Default SuSE Linux Enterprise Server Bootsplash Theme | L3 |
| bridge-utils | Utilities for Configuring the Linux Ethernet Bridge | L3 |
| brocade-firmware | Firmware files for Brocade FC HBAs & CNAs | L2 |
| busybox | The Swiss Army Knife of Embedded Linux | L3 |
| bzip2 | A Program for Compressing Files | L2 |
| bzip2-x86 | A Program for Compressing Files | L2 |
| cabextract | A Program to Extract Microsoft Cabinet Files | L2 |
| cadaver | Command Line WebDAV Client for Unix | L2 |
| cairo | Vector Graphics Library with Cross-Device Output Support | L3 |
| cairo-devel | Development environment for cairo | L2 |
| cairo-doc | Documentation for cairo | L2 |
| cairo-x86 | Vector Graphics Library with Cross-Device Output Support | L3 |
| calamaris | A Report Generator | L2 |
| capi4linux | CAPI 2.0 library and associated tools | L3 |
| capi4linux-x86 | CAPI 2.0 library and associated tools | L3 |
| cdk | The Runtime for the Curses Development Kit | L2 |
| cdk-devel | Development Part of Curses Development Kit | L2 |
| cdparanoia | A Program for Extracting, Verifying and Fixing Audio Tracks from CDs | L2 |
| cdparanoia-x86 | A Program for Extracting, Verifying and Fixing Audio Tracks from CDs | L2 |
| cdrdao | Write CD-Rs in Disk-At-Once Mode | L2 |
| cdrecord | Tool for Writing CDRs | L3 |
| cdrecord-devel | Tool for writing CDRs | L2 |
| CheckHardware | CheckHardware Tool | L3 |
| checkmedia | Check Installation Media | L3 |
| CID-keyed-fonts-Wada | Wadalab CID-Keyed Fonts (for Japanese) | L2 |
| CID-keyed-fonts-WadaH | Wadalab CID-Keyed Fonts (for Rare Japanese Characters) | L2 |
| cifs-mount | Mount using the Common Internet File System (CIFS) | L3 |
| cim-schema | Common Information Model (CIM) Schema | L3 |
| ckermit | A Combined Serial and Network Communication Software Package | L3 |
| clamav | Antivirus Toolkit | L2 |
| cloop-kmp-debug | Transparently Decompressing Loopback Block Device Utilities | L2 |
| cloop-kmp-default | Transparently Decompressing Loopback Block Device Utilities | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| compartm | A Wrapper to Securely Run Insecure or Untrusted Programs | L3 |
| compat | Libraries from Compatibility Versions | L2 |
| compat-curl2 | Curl Compatibility Library | L3 |
| compat-curl2-x86 | Curl Compatibility Library | L3 |
| compat-libstdc++ | The Old stdc++ Library | L2 |
| compat-libstdc++-x86 | The Old stdc++ Library | L2 |
| compat-openssl097g | Secure Sockets and Transport Layer Security | L2 |
| compat-openssl097g-x86 | Secure Sockets and Transport Layer Security | L2 |
| compat-readline4 | The Old readline Library 4.3 | L2 |
| compat-readline4-x86 | The Old readline Library 4.3 | L2 |
| compat-x86 | Libraries from Compatibility Versions | L2 |
| control-center2 | The GNOME Control Center for the GNOME 2.x Desktop | L3 |
| control-center2-devel | The GNOME Control Center for the GNOME 2.x Desktop | L2 |
| convmv | Converts File Names from One Encoding to Another | L3 |
| coreutils | GNU Core Utilities | L3 |
| coreutils-x86 | GNU Core Utilities | L3 |
| cpio | A Backup and Archiving Utility | L2 |
| cpp | The system GNU Preprocessor | L3 |
| cpufrequtils | Tools to Determine and Set CPUfreq Settings | L3 |
| cpufrequtils-x86 | Tools to Determine and Set CPUfreq Settings | L3 |
| cracklib | Full dictionary for cracklib - A Password-Checking Library | L1 |
| cracklib-devel | Header files and libraries for developing apps which will use CrackLib | L1 |
| cracklib-x86 | Full dictionary for cracklib - A Password-Checking Library | L1 |
| crash | Crash utility for live systems; netdump, diskdump LKCD or mcore | L3 |
| crash-sial | SIAL extension for crash | L3 |
| cron | cron Daemon | L3 |
| cryptconfig | A Utility to Configure Encrypted Home Directories and LUKS Partitions | L2 |
| Crystalcursors | Mouse Cursors in Crystal Icon Style | L2 |
| ctags | A Program to Generate Tag Files for Use with vi and Other Editors | L2 |
| ctapi-cyberjack | CT-API and tools for Reiner SCT Cyberjack USB-SmartCard Reader | L2 |
| cups | The Common UNIX Printing System | L3 |
| cups-backends | Various Free Backends for the cups Package | L3 |
| cups-client | CUPS Client Programs | L3 |
| cups-devel | Development Environment for CUPS | L2 |
| cups-drivers | Drivers for the Common UNIX Printing System | L2 |
| cups-drivers-stp | Gutenprint drivers for CUPS | L2 |
| cups-libs | Libraries for CUPS | L3 |
| cups-libs-x86 | Libraries for CUPS | L3 |
| cups-SUSE-ppds-dat | Pregenerated ppds.dat for cupsd | L1 |
| curl | A Tool for Transferring Data from URLs | L3 |
| curl-devel | Header Files and Libraries for cURL Development | L2 |
| curl-x86 | A Tool for Transferring Data from URLs | L3 |
| cvs | Concurrent Versions System | L3 |
| cvs-doc | Open Source Development with CVS 2nd Edition Book | L2 |
| cxgb3-firmware | Firmware files for the Chelsio cxgb3 adapter | L2 |
| cyrus-imapd | An IMAP and POP Mail Server | L3 |
| cyrus-imapd-devel | Libraries and Includes for Cyrus IMAPd | L2 |
| cyrus-sasl | Implementation of Cyrus SASL API | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-----------------------|---|------------------------------------|
| cyrus-sasl-crammd5 | cyrus-sasl plugin for the CRAMMD5 mechanism | L3 |
| cyrus-sasl-devel | Cyrus SASL API Implementation Libraries and Header Files | L2 |
| cyrus-sasl-digestmd5 | cyrus-sasl plugin for the DIGESTMD5 mechanism | L3 |
| cyrus-sasl-gssapi | cyrus-sasl plugin for the GSSAPI mechanism | L3 |
| cyrus-sasl-otp | cyrus-sasl plugin for the OTP mechanism | L3 |
| cyrus-sasl-plain | cyrus-sasl plugin for the PLAIN mechanism | L3 |
| cyrus-sasl-saslauthd | The SASL Authentication Server | L3 |
| cyrus-sasl-sqlauxprop | cyrus-sasl SQL auxprop plugin | L3 |
| cyrus-sasl-x86 | Implementation of Cyrus SASL API | L3 |
| dante | A Free Socks v4 and v5 Client Implementation | L2 |
| dante-devel | Include Files and Libraries mandatory for Development. | L2 |
| dante-server | A Free Socks v4/v5 Server Implementation | L2 |
| dapl | Userspace RDMA API (supports DAT 1.2 specification) | L3 |
| dapl2 | A Library for userspace access to RDMA devices using OS Agnostic DAT APIs. | L3 |
| dapl2-devel | A Library for userspace access to RDMA devices using OS Agnostic DAT APIs.) | L2 |
| dapl2-doc | Documentation for dapl2 | L2 |
| dapl-devel | Development files for the libdat and libdapl libraries | L2 |
| dasher | Zooming Predictive Text Entry System | L3 |
| db | Berkeley DB Database Library | L2 |
| db1 | Berkeley DB Database Library Version 1.85 | L2 |
| db1-devel | Include Files and Libraries for the old Berkeley DB library Version | L2 |
| db1-x86 | Berkeley DB Database Library Version 1.85 | L2 |
| db40 | Berkeley DB Database Library Version 4.0 | L2 |
| db40-devel | Development Include Files and Libraries for the old Berkeley DB library | L2 |
| db40-x86 | Berkeley DB Database Library Version 4.0 | L2 |
| db41 | Berkeley DB Database Library Version 4.1 | L2 |
| db41-devel | Development Include Files and Libraries for the old Berkeley DB library | L2 |
| db42 | Berkeley DB Database Library Version 4.2 | L3 |
| db42-devel | Berkeley DB database library Version 4.2 | L2 |
| db42-x86 | Berkeley DB Database Library Version 4.2 | L3 |
| db-devel | Include Files and Libraries for the Berkeley DB library | L2 |
| dbus-1 | D-Bus Message Bus System | L3 |
| dbus-1-devel | Developer package for D-Bus | L2 |
| dbus-1-glib | GLib-based library for using D-Bus | L3 |
| dbus-1-glib-x86 | GLib-based library for using D-Bus | L3 |
| dbus-1-gtk | GTK based D-Bus tools | L2 |
| dbus-1-java | Java bindings for D-Bus | L2 |
| dbus-1-mono | Mono Bindings for D-Bus | L2 |
| dbus-1-python | Python bindings for D-Bus | L2 |
| dbus-1-qt | QT4/KDE bindings for D-Bus | L2 |
| dbus-1-qt3 | QT3/KDE bindings for D-Bus | L3 |
| dbus-1-qt3-devel | Developer package for QT3/KDE bindings for D-Bus | L2 |
| dbus-1-qt3-x86 | QT3/KDE bindings for D-Bus | L3 |
| dbus-1-qt-x86 | QT4/KDE bindings for D-Bus | L2 |
| dbus-1-x11 | X11-requiring add-ons for D-Bus | L2 |
| dbus-1-x86 | D-Bus Message Bus System | L3 |
| db-utils | Command Line tools for Managing Berkeley DB Databases | L2 |
| db-x86 | Berkeley DB Database Library | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| ddclient | A Perl Client to Update Dynamic DNS Entries | L3 |
| ddrescue | Data Copying in the Presence of I/O Errors | L3 |
| dds2tar | DDS2 Tape Streamer Utilities | L2 |
| dejavu | DejaVu Truetype Fonts | L2 |
| delayacct-utils | Delay Accounting Utilities | L3 |
| deltarpm | Tools to Create and Apply deltarpms | L3 |
| desktop-data-NLD | SuSE Theme Files for KDE and GNOME | L3 |
| desktop-file-utils | Utilities for Manipulating Desktop Files | L3 |
| desktop-translations | Desktop Files Translation updates | L3 |
| device-mapper | Device Mapper Tools | L3 |
| device-mapper-devel | Development package for the device mapper | L3 |
| device-mapper-x86 | Device Mapper Tools | L3 |
| devs | Device Files | L2 |
| dhcddb | DHCP D-BUS Daemon | L3 |
| dhcp | Common Files Used by ISC DHCP Software | L3 |
| dhcp6 | DHCP Client and Server for IPv6 | L3 |
| dhcpcd | A DHCP Client Daemon | L3 |
| dhcp-client | ISC DHCP Client | L3 |
| dhcp-devel | Header Files and Libraries for dhcpcctl API | L2 |
| dhcp-relay | DHCP Relay Agent | L3 |
| dhcp-server | ISC DHCP Server | L3 |
| dhcp-tools | DHCP Tools | L3 |
| dialog | Menus and Input Boxes for Shell Scripts | L3 |
| diffutils | GNU diff Utilities | L3 |
| dirmngr | A Client for Managing and Downloading CRLs | L3 |
| dmapi | Data Management API Runtime Environment | L3 |
| dmapi-devel | DMAPI Libraries and Header Files | L2 |
| dmraid | A Device-Mapper Software RAID Support Tool | L2 |
| docbook_4 | DocBook DTD Version 4.x | L2 |
| dos2unix | A DOS to UNIX Text Converter | L2 |
| dosfstools | Utilities for Making and Checking MS-DOS FAT File Systems on Linux | L3 |
| drbd | Distributed Replicated Block Device | L3 |
| drbd-kmp-debug | Distributed Replicated Block Device | L3 |
| drbd-kmp-default | Distributed Replicated Block Device | L3 |
| dump | A Backup Program | L2 |
| dvd+rw-tools | Collection of Tools for Mastering DVD+RW/+R Media | L2 |
| e2fsprogs | Utilities for the Second Extended File System | L3 |
| e2fsprogs-devel | Include Files and Libraries mandatory for Development. | L2 |
| e2fsprogs-x86 | Utilities for the Second Extended File System | L3 |
| ed | Standard UNIX Line Editor | L3 |
| ecj | Eclipse Compiler for Java) | L2 |
| eel | The Eazel Extensions Library | L3 |
| eel-devel | Include Files and Libraries mandatory for Development. | L2 |
| eel-x86 | The Eazel Extensions Library | L3 |
| efont-unicode | Unicode Font by /efont/ | L2 |
| eject | A Program to Eject Media under Software Control | L3 |
| elilo | EFI Linux Loader | L3 |
| emacs | GNU Emacs Base Package | L3 |
| emacs-el | Several Lisp Files for GNU Emacs | L3 |
| emacs-info | Info files for GNU Emacs | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-----------------------------|--|---|
| emacs-nox | GNU Emacs-nox: An Emacs Binary without X Window System Support | L3 |
| emacs-x11 | GNU Emacs: Emacs binary with X Window System Support | L3 |
| enscript | An ASCII to PostScript(tm) Converter | L2 |
| eog | Eye of GNOME for the GNOME 2.x Desktop | L3 |
| esound | A Sound Daemon for Enlightenment and GNOME | L3 |
| esound-devel | Esound Development Package | L2 |
| esound-x86 | A Sound Daemon for Enlightenment and GNOME | L3 |
| ethereal | A Network Traffic Analyser | L3 |
| ethereal-devel | A Network Traffic Analyser | L2 |
| ethtool | Examine and Tune Ethernet-Based Network Interfaces | L3 |
| evince | GNOME Document Viewer | L3 |
| evms | EVMS--Enterprise Volume Management System | L3 |
| evms-gui | EVMS - GUI Frontend | L3 |
| evms-ha | EVMS - HA Utilities | L3 |
| evolution-data-server | Evolution Data Server | L3 |
| evolution-data-server-devel | Evolution Data Server Development Files | L2 |
| evolution-data-server-x86 | Evolution Data Server | L3 |
| expat | XML Parser Toolkit | L3 |
| expat-x86 | XML Parser Toolkit | L3 |
| expect | A Tool for Automating Interactive Programs | L3 |
| fam | File Alteration Monitoring Daemon | L3 |
| fam-devel | Include Files and Libraries Mandatory for Development | L2 |
| fam-server | File Alteration Monitoring Daemon | L3 |
| fam-x86 | File Alteration Monitoring Daemon | L3 |
| fastjar | The fastjar Java package archiver | L2 |
| fbiterm | Internationalized Terminal Emulator for Framebuffers | L3 |
| fbset | Framebuffer Configuration Tool | L3 |
| festival | The Festival Speech Synthesis System | L2 |
| fetchmail | Full-Featured POP and IMAP Mail Retrieval Daemon | L3 |
| fetchmailconf | Fetchmail Configuration Utility | L3 |
| file | A Tool to Determine File Types | L3 |
| file-devel | Include Files and Libraries mandatory for Development | L2 |
| file-roller | An Archive Manager for GNOME | L3 |
| fileshareset | Set and list fileshares | L3 |
| filesystem | Basic Directory Layout | L3 |
| file-x86 | A Tool to Determine File Types | L3 |
| fillup | Tool for Merging Config Files | L3 |
| filters | Printer Filters for HP, Lexmark, CaPSL, Citizen and Apple | L2 |
| findutils | GNU find--Finding Files | L3 |
| findutils-locate | Tool for Locating Files (GNU Findutils Subpackage) | L3 |
| finger | Show User Information (Client) | L3 |
| finger-server | A Server for Showing User Information | L3 |
| firefox3-atk | An Accessibility ToolKit | L3 |
| firefox3-cairo | Vector Graphics Library with Cross-Device Output Support | L3 |
| firefox3-glib2 | A Library with Convenient Functions Written in C | L3 |
| firefox3-gtk2 | Library for Creation of Graphical User Interfaces (version 2) | L3 |
| firefox3-pango | System for Layout and Rendering of Internationalised TexT | L3 |
| flac | Free Lossless Audio Codec | L3 |
| flac-devel | FLAC Library Development Package | L2 |
| flac-x86 | Free Lossless Audio Codec | L3 |
| flex | Fast Lexical Analyzer Generator | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| flex-x86 | Fast Lexical Analyzer Generator | L3 |
| fltk | Free C++ GUI Toolkit for the X Window System, OpenGL and WIN32 | L3 |
| fltk-devel | Include Files and Libraries mandatory for Development. | L2 |
| fontconfig | Library for Font Configuration | L3 |
| fontconfig-devel | Include Files and Libraries mandatory for Development. | L2 |
| fontconfig-x86 | Library for Font Configuration | L3 |
| fonts-config | Configures Fonts for X Windows and other applications | L3 |
| foomatic-filters | Filter Scripts Used by Printer Spoolers | L3 |
| fping | A Program to Ping Multiple Hosts | L3 |
| fpswa | Itanium Processor Floating Point Software Assistant Handler | L2 |
| freeglut | Freely Licensed Alternative to the GLUT Library | L2 |
| freeglut-devel | Development Package for freeglut (GLUT Library) | L2 |
| freeglut-x86 | Freely Licensed Alternative to the GLUT Library | L2 |
| freeradius | Very Highly Configurable Radius Server | L3 |
| freeradius-devel | FreeRADIUS Development Files (static libs) | L2 |
| freetype | TrueType Font Engine | L2 |
| freetype2 | A TrueType Font Library | L2 |
| freetype2-devel | Include Files and Libraries mandatory for Development. | L2 |
| freetype2-x86 | A TrueType Font Library | L2 |
| freetype-tools | Bundled Tests Demos and Tools for FreeType (Needed for CJK-LaTeX) | L2 |
| freetype-x86 | TrueType Font Engine | L2 |
| fribidi | Free Implementation of BiDi Algorithm | L2 |
| fribidi-devel | Static Libraries and Header Files for FriBiDi | L2 |
| fribidi-x86 | Free Implementation of BiDi Algorithm | L2 |
| fs-check | Check File System Usage | L2 |
| ft2demos | Freetype2 Utilities and Demo Programs | L3 |
| fvwm2 | Improved Version of FVWM Window Manager | L3 |
| g3utils | Tools for the G3 (Fax) Graphics Format | L3 |
| gail | The GNOME Accessibility Implementation Library | L3 |
| gail-devel | GNOME Accessibility Implementation Library | L2 |
| gail-doc | Additional Package Documentation for gail. | L2 |
| gail-x86 | The GNOME Accessibility Implementation Library | L3 |
| gal2 | The G App Library | L1 |
| gal2-devel | Include Files and Libraries mandatory for Development. | L1 |
| gawk | GNU awk | L3 |
| gawk-doc | GAWK Package Documentation. | L2 |
| gcal | A Program for Printing Calendars | L3 |
| gcalctool | A GNOME Calculator Application | L3 |
| gcc | The system GNU C Compiler | L3 |
| gcc-c++ | The system GNU C++ Compiler | L3 |
| gcc-fortran | The system GNU Fortran Compiler | L2 |
| gcc-info | The system GNU Compiler documentation | L2 |
| gcc-java | The system GNU Java Compiler | L2 |
| gcc-locale | The system GNU Compiler locale files | L2 |
| gcc-objc | The system GNU Objective C Compiler | L2 |
| gcc-obj-c++ | The system GNU Objective C++ Compiler | L2 |
| gconf2 | The GNOME 2.x Desktop Configuration Database System | L3 |
| gconf2-devel | Include Files and Libraries mandatory for Development. | L2 |
| gconf2-doc | Documentation for the GNOME 2.x Desktop Configuration Database System | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-----------------------------------|---|---|
| gconf2-x86 | The GNOME 2.x Desktop Configuration Database System | L3 |
| gconf-editor | An Editor for the GCONF Database System | L3 |
| gd | A Drawing Library for Programs That Use PNG and JPEG Output | L3 |
| gdb | The GNU Debugger | L2 |
| gdbm | GNU Database Routines | L3 |
| gdbm-devel | Include Files and Libraries mandatory for Development. | L2 |
| gdbm-x86 | GNU Database Routines | L3 |
| gdb-x86 | The GNU Debugger | L2 |
| gd-devel | Drawing Library for Programs with PNG and JPEG Output | L2 |
| gdk-pixbuf | A Library for Fast Pixel Manipulation | L2 |
| gdk-pixbuf-x86 | A Library for Fast Pixel Manipulation | L2 |
| gdm | The GNOME 2.x Display Manager | L3 |
| gedit | The Editor for the GNOME 2.x Desktop | L3 |
| geronimo | Geronimo is Apache's ASF-licensed J2EE server project | L2 |
| geronimo-jetty-servlet-container | Jetty Servlet engine for Geronimo | L2 |
| geronimo-tomcat-servlet-container | Tomcat Servlet engine for Geronimo | L2 |
| gettext | Tools for Native Language Support (NLS) | L3 |
| gettext-devel | Tools for Native Language Support (NLS) | L2 |
| gettext-x86 | Tools for Native Language Support (NLS) | L3 |
| ghostscript-cjk | Tools for Using CJK TrueType Fonts and CID-Keyed Fonts with Ghostscript | L2 |
| ghostscript-fonts-other | Optional fonts for Ghostscript | L2 |
| ghostscript-fonts-rus | Russian Fonts for Ghostscript | L2 |
| ghostscript-fonts-std | Standard Fonts for Ghostscript | L2 |
| ghostscript-library | Necessary Files for Running Ghostscript | L3 |
| ghostscript-omni | Omni Toolkit for Ghostscript | L2 |
| ghostscript-x11 | Ghostscript for the X Window System | L3 |
| giflib | A Library for Working with GIF Images | L3 |
| giflib-devel | Library for Working with GIF Images - Files Mandatory for Development | L2 |
| giflib-progs | Tools for Working with the GIF Library | L3 |
| giflib-x86 | A Library for Working with GIF Images | L3 |
| gle | The GLE Tubing and Extrusion Library | L3 |
| glib | The Utility Functions for Gtk | L2 |
| glib2 | A Library with Convenient Functions Written in C | L3 |
| glib2-devel | Include Files and Libraries mandatory for Development. | L2 |
| glib2-doc | Documentation for the C Library with Convenience Functions | L2 |
| glib2-x86 | A Library with Convenient Functions Written in C | L3 |
| glibc | Standard Shared Libraries (from the GNU C Library) | L3 |
| glibc-devel | Include Files and Libraries Mandatory for Development | L2 |
| glibc-html | HTML Documentation for the GNU C Library | L2 |
| glibc-i18n-data | Database Sources for 'locale' | L3 |
| glibc-info | Info Files for the GNU C Library | L2 |
| glibc-locale | Locale Data for Localized Programs | L3 |
| glibc-locale-x86 | Locale Data for Localized Programs | L3 |
| glibc-profile | Libc Profiling and Debugging Versions | L3 |
| glibc-profile-x86 | Libc Profiling and Debugging Versions | L3 |
| glibc-x86 | Standard Shared Libraries (from the GNU C Library) | L3 |
| glib-devel | Static Libraries and Header Files for GLib | L2 |
| glib-sharp2 | Mono bindings for glib | L3 |
| glib-x86 | The Utility Functions for Gtk | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| glitz | Glitz--OpenGL Image Compositing Library | L3 |
| glitz-devel | glitz - OpenGL image compositing library | L2 |
| glitz-x86 | Glitz--OpenGL Image Compositing Library | L3 |
| gmime | MIME Library | L3 |
| gmime-devel | MIME Library | L2 |
| gmp | The GNU MP Library | L3 |
| gmp-devel | Include Files and Libraries for Development with the GNU MP Library | L2 |
| gmp-x86 | The GNU MP Library | L3 |
| gnome2-NLD | Distribution Default Settings for the GNOME 2.x Desktop | L3 |
| gnome2-user-docs | GNOME 2.x Desktop Documentation | L2 |
| gnome-applets | A Collection of Useful Programs for the GNOME 2.x Desktop Panel | L3 |
| gnome-applets-devel | A Collection of Useful Programs for the GNOME 2.x Desktop Panel | L2 |
| gnome-audio | Audio Files for the GNOME Desktop | L3 |
| gnome-common | Commonly Used Files for the GNOME 2.x Desktop Platform | L2 |
| gnome-cups-manager | GNOME CUPS Printer Manager | L3 |
| gnome-cups-manager-devel | GNOME CUPS Printer Manager | L2 |
| gnome-desktop | The GNOME Desktop API Library | L3 |
| gnome-desktop-devel | Include Files and Libraries mandatory for Development. | L2 |
| gnome-desktop-x86 | The GNOME Desktop API Library | L3 |
| gnome-doc-utils | A Collection of Documentation Utilities for GNOME | L2 |
| gnome-filesystem | GNOME Directory Layout | L3 |
| gnome-icon-theme | GNOME Icon Theme | L3 |
| gnome-keyring | GNOME Keyring Password Manager | L3 |
| gnome-keyring-devel | GNOME Keyring Password Manager | L2 |
| gnome-keyring-manager | GNOME Keyring Password Manager | L3 |
| gnome-keyring-x86 | GNOME Keyring Password Manager | L3 |
| gnome-main-menu | The GNOME Desktop Menu | L3 |
| gnome-media | GNOME Multimedia (Media) | L3 |
| gnome-menus | The GNOME Desktop Menu | L3 |
| gnome-menus-devel | The GNOME Desktop Menu | L2 |
| gnome-menus-x86 | The GNOME Desktop Menu | L3 |
| gnome-mime-data | MIME Type and Application Database for the GNOME 2.x Desktop | L3 |
| gnome-nettool | GNOME Interface for Various Networking Tools | L3 |
| gnome-panel-nld | The GNOME 2.x Desktop Panel | L3 |
| gnome-panel-nld-doc | Additional Package Documentation. | L2 |
| gnome-panel-nld-x86 | The GNOME 2.x Desktop Panel | L3 |
| gnome-power-manager | Power Management for GNOME | L3 |
| gnome-printer-add | Utility to Add a New Printer to GNOME | L3 |
| gnome-screensaver | GNOME Screen Saver and Locker | L3 |
| gnome-session | Session Tools for the GNOME 2.x Desktop | L3 |
| gnome-speech | GNOME Speech API | L3 |
| gnome-spell2 | Bonobo Spelling Component | L3 |
| gnome-system-monitor | A Simple Process Monitor | L3 |
| gnome-terminal | The GNOME 2.x Desktop Terminal | L3 |
| gnome-themes | GNOME Themes | L3 |
| gnome-utils | Basic Utilities for the GNOME 2.x Desktop | L3 |
| gnome-vfs2 | The GNOME 2.x Desktop Virtual File System Libraries | L3 |
| gnome-vfs2-devel | Include Files and Libraries mandatory for Development. | L2 |
| gnome-vfs2-doc | Additional Package Documentation for gnome-vfs2. | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-------------------------------|---|---|
| gnome-vfs2-x86 | The GNOME 2.x Desktop Virtual File System Libraries | L3 |
| gnome-volume-manager | The GNOME Volume Manager | L3 |
| gnu-efi | Library for EFI Applications | L3 |
| gnuplot | Function Plotting Utility | L3 |
| gnutls | The GNU Transport Layer Security Library | L3 |
| gnutls-devel | Development package for gnutls | L2 |
| gnutls-x86 | The GNU Transport Layer Security Library | L3 |
| gok | GNOME On-Screen Keyboard | L3 |
| gpart | Tool That Can Guess a Lost Partition Table | L2 |
| gperf | A Compiler Tool for Generating Perfect Hash Functions | L2 |
| gpg | The GNU Privacy Guard: Encrypts, Decrypts and Signs Data | L3 |
| gpg2 | GnuPG 2 | L2 |
| gpgme | A Library Designed to Give Applications Easy Access to GnuPG | L3 |
| gpgme-devel | A Library Designed to give Applications easy Access to GnuPG | L2 |
| gpm | Console Mouse Support | L3 |
| gpm-x86 | Console Mouse Support | L3 |
| grep | Print lines matching a pattern | L3 |
| groff | GNU troff Document Formatting System | L3 |
| gstreamer010 | Streaming-Media Framework Runtime | L3 |
| gstreamer010-doc | Streaming-Media Framework Runtime: Documentation for Developers | L2 |
| gstreamer010-plugins-base | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gstreamer010-plugins-base-doc | GStreamer Streaming-Media Framework Plug-Ins | L2 |
| gstreamer010-plugins-base-x86 | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gstreamer010-plugins-good | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gstreamer010-x86 | Streaming-Media Framework Runtime | L3 |
| gtk | A Library for the Creation of Graphical User Interfaces | L2 |
| gtk2 | Library for Creation of Graphical User Interfaces | L3 |
| gtk2-devel | Include Files and Libraries mandatory for Development. | L2 |
| gtk2-doc | Additional Package Documentation for gtk2. | L2 |
| gtk2-engines | Engines for GTK2 Themes | L3 |
| gtk2-engines-x86 | Engines for GTK2 Themes | L3 |
| gtk2-themes | Additional Themes and Engines for GTK2 | L3 |
| gtk2-x86 | Library for Creation of Graphical User Interfaces | L3 |
| gtk-devel | Developer Files for GIMP ToolKit | L2 |
| gtk-engines | Theme Engines for GTK+ | L2 |
| gtk-engines-x86 | Theme Engines for GTK+ | L2 |
| gtkglarea | An OpenGL Widget for GTK+ | L3 |
| gtkhtml2 | Library for HTML Support for Gtk2 | L3 |
| gtk-sharp2 | .Net Language Bindings for GTK+ | L3 |
| gtk-sharp2-gapi | C Source Parser and C Generator | L2 |
| gtk-sharp2-x86 | .Net Language Bindings for GTK+ | L3 |
| gtksourceview | GTK+ 2.0 Source Editing Widget | L2 |
| gtksourceview-devel | GTK+ 2.0 Source Editing Widget | L2 |
| gtksourceview-doc | Additional Package Documentation. | L2 |
| gtkspell | GTK2 Spell Checker Interface Library | L3 |
| gtkspell-devel | Static libraries and header files from gtkspell | L2 |
| gtk-vnc | A GTK widget for VNC clients | L3 |
| gtk-x86 | A Library for the Creation of Graphical User Interfaces | L2 |
| gucharmap | A Feature-Rich Unicode Character Map | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| gucharmap-devel | Include Files and Libraries mandatory for Development. | L2 |
| guile | GNU's Ubiquitous Intelligent Language for Extension | L3 |
| gup | Group Update Program for INN and C-News | L3 |
| gv | A Program to View PostScript Files | L3 |
| gvim | A GUI for Vi | L3 |
| gxdview | Ditroff Output Displayer for Groff | L3 |
| gxmhml | Gtk-XMHTML | L2 |
| gzip | GNU Zip Compression Utilities | L3 |
| hal | Daemon for Collecting Hardware Information | L3 |
| hal-devel | Developer package for HAL | L2 |
| hal-gnome | GNOME based device manager for HAL | L2 |
| hal-resmgr | Install ACLs on device nodes | L3 |
| hal-x86 | Daemon for Collecting Hardware Information | L3 |
| hardinfo | hardinfo is a system profiler for GNOME. | L3 |
| hdparm | A Program to Get and Set Hard Disk Parameters | L3 |
| heartbeat | The Heartbeat Subsystem for High-Availability Linux | L3 |
| heartbeat-cmpi | Heartbeat CIM Provider | L3 |
| heartbeat-ldirectord | A Monitoring Daemon for Maintaining High Availability Resources | L3 |
| heartbeat-pils | A General Plug-In and Interface Loading Library | L3 |
| heartbeat-stonith | An Interface for Shoot The Other Node In The Head | L3 |
| hfsutils | Tools Used for the Macintosh's Hierarchical File System | L2 |
| howto | A Collection of How-Tos | L2 |
| howtoenh | A Collection of HOWTOs from the Linux Documentation Project (HTML) | L2 |
| hplip | HP's Printing, Scanning and Faxing Software | L3 |
| hplip17 | HP's Printing, Scanning and Faxing Software: Cutting Edge Version | L2 |
| hplip17-hpijs | HPIJS for HP's printing and scanning software HPLIP: Cutting Edge | L2 |
| hplip-hpijs | HPIJS for HP's printing and scanning software HPLIP | L2 |
| htdig | WWW Index and Search System | L3 |
| hwinfo | Hardware Library | L3 |
| hwinfo-devel | Hardware Detection Library | L2 |
| i4l-base | ISDN for Linux Basic Utilities | L3 |
| i4lfirm | ISDN firmware for active ISDN cards | L2 |
| i4l-isdnlog | An ISDN line logging and control utility | L3 |
| i4l-vbox | A Voice Answering Machine for isdn4linux | L3 |
| ia32el | IA32 Execution Layer | L3 |
| ib-bonding | infiniband bonding tool | L3 |
| ib-bonding-kmp-debug | infiniband bonding tool | L3 |
| ib-bonding-kmp-default | infiniband bonding tool | L3 |
| ibutils | OpenIB Mellanox InfiniBand Diagnostic Tools | L3 |
| ibutils-devel | OpenIB Mellanox InfiniBand Diagnostic Tools | L2 |
| ibutils-x86 | OpenIB Mellanox InfiniBand Diagnostic Tools | L3 |
| ibvexdmtools | Tools for VNIC/IB | L3 |
| ibmasm | IBM Advanced System Management Drivers | L3 |
| icmpinfo | A Tool for Looking at ICMP Messages | L3 |
| id3lib | A Library for Manipulating ID3v1 and ID3v2 tags | L3 |
| id3lib-devel | Documentation and Headers for id3lib | L2 |
| id3lib-examples | Example Applications for the id3lib Library | L3 |
| ifntchia | Chinese Fonts for the X Window System | L2 |
| ifnteuro | European fonts for the X Window System | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| ifplugd | Daemon Activating Network Interfaces on Cable Plug | L3 |
| iftop | Real-Time Interface Bandwidth Usage | L3 |
| imap | IMAP4, POP2 and POP3 Mail Server | L2 |
| imap-devel | IMAP4rev1/c-client Development Environment | L2 |
| imap-lib | IMAP4rev1/c-client Development Environment | L2 |
| imgen | Mellanox Firmware Generator | L3 |
| imlib | A Shared Library for Loading and Rendering 3D Images | L2 |
| imlib-config | Configuration Tool for imlib | L2 |
| imlib-devel | Imlib Development Environment | L2 |
| imlib-x86 | A Shared Library for Loading and Rendering 3D Images | L2 |
| indent | Indent Formats C Source Code | L3 |
| infiniband-diags | OpenIB InfiniBand Diagnostic Tools | L3 |
| info | A Stand-Alone Terminal-Based Info Browser | L3 |
| info2html | Program to Convert Info Pages into HTML Pages | L3 |
| initviocons | Terminal Initialization for the iSeries Virtual Console | L3 |
| inn | InterNetNews | L3 |
| input-utils | A Set of Utilities for Input Devices | L2 |
| insserv | A Program to Arrange Initialization Scripts | L3 |
| install-initrd | Create initrd for Installation | L3 |
| inst-source-utils | Utilities for creating customized installation sources. | L3 |
| intlfnts | Documentation for the International Fonts | L2 |
| intlfonts-bdf | Fonts from the GNU Intlfnts Package in BDF Format | L2 |
| intlfonts-ttf | TrueType Fonts from the GNU Intlfnts Package | L2 |
| ipcalc | A IPv4 Address Calculator | L2 |
| ipmitool | Utility for IPMI Control | L2 |
| ipoibtools | IPoIB High Availability daemon | L3 |
| ippl | IP Protocol Logger | L2 |
| iproute2 | Advanced Routing | L3 |
| iprutils | Utilities for the IBM Power Linux RAID Adapters | L3 |
| ipsec-tools | IPsec Utilities | L2 |
| iptables | IP Packet Filter Administration | L3 |
| iptables-devel | Libraries Headers and Development Man Pages for libipq | L2 |
| iptraf | TCP/IP Network Monitor | L3 |
| iputils | IPv4and IPv6 Networking Utilities | L3 |
| ipvsadm | A Utility for Administering the Linux Virtual Server | L3 |
| ipw-firmware | Firmware for Intel PRO/Wireless WLAN Cards | L2 |
| ipxrip | IPX Routing Daemon | L3 |
| ircd | Internet Relay Chat Server | L2 |
| irda | Necessary Tools for Using the Infrared Port | L2 |
| irqbalance | Balance IRQs on SMP Machines | L3 |
| iscsitarget | Open Source iSCSI Target with Professional Features | L3 |
| isns | Internet Storage Naming Service | L2 |
| iso-codes | ISO Code Lists and Translations | L3 |
| iso_ent | Character Entity Sets for ISO 8879:1986 | L3 |
| itcl | Object Oriented Extension for Tcl | L3 |
| itcl-x86 | Object Oriented Extension for Tcl | L3 |
| ivman | A Generic Handler for HAL Events | L3 |
| iwl5000-ucode | Firmware for Intel PRO/Wireless 5100 ABGN and 5300 ABGN WLAN Cards | L3 |
| iwl3945-ucode | Firmware for Intel PRO/Wireless 3945ABG WLAN Cards | L3 |
| iwl4965-ucode | Firmware for Intel Wireless WiFi Link 4965AGN Cards | L3 |
| jack | Jack Audio Connection Kit | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-------------------------------------|--|---|
| jack-devel | Development package for jack | L2 |
| jack-x86 | Jack Audio Connection Kit | L3 |
| jaf | JavaBeans Activation Framework | L2 |
| jaf-demo | Demonstrations and samples for jaf. | L2 |
| jaf-javadoc | Javadoc documentation for jaf. | L2 |
| jaf-manual | Documentation for jaf. | L2 |
| jakarta-commons-beanutils | Jakarta Commons BeanUtils Package | L2 |
| jakarta-commons-beanutils-javadoc | Javadoc for jakarta-commons-beanutils | L2 |
| jakarta-commons-collections | Jakarta Commons Collections Package | L2 |
| jakarta-commons-collections-javadoc | Javadoc for jakarta-commons-collections | L2 |
| jakarta-commons-daemon | Jakarta Commons Daemon Package | L2 |
| jakarta-commons-daemon-javadoc | Javadoc for jakarta-commons-daemon | L2 |
| jakarta-commons-dbcpc | Jakarta Commons DataBase Pooling Package | L2 |
| jakarta-commons-dbcpc-javadoc | Javadoc for jakarta-commons-dbcpc | L2 |
| jakarta-commons-digester | Jakarta Commons Digester Package | L2 |
| jakarta-commons-digester-javadoc | Javadoc for jakarta-commons-digester | L2 |
| jakarta-commons-discovery | Jakarta Commons Discovery | L2 |
| jakarta-commons-discovery-javadoc | Javadoc for jakarta-commons-discovery | L2 |
| jakarta-commons-el | The Jakarta Commons Extension Language | L2 |
| jakarta-commons-el-javadoc | Javadoc for jakarta-commons-el | L2 |
| jakarta-commons-fileupload | Jakarta Commons FileUpload Package | L2 |
| jakarta-commons-fileupload-javadoc | Javadoc for jakarta-commons-fileupload | L2 |
| jakarta-commons-io | Commons IO Package | L2 |
| jakarta-commons-launcher | A Cross-Platform Java Application Launcher | L2 |
| jakarta-commons-launcher-javadoc | Javadoc for jakarta-commons-launcher | L2 |
| jakarta-commons-logging | Jakarta Commons Logging Package | L2 |
| jakarta-commons-logging-javadoc | Javadoc for jakarta-commons-logging | L2 |
| jakarta-commons-modeler | Jakarta Commons Modeler Package | L2 |
| jakarta-commons-modeler-javadoc | Javadoc for jakarta-commons-modeler | L2 |
| jakarta-commons-pool | Jakarta Commons Pool Package | L2 |
| jakarta-commons-pool-javadoc | Javadoc for jakarta-commons-pool | L2 |
| jakarta-commons-validator | Jakarta Commons Validator | L2 |
| jakarta-commons-validator-javadoc | Javadoc for jakarta-commons-validator | L2 |
| jakarta-taglibs-standard | Open Source Implementation of the JSP Standard Tag Library | L2 |
| jakarta-taglibs-standard-javadoc | Javadoc for jakarta-taglibs-standard | L2 |
| jasper | An Implementation of the JPEG-2000 Standard Part 1 | L3 |
| java-1_4_2.ibm | IBM(R) Runtime Environment for Linux Java(TM) 2 Technology Edition | L3 |
| java-1_4_2.ibm-devel | IBM(R) Developer Kit for Linux Java(TM) 2 Technology Edition | L3 |
| java-1_4_2.sun | Java(TM) 2 Runtime Environment | L2 |
| java-1_4_2.sun-devel | Java(TM) 2 SDK Standard Edition | L2 |
| java-1_4_2.sun-jdbc | JDBC/ODBC bridge driver for java-1.4.2-sun | L2 |
| java-1_5_0.bea | Java(TM) 5 Runtime Environment | L2 |
| java-1_5_0.bea-devel | Java(TM) 5 SDK, Standard Edition | L2 |
| java-1_5_0.bea-jdbc | Java(TM) 5 Runtime Environment | L2 |
| java-1_5_0.ibm-alsa-x86 | ALSA support for java-1_5_0.ibm | L3 |
| java-1_5_0.ibm-x86 | Java(TM) 5 Runtime Environment | L3 |
| javamail | The JavaMail(TM) API | L2 |
| javamail-demo | Demonstrations and samples for javamail. | L2 |
| javamail-javadoc | Javadoc documentation for javamail. | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| javamail-manual | Manual for javamail | L2 |
| javamail-monolithic | All javamail in one monolithic jar. | L2 |
| joe | A Text Editor | L2 |
| jpackage-utils | JPackage Utilities | L3 |
| jpeg | Independent JPEG Group's JPEG Software | L3 |
| jta | Java Transaction API | L2 |
| jta-javadoc | Javadoc documentation for jta. | L2 |
| JTOpen | The Open Source Version of the IBM Toolbox for Java | L3 |
| JTOpen-doc | Additional Package Documentation | L2 |
| k3b | A Universal CD and DVD Burning Application | L3 |
| kbd | Keyboard and Font Utilities | L3 |
| kde3-i18n-af | Afrikaans Translations for KDE | L2 |
| kde3-i18n-ar | Arabic translations for KDE | L2 |
| kde3-i18n-bg | Bulgarian Translations for KDE | L2 |
| kde3-i18n-bn | Bengali translations for KDE | L2 |
| kde3-i18n-br | Breton Translations for KDE | L2 |
| kde3-i18n-bs | Bosnian Translations for KDE | L2 |
| kde3-i18n-ca | Catalan Translations for KDE | L2 |
| kde3-i18n-cs | Czech Translations for KDE | L2 |
| kde3-i18n-cy | Welsh Translations for KDE | L2 |
| kde3-i18n-da | Danish Translations for KDE | L2 |
| kde3-i18n-de | German Translations for KDE | L2 |
| kde3-i18n-el | Greek Translations for KDE | L2 |
| kde3-i18n-en_GB | English (UK) Translations for KDE | L2 |
| kde3-i18n-eo | Esperanto translations for KDE | L2 |
| kde3-i18n-es | Spanish Translations for KDE | L2 |
| kde3-i18n-et | Estonian Translations for KDE | L2 |
| kde3-i18n-eu | Basque translations for KDE | L2 |
| kde3-i18n-fi | Finnish Translations for KDE | L2 |
| kde3-i18n-fr | French Translations for KDE | L2 |
| kde3-i18n-fy | Frisian Translations for KDE | L2 |
| kde3-i18n-ga | Irish Translations for KDE | L2 |
| kde3-i18n-he | Hebrew Translations for KDE | L2 |
| kde3-i18n-hu | Hungarian Translations for KDE | L2 |
| kde3-i18n-it | Italian Translations for KDE | L2 |
| kde3-i18n-ja | Japanese Translations for KDE | L2 |
| kde3-i18n-lt | Lithuanian translations for KDE | L2 |
| kde3-i18n-mk | Macedonian Translations for KDE | L2 |
| kde3-i18n-nb | Norwegian (Bokmaal) Translations for KDE | L2 |
| kde3-i18n-nds | Low Saxon translations for KDE | L2 |
| kde3-i18n-nl | Dutch Translations for KDE | L2 |
| kde3-i18n-nn | Norwegian (Nynorsk) Translations for KDE | L2 |
| kde3-i18n-pa | Punjabi translations for KDE | L2 |
| kde3-i18n-pl | Polish Translations for KDE | L2 |
| kde3-i18n-pt | Portuguese Translations for KDE | L2 |
| kde3-i18n-pt_BR | Brazilian Portuguese Translations for KDE | L2 |
| kde3-i18n-ro | Romanian Translations for KDE | L2 |
| kde3-i18n-ru | Russian Translations for KDE | L2 |
| kde3-i18n-se | Northern Sami translations for KDE | L2 |
| kde3-i18n-sk | Slovak Translations for KDE | L2 |
| kde3-i18n-sl | Slovenian Translations for KDE | L2 |
| kde3-i18n-sr | Serbian Translations for KDE | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|------------------------------|--|---|
| kde3-i18n-srLatn | Serbian Latin translations for KDE | L2 |
| kde3-i18n-sv | Swedish Translations for KDE | L2 |
| kde3-i18n-ta | Tamil Translations for KDE | L2 |
| kde3-i18n-tg | Tajik translations for KDE | L2 |
| kde3-i18n-tr | Turkish Translations for KDE | L2 |
| kde3-i18n-uk | Ukrainian Translations for KDE | L2 |
| kde3-i18n-zh_CN | Simplified Chinese Translations for KDE | L2 |
| kde3-i18n-zh_TW | Chinese Translations for KDE | L2 |
| kdeartwork3-kscreensaver | Screensaver from KDE | L3 |
| kdebase3 | The KDE Core Components | L3 |
| kdebase3-devel | KDE Base Package: Base Build Environment | L2 |
| kdebase3-extra | KDE Base package: Extra Applications | L3 |
| kdebase3-kdm | The KDE login and display manager | L3 |
| kdebase3-ksysguardd | KDE base package: ksysguard daemon | L3 |
| kdebase3-NLD | SuSE KDE extension | L3 |
| kdebase3-nsplugin | Netscape plugin support for KDE | L3 |
| kdebase3-nsplugin64 | Netscape plugin support for KDE | L3 |
| kdebase3-samba | KDE Base package: Windows Connection Module | L3 |
| kdebase3-session | The KDE Session | L3 |
| kdebase3-x86 | The KDE Core Components | L3 |
| kdegraphics3 | Base Libraries for KDE Graphics Applications | L3 |
| kdegraphics3-devel | Include Files and Libraries mandatory for Development. | L2 |
| kdegraphics3-extra | Small KDE Graphics Applications | L3 |
| kdegraphics3-fax | KDE fax viewer | L3 |
| kdegraphics3-pdf | KDE PDF File Viewer | L3 |
| kdegraphics3-postscript | KDE Postscript File Viewer | L3 |
| kdelibs3 | KDE Base Libraries | L3 |
| kdelibs3-arts | KDE aRts support | L3 |
| kdelibs3-arts-x86 | KDE aRts support | L3 |
| kdelibs3-devel | KDE Base Package: Build Environment | L2 |
| kdelibs3-devel-doc | Additional Package Documentation | L2 |
| kdelibs3-doc | Documentation for KDE Base Libraries | L2 |
| kdelibs3-x86 | KDE Base Libraries | L3 |
| kdenetwork3 | KDE Network Libraries | L3 |
| kdenetwork3-dialup | KPPP Modem Dialing Tool | L3 |
| kdenetwork3-InstantMessenger | Chat applications for KDE | L3 |
| kdenetwork3-IRC | IRC application for KDE | L2 |
| kdenetwork3-lan | LAN Applications | L3 |
| kdenetwork3-lisa | Network Scanner Daemon | L3 |
| kdenetwork3-news | News-related KDE application | L3 |
| kdenetwork3-query | Clients for Internet Databases | L3 |
| kdenetwork3-vnc | Exporting of VNC and Connecting of VNC/RDP Sessions | L3 |
| kdenetwork3-wireless | Wireless Card Manager | L3 |
| kdepim3 | Personal Information Manager Software for KDE | L3 |
| kdepim3-devel | Personal Information Manager software for KDE | L2 |
| kdepim3-kpilot | This Package allows Communication with the 3COM Palm Pilot | L3 |
| kdepim3-networkstatus | Network Status Libraries and KDDE Module | L3 |
| kdepim3-sync | This Package allows Communication with Mobile Phones | L2 |
| kdepim3-time-management | Personal Information Manager | L3 |
| kdeutils3 | KDE Utility Programs | L3 |
| kdeutils3-devel | Include Files and Libraries mandatory for Development. | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| kdeutils3-extra | KDE Utility Programs | L3 |
| kdeutils3-laptop | KDE utility programs for laptop users | L3 |
| kdirstat | Graphical Directory Statistics for Used Disk Space | L3 |
| kdump | Script for kdump | L3 |
| kernel-debug | A Debug Version of the Kernel | L1 |
| kernel-default | The Standard Kernel for both Uniprocessor and Multiprocessor Systems | L3 |
| kernel-source | The Linux Kernel Sources | L1 |
| kernel-syms | Kernel Symbol Versions (modversions) | L2 |
| kexec-tools | Tools for fast kernel loading | L3 |
| keyutils | Linux Key Management Utilities | L3 |
| keyutils-libs | Key utilities library | L3 |
| killerd | Daemon for automatic killing of login shells | L2 |
| kinternet | SUSE Internet Connect Tool | L2 |
| kio_slp | SLP Browsing with Konqueror | L3 |
| klogd | The kernel log daemon | L3 |
| kpowersave | KDE Frontend for Battery Monitoring, Suspend CPU Freq and General | L3 |
| krb5 | MIT Kerberos5 Implementation--Libraries | L3 |
| krb5-apps-clients | MIT Kerberos5 client applications | L2 |
| krb5-apps-servers | MIT Kerberos5 server applications | L2 |
| krb5-client | MIT Kerberos5 implementation - client programs | L3 |
| krb5-devel | MIT Kerberos5 - Include Files and Libraries | L2 |
| krb5-doc | MIT Kerberos5 Implementation--Documentation | L2 |
| krb5-server | MIT Kerberos5 implementation - server | L3 |
| krb5-x86 | MIT Kerberos5 Implementation--Libraries | L3 |
| ksh | Korn Shell | L3 |
| ksh-devel | Korn Shell development environment | L2 |
| ksymoops | Kernel Oops and Error Message Decoder | L3 |
| latex2html-pngicons | Icons in the PNG format for the LaTeX to HTML Converter | L3 |
| ldapcpplib | C++ API for LDAPv3 | L3 |
| ldapcpplib-devel | Files for Developing ldapcpplib Applications | L2 |
| ldapsmb | Tool to administer Samba's LDAP backend | L3 |
| less | Text File Browser and Pager Similar to more | L3 |
| lha | Pack Program | L2 |
| libacl | A dynamic library for accessing POSIX Access Control Lists | L3 |
| libacl-devel | Include Files and Libraries mandatory for Development | L2 |
| libacl-x86 | A dynamic library for accessing POSIX Access Control Lists | L3 |
| libadns | Advanced DNS resolver client library | L3 |
| libaio | Linux-Native Asynchronous I/O Access Library | L3 |
| libaio-devel | Development Files for Linux-native Asynchronous I/O Access | L2 |
| libaio-x86 | Linux-Native Asynchronous I/O Access Library | L3 |
| libamso | AMSO1100 Userspace Library) | L3 |
| libamso-devel | AMSO1100 Userspace Library) | L2 |
| libamso-x86 | AMSO1100 Userspace Library) | L3 |
| libao | A Cross-Platform Audio Output Library | L3 |
| libapparmor | Immunix Library to provide key AppArmor symbols | L3 |
| libapparmor-x86 | Immunix Library to provide key AppArmor symbols | L3 |
| libapr1 | Apache Portable Runtime (APR) Library | L3 |
| libapr1-devel | Apache Portable Runtime (APR) Library | L2 |
| libapr-util1 | Apache Portable Runtime (APR) Library | L3 |
| libapr-util1-devel | Apache Portable Runtime (APR) Library | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| libart_lgpl | Libart Components Licensed under the LGPL | L3 |
| libart_lgpl-devel | Include Files and Libraries mandatory for Development. | L2 |
| libart_lgpl-x86 | Libart Components Licensed under the LGPL | L3 |
| libattr | A dynamic library for filesystem extended attribute support | L3 |
| libattr-devel | Include Files and Libraries mandatory for Development | L2 |
| libattr-x86 | A dynamic library for filesystem extended attribute support | L3 |
| libbeagle | Beagle C interface | L3 |
| libbeagle-x86 | Beagle C interface | L3 |
| libbonobo | The Bonobo Component System for the GNOME 2.x Desktop Platform | L3 |
| libbonobo-devel | Include Files and Libraries mandatory for Development. | L2 |
| libbonobo-doc | Additional Package Documentation. | L2 |
| libbonoboui | The Bonobo Part of the GNOME User Interface Libraries | L3 |
| libbonoboui-devel | Include Files and Libraries mandatory for Development. | L2 |
| libbonoboui-doc | The Bonobo Part of the GNOME User Interface Libraries | L2 |
| libbonoboui-x86 | The Bonobo Part of the GNOME User Interface Libraries | L3 |
| libbonobo-x86 | The Bonobo Component System for the GNOME 2.x Desktop Platform | L3 |
| libcap | Library for Capabilities (linux-privils) Support | L3 |
| libcap-devel | Development files for libcap | L2 |
| libcap-x86 | Library for Capabilities (linux-privils) Support | L3 |
| libcddb | CDDB Access Library | L3 |
| libcddb-x86 | CDDB Access Library | L3 |
| libcdio | CD-ROM Access Library | L3 |
| libcdio-x86 | CD-ROM Access Library | L3 |
| libchewing | Intelligent Phonetic Input Method Library for Traditional Chinese | L3 |
| libchewing-devel | Intelligent phonetic input method library for traditional Chinese | L2 |
| libcom_err | com_err library | L3 |
| libcom_err-x86 | com_err library | L3 |
| libcroco | CSS2 Parser Library | L2 |
| libcroco-devel | CSS2 Parser Library Development Files | L2 |
| libcroco-x86 | CSS2 Parser Library | L2 |
| libcxgb3 | Chelsio T3 RNIC OpenIB Userspace Library | L3 |
| libcxgb3-devel | Chelsio T3 RNIC OpenIB Userspace Library | L2 |
| libcxgb3-x86 | Chelsio T3 RNIC OpenIB Userspace Library | L3 |
| libdaemon | Lightweight C library That Eases the Writing of UNIX Daemons | L3 |
| libdaemon-devel | libdaemon is a lightweight C library that eases the writing of UNIX | L2 |
| libdrm | Userspace Interface for Kernel DRM Services | L3 |
| libdrm-devel | Libraries includes and more to develop libdrm applications | L2 |
| libdrm-x86 | Userspace Interface for Kernel DRM Services | L3 |
| libdrm23 | Userspace Interface for Kernel DRM Services | L3 |
| libelf | An ELF Object File Access Library | L3 |
| libelf-x86 | An ELF Object File Access Library | L3 |
| libevent | Library Providing an Event Handling API | L2 |
| libexif | An EXIF Tag Parsing Library for Digital Cameras | L3 |
| libexif5 | An EXIF Tag Parsing Library for Digital Cameras | L2 |
| libexif-x86 | An EXIF Tag Parsing Library for Digital Cameras | L3 |
| libg2c33 | The GNU G77 Fortran Compiler Runtime | L2 |
| libgail-gnome | GNOME Accessibility Implementation Library for gnomeui and libbonoboui | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-----------------------|--|------------------------------------|
| libgcc | C compiler runtime library | L3 |
| libgcc-x86 | C compiler runtime library | L3 |
| libgcj | Java Runtime Library for gcc | L2 |
| libgcj-devel | The system GNU Java development files. | L2 |
| libgcj-x86 | Java Runtime Library for gcc | L2 |
| libgcrypt | The GNU Crypto Library | L2 |
| libgcrypt-devel | The GNU Crypto Library | L2 |
| libgcrypt-x86 | The GNU Crypto Library | L2 |
| libgda | GNU Data Access (GDA) Library | L3 |
| libgda-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgda-mysql | mySQL provider for GNU Data Access (GDA) | L3 |
| libgda-odbc | ODBC provider for GNU Data Access (GDA) | L3 |
| libgda-postgres | PostgreSQL provider for GNU Data Access (GDA) | L3 |
| libgdipplus | Open Source Implementation of the GDI+ API | L3 |
| libgfortran | The GNU C Compiler and Support Files | L2 |
| libgfortran-x86 | The GNU C Compiler and Support Files | L3 |
| libgimpprint | Gimp-Print libraries | L2 |
| libgimpprint-devel | Gimp-Print Include Files | L2 |
| libglade2 | Glade Library Compatible with the GNOME 2.x Desktop Platform | L3 |
| libglade2-devel | Include Files and Libraries mandatory for Development. | L2 |
| libglade2-doc | Glade Library Compatible with the GNOME 2.x Platform | L2 |
| libglade2-x86 | Glade Library Compatible with the GNOME 2.x Desktop Platform | L3 |
| libgnome | The GNOME 2.x Desktop Base Libraries | L3 |
| libgnomecanvas | An Add-On for the GNOME User Interface Libraries | L3 |
| libgnomecanvas-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnomecanvas-doc | Additional Package Documentation. | L2 |
| libgnomecanvas-x86 | An Add-On for the GNOME User Interface Libraries | L3 |
| libgnomecups | GNOME CUPS Library | L3 |
| libgnomecups-devel | GNOME CUPS Library | L2 |
| libgnomecups-x86 | GNOME CUPS Library | L3 |
| libgnomedb | Library for Writing GNOME Database Programs | L3 |
| libgnomedb-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnome-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnome-doc | Additional Package Documentation. | L2 |
| libgnomeprint | The GNOME 2.x Printing Library | L3 |
| libgnomeprint-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnomeprint-doc | The GNOME 2.x Printing Library | L2 |
| libgnomeprintui | User Interface Part of the GNOME Printing Library | L3 |
| libgnomeprintui-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnomeprintui-doc | User Interface Part of the GNOME-Printing Library | L2 |
| libgnomeprintui-x86 | User Interface Part of the GNOME Printing Library | L3 |
| libgnomeprint-x86 | The GNOME 2.x Printing Library | L3 |
| libgnomesu | GNOME su Library | L3 |
| libgnomesu-devel | Development files for libgnomesu | L2 |
| libgnomeui | The GNOME User Interface Library | L3 |
| libgnomeui-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnomeui-doc | Additional Package Documentation. | L2 |
| libgnomeui-x86 | The GNOME User Interface Library | L3 |
| libgnome-x86 | The GNOME 2.x Desktop Base Libraries | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| libgpg-error | Library That Defines Common Error Values for All GnuPG Components | L2 |
| libgpg-error-devel | Development package for libgpg-error | L2 |
| libgpg-error-x86 | Library That Defines Common Error Values for All GnuPG Components | L2 |
| libgsf | GNOME Structured File Library | L3 |
| libgsf-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgsf-doc | Additional Package Documentation. | L2 |
| libgsf-gnome | GNOME Structured File Library | L3 |
| libgsf-x86 | GNOME Structured File Library | L3 |
| libgssapi | Generic GSSAPI Library | L2 |
| libgssapi-x86 | Generic GSSAPI Library | L2 |
| libgtk-vnc-1_0-0 | A GTK widget for VNC clients | L3 |
| libgtop | LibGTop Library | L3 |
| libgtop-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgtop-x86 | LibGTop Library | L3 |
| libhugetlbf | hugetlbf helper library | L2 |
| libhugetlbf-x86 | hugetlbf helper library | L2 |
| libibcm | Userspace Infiniband Connection Management API | L3 |
| libibcm-devel | Development files for the libibcm library | L2 |
| libibcm-x86 | Userspace Infiniband Connection Management API | L3 |
| libibmad5 | Low layer Infiniband diagnostic and management programs | L3 |
| libibmad5-x86 | Low layer Infiniband diagnostic and management programs | L3 |
| libibumad-devel | Development files for the libibumad library. | L2 |
| libibumad3 | User MAD library functions on top of user MAD modules for Infiniband diagnostic and management tools | L3 |
| libibumad3-x86 | User MAD library functions on top of user MAD modules for Infiniband diagnostic and management tools | L3 |
| libibverbs | Infiniband verbs library | L3 |
| libibverbs-devel | Development files for the libibverbs library | L2 |
| libibverbs-x86 | Infiniband verbs library | L3 |
| libica | An Interface Library for the ICA Device Driver | L2 |
| libica-x86 | An Interface Library for the ICA Device Driver | L2 |
| libicu | International Components for Unicode (development files) | L2 |
| libicu-devel | International Components for Unicode (development files) | L2 |
| libicu-doc | International Components for Unicode (html documentation) | L2 |
| libicu-x86 | International Components for Unicode (development files) | L2 |
| libidl | IDL Parsing Library | L3 |
| libidl-devel | Include Files and Libraries mandatory for Development. | L2 |
| libidl-x86 | IDL Parsing Library | L3 |
| libidn | Support for Internationalized Domain Names (IDN) | L3 |
| libidn-devel | Include Files and Libraries mandatory for Development. | L2 |
| libidn-x86 | Support for Internationalized Domain Names (IDN) | L3 |
| libiniparser | Library to parse ini files | L3 |
| libiniparser-devel | Libraries and Header Files to Develop Programs with libiniparser | L2 |
| libiniparser-x86 | Library to parse ini files | L3 |
| libipathverbs | PathScale InfiniPath HCA Userspace Driver) | L3 |
| libipathverbs-devel | PathScale InfiniPath HCA Userspace Driver) | L2 |
| libipathverbs-x86 | PathScale InfiniPath HCA Userspace Driver) | L3 |
| libiterm | Internationalized Terminal Emulator Library | L3 |
| libiterm-devel | Header files and development libraries for libiterm | L2 |
| libjasper | JPEG-2000 library | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| libjasper-x86 | JPEG-2000 library | L3 |
| libjpeg | JPEG libraries | L3 |
| libjpeg-devel | Development Tools for Programs which will use the Libjpeg Library | L2 |
| libjpeg-x86 | JPEG libraries | L3 |
| libksba | A X.509 Library | L2 |
| libksba-devel | A X.509 Library | L2 |
| liblcms | Libraries for the Little CMS Engine | L2 |
| liblcms-devel | Include Files and Libraries Mandatory for Development | L2 |
| liblcms-x86 | Libraries for the Little CMS Engine | L2 |
| libmal | Palm Sync Library | L2 |
| libmal-devel | Palm Sync Library | L2 |
| libmcal | Modular Calendar Access Library | L2 |
| libmcrypt | Data Encryption Library | L3 |
| libmcrypt-devel | Development Package for Libmcrypt | L2 |
| libmikmod | MikMod Sound Library | L2 |
| libmikmod-x86 | MikMod Sound Library | L2 |
| libmlx4 | Mellanox InfiniBand HCA Userspace Driver) | L3 |
| libmlx4-devel | Development files for the libmlx4 library | L2 |
| libmlx4-x86 | Mellanox InfiniBand HCA Userspace Driver) | L3 |
| libmng | Library for Support of MNG and JNG Formats | L2 |
| libmng-devel | Include Files and Libraries mandatory for Development. | L2 |
| libmng-x86 | Library for Support of MNG and JNG Formats | L2 |
| libmsrpc | Samba msrpc Library | L3 |
| libmsrpc-devel | Libraries and Header Files to Develop Programs with msrpc Support | L2 |
| libmthca | User space libraries (device-specific) for Infiniband Mellanox HCA | L3 |
| libmthca-devel | User space libraries (device-specific) for Infiniband Mellanox HCA | L2 |
| libmthca-x86 | User space libraries (device-specific) for Infiniband Mellanox HCA | L3 |
| libmudflap | The Mudflap Extension Runtime Library | L2 |
| libmusicbrainz | Library That Provides Access to the MusicBrainz Server | L3 |
| libmusicbrainz-devel | Include Files and Libraries mandatory for Development. | L2 |
| libnasl | Nessus Scripting Language Library | L3 |
| libnet | A C Library for Portable Packet Creation | L3 |
| libnetpbm | Libraries for the NetPBM (NetPortableBitmap) Graphic Formats | L3 |
| libnetpbm-x86 | Libraries for the NetPBM (NetPortableBitmap) Graphic Formats | L3 |
| libnl | Convenience library for kernel netlink sockets | L3 |
| libnl-devel | Convenience library for kernel netlink sockets | L2 |
| libnlink | A Higher Level Interface to the Netlink Service | L3 |
| libnl-x86 | Convenience library for kernel netlink sockets | L3 |
| libnotify | Notifications Library | L3 |
| libnotify-devel | Notifications Library | L2 |
| libnscd | Library to Allow Applications to Communicate with nscd | L3 |
| libnscd-devel | Include Files and Libraries for Development. | L2 |
| libnscd-x86 | Library to Allow Applications to Communicate with nscd | L3 |
| libobjc | Library for the GNU Objective C Compiler | L2 |
| libobjc-x86 | Library for the GNU Objective C Compiler | L2 |
| libogg | Ogg Bitstream Library | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| libogg-devel | Include Files and Libraries mandatory for Development. | L2 |
| libogg-x86 | Ogg Bitstream Library | L3 |
| libol | Support Library for syslog-ng | L3 |
| libol-devel | Support library for syslog-ng - developer package | L2 |
| libopencdk | Library Providing Basic Parts of the OpenPGP Message Format | L2 |
| libopencdk-devel | Development tools for programs which will use the opencdk library | L2 |
| libopencdk-x86 | Library Providing Basic Parts of the OpenPGP Message Format | L2 |
| libotf | Library for Handling OpenType Fonts | L3 |
| libotf-devel | Include Files and Libraries mandatory for Development. | L2 |
| libpcap | A Library for Network Sniffers | L3 |
| libpcap-x86 | A Library for Network Sniffers | L3 |
| libpfm | Linux Performance Library | L2 |
| libpng | Library for the Portable Network Graphics Format | L3 |
| libpng-devel | Include Files and Libraries mandatory for Development. | L2 |
| libpng-x86 | Library for the Portable Network Graphics Format | L3 |
| libraw1394 | A Firewire Interface | L2 |
| libraw1394-devel | Development and Include Files for Libraw1394 | L2 |
| librdmacm | RDMA cm library | L3 |
| librdmacm-devel | RDMA cm library | L2 |
| librdmacm-x86 | RDMA cm library | L3 |
| libraw1394-x86 | A Firewire Interface | L2 |
| libreiservfs | ReiserFS File System Access Library | L2 |
| libreiservfs-devel | reiserfs filesystem access tools | L2 |
| libreiservfs-x86 | ReiserFS File System Access Library | L2 |
| librpcsecgss | Library Implementing GSSAPI Security for ONC RPC | L2 |
| librsvg | A Library for Rendering SVG Data | L3 |
| librsvg-devel | Include Files and Libraries mandatory for Development. | L2 |
| librsvg-x86 | A Library for Rendering SVG Data | L3 |
| libsamplerate | A Sample Rate Converter Library | L3 |
| libsamplerate-devel | Include Files and Libraries mandatory for Development. | L2 |
| libsdp | Infiniband Sockets Direct Protocol - user space library | L3 |
| libsdp-devel | Infiniband Sockets Direct Protocol - user space library | L2 |
| libsdp-x86 | Infiniband Sockets Direct Protocol - user space library | L3 |
| libservicelog-1_0-1 | Servicelog Database and Library | L3 |
| libservicelog-1.0.1 | Servicelog Database and Library | L3 |
| libsexy | Extended Widgets for GTK+ | L3 |
| libsexy-devel | Extended Widgets for GTK+ | L2 |
| libsmbclient | Samba Client Library | L3 |
| libsmbclient-devel | Libraries and Header Files to Develop Programs with smbclient Support | L2 |
| libsmbclient-x86 | Samba Client Library | L3 |
| libsmbios-bin | The supported" sample binaries that use libsmbios" | L2 |
| libsmbios-libs | Libsmbios shared libraries. | L2 |
| libsndfile | A Library to Handle Various Audio File Formats | L3 |
| libsndfile-devel | Development package for the libsndfile library | L2 |
| libsndfile-x86 | A Library to Handle Various Audio File Formats | L3 |
| libsoup | Simple Object Access Protocol (SOAP) | L3 |
| libsoup-devel | Include Files and Libraries mandatory for Development. | L2 |
| libsoup-x86 | Simple Object Access Protocol (SOAP) | L3 |
| libssui | Session UI for SLED | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| libstdc++-33 | The standard C++ shared library | L3 |
| libstdc++-33-x86 | The standard C++ shared library | L3 |
| libstdc++ | The standard C++ shared library | L3 |
| libstdc++-devel | The system GNU C++ development files | L2 |
| libstdc++-doc | Documentation for the GNU C++ standard library | L2 |
| libstdc++-x86 | The standard C++ shared library | L3 |
| libstroke | A Stroke Translation Library | L3 |
| libstroke-devel | Development package for libstroke | L2 |
| libsvg | Library for SVG Files | L3 |
| libsvg-cairo | Render SVG Content Using cairo | L3 |
| libtabe | A Library for Chinese Language Processing Used in Input Methods | L2 |
| libtabe-devel | Development Libraries and Header Files for libtabe Library | L2 |
| libtheora | Free Video Codec | L2 |
| libtheora-x86 | Free Video Codec | L2 |
| libtiff | The Tiff Library (with JPEG and compression support) | L3 |
| libtiff-devel | Development Tools for Programs which will use the libtiff Library | L2 |
| libtiff-x86 | The Tiff Library (with JPEG and compression support) | L3 |
| libtool | A Tool to Build Shared Libraries | L2 |
| libtool-x86 | A Tool to Build Shared Libraries | L2 |
| libunwind | Unwind Library | L2 |
| libunwind-devel | Unwind library | L2 |
| libusb | USB Libraries | L2 |
| libusb-x86 | USB Libraries | L2 |
| libvorbis | The Vorbis General Audio Compression Codec | L3 |
| libvorbis-devel | Include Files and Libraries mandatory for Development. | L2 |
| libvorbis-x86 | The Vorbis General Audio Compression Codec | L3 |
| libvpd2 | VPD Database access library for lsprd | L3 |
| libvpd_cxx1 | VPD Database access library for lsprd | L3 |
| libvpd_cxx1-devel | VPD Database access library for lsprd | L2 |
| libwnck | Window Navigator Construction Kit (Library Package) | L3 |
| libwnck-devel | Include Files and Libraries mandatory for Development. | L2 |
| libwnck-x86 | Window Navigator Construction Kit (Library Package) | L3 |
| libxcrypt | Crypt Library for DES, MD5 and Blowfish | L3 |
| libxcrypt-devel | Development Include Files and Libraries for enhanced crypt | L2 |
| libxcrypt-x86 | Crypt Library for DES, MD5 and Blowfish | L3 |
| libxklavier | Library with X Keyboard Related Functions | L3 |
| libxklavier-devel | Include Files and Libraries mandatory for Development. | L2 |
| libxml2 | A Library to Manipulate XML Files | L3 |
| libxml2-devel | Include Files and Libraries mandatory for Development. | L2 |
| libxml2-python | Python Bindings for libxml2 | L3 |
| libxml2-x86 | A Library to Manipulate XML Files | L3 |
| libxslt | XSL Transformation Library | L3 |
| libxslt-devel | Include Files and Libraries mandatory for Development. | L2 |
| libxslt-x86 | XSL Transformation Library | L3 |
| liby2util | YaST2--Utilities Library | L3 |
| liby2util-devel | YaST2 - Include Files and Documentation for Utilities Library | L2 |
| libzio | A Library for Accessing Compressed Text Files | L3 |
| libzypp | Package, Patch, Pattern and Product Management | L3 |
| libzypp-devel | Package, Patch, Pattern and Product Management - developers files | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-----------------------------------|---|---|
| libzypp-zmd-backend | ZMD backend for Package, Patch, Pattern and Product Management | L3 |
| limal | LiMaL--Core Library | L3 |
| limal-apparmor-control | Limal pluglib for AppArmor that provides hooks to enable/disable the | L3 |
| limal-apparmor-notifications | Limal pluglib for AppArmor notifications configuration files | L3 |
| limal-apparmor-notifications-perl | Perl bindings for the apparmor-notifications limal pluglib. | L3 |
| limal-apparmor-reporting | Limal pluglib for working with AppArmor's notification configuration. | L3 |
| limal-apparmor-reporting-perl | Perl interface to the apparmor-reporting limal pluglib. | L3 |
| limal-bootloader | LiMaL--Boot Loader Configuration Library | L3 |
| limal-ca-mgm | LiMaL--CA Management Library | L3 |
| limal-ca-mgm-perl | LiMaL - CA Management Library Perl Bindings | L3 |
| limal-nfs-server | LiMaL--NFS Server Library | L2 |
| limal-nfs-server-perl | LiMaL--NFS Server Library | L2 |
| limal-perl | LiMaL - Core Library Perl Bindings | L3 |
| limal-runlevel | LiMaL - Runlevel Library | L3 |
| limal-runlevel-perl | LiMaL - Runlevel Library Perl Bindings | L3 |
| linux-atm | Tools for ATM | L2 |
| linux-atm-devel | Development for ATM | L2 |
| linux-atm-lib | Libraries for ATM | L2 |
| linuxrc | SUSE Installation Program | L3 |
| lkcdutils | Linux Kernel Crash Dump (LKCD) Utilities | L2 |
| lkcdutils-netdump-server | Linux Kernel Crash Dump (LKCD) Utilities | L2 |
| lksctp-tools | Utilities for SCTP (Stream Control Transmission Protocol) | L3 |
| lksctp-tools-devel | Development files for SCTP (Stream Control Transmission Protocol) | L2 |
| log4j | Java logging tool | L2 |
| log4j-manual | Java logging tool (Manual) | L2 |
| log4net | A .NET framework for logging | L3 |
| logrotate | Rotate, Compress, Remove and Mail System Log Files | L3 |
| lpdfilter | A Standard Printer Filter for Lpd | L3 |
| lprng | LPRng Print Spooler | L3 |
| lsb | Linux Standard Base Core | L3 |
| lsof | A Program That Lists Information about Files Opened by Processes | L3 |
| lsvpd | VPD Hardware Inventory Utilities for Linux | L2 |
| ltrace | Trace the Library and System Calls a Program Makes | L2 |
| lukemftp | Enhanced FTP Client | L3 |
| lvm2 | LVM2 Tools | L3 |
| lzo | A Real-Time Data Compression Library | L3 |
| lzo-devel | a real-time data compression library | L2 |
| lzo-x86 | A Real-Time Data Compression Library | L3 |
| m17n-db | m17n Database Needed by the m17n Library m17n-lib | L3 |
| m17n-lib | Multilingual Text Processing Library for the C Language | L3 |
| m17n-lib-devel | multilingual text processing library for the C language | L2 |
| m4 | GNU m4 | L3 |
| mailman | The GNU Mailing List Manager | L3 |
| mailx | A MIME-Capable Implementation of the mailx Command | L3 |
| majordomo | Mailing List Software | L2 |
| make | GNU make | L3 |
| makedev | Script for Creating Device Files in /dev | L2 |
| makedumpfile | Partial kernel dump | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-----------------------------|--|---|
| man | A Program for Displaying man Pages | L3 |
| man-pages | Linux and POSIX Manual Pages | L2 |
| manufacturer-PPDs | PPD Files from Printer Manufacturers | L2 |
| mc | Midnight Commander | L3 |
| mcal | A Calendar Based on Libmcal | L3 |
| mdadm | Utility for Configuring MD Setup | L3 |
| mDNSResponder-devel | Multicast DNS services (Apple Rendezvous) | L2 |
| mDNSResponder-lib | Multicast DNS Services (Apple Rendezvous) | L3 |
| mDNSResponder-lib-x86 | Multicast DNS Services (Apple Rendezvous) | L3 |
| Mesa | Documentation for the OpenGL Mesa Library | L3 |
| Mesa-devel | Development package for mesasoft (GL library) | L2 |
| Mesa-x86 | Documentation for the OpenGL Mesa Library | L3 |
| metacity | A Fast Window Manager for the GNOME 2.x Desktop | L3 |
| mgetty | Mgetty Listens for Data, Fax or Voice Calls on a Serial Line | L3 |
| mhash | A Library for Working with Strong Hashes (Like MD5) | L3 |
| mhash-devel | Static Library and Header Files for mhash Library | L2 |
| mingetty | Minimal Getty for Virtual Consoles Only | L3 |
| minicom | A Terminal Program | L2 |
| mirror | Perl Scripts for Mirroring FTP Servers | L3 |
| mkinitrd | Creates an Initial RAM Disk Image for Preloading Modules | L3 |
| mkisofs | A program for creating CDs in Linux | L3 |
| mktemp | A Utility for Temp Files | L3 |
| mlterm | Multilingual Terminal Emulator for X | L3 |
| mm | Shared Memory Library | L3 |
| mm-devel | Static Libraries and Includes for mm | L2 |
| mod_mono | Run ASP.NET Pages on Unix with Apache and Mono | L3 |
| module-init-tools | Utilities to Load Modules into the Kernel | L3 |
| Modules | Load modutils into the kernel | L2 |
| mon | The Mon Network Monitoring System | L2 |
| mono-core | A .NET Runtime Environment | L3 |
| mono-core-x86 | A .NET Runtime Environment | L3 |
| mono-data | Database connectivity for Mono | L3 |
| mono-data-firebird | Database connectivity for Mono | L3 |
| mono-data-oracle | Database connectivity for Mono | L2 |
| mono-data-postgresql | Database connectivity for Mono | L3 |
| mono-data-sqlite | Database connectivity for Mono | L3 |
| mono-data-sybase | Database connectivity for Mono | L2 |
| mono-locale-extras | Extra locale information | L3 |
| mono-nunit | JUnit Testing Framework | L3 |
| mono-web | Mono implementation of ASP.NET Remoting and Web Services | L3 |
| mono-winforms | Mono's Windows Forms implementation | L2 |
| MozillaFirefox | Mozilla Firefox Web Browser | L3 |
| MozillaFirefox-translations | Translations for MozillaFirefox | L2 |
| mozilla-nspr | Netscape Portable Runtime | L3 |
| mozilla-nspr-devel | Netscape Portable Runtime development files | L2 |
| mozilla-nspr-x86 | Netscape Portable Runtime | L3 |
| mozilla-nss | Network (Netscape) Security Services | L3 |
| mozilla-nss-devel | Network (Netscape) Security Services development files | L2 |
| mozilla-nss-tools | Tools for developing, debugging and managing applications that use | L3 |
| mozilla-nss-x86 | Network (Netscape) Security Services | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-----------------------------------|---|---|
| mozilla-xulrunner | Mozilla Runtime Environment | L2 |
| mozilla-xulrunner190 | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner190-gnomevfs | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner190-translations | Mozilla Runtime Environment | L2 |
| mozilla-xulrunner191 | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner191-gnomevfs | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner191-translations | Mozilla Runtime Environment | L2 |
| Mozilla-xulrunner192 | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner192-gnome | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner192-translations | Mozilla Runtime Environment | L2 |
| mpfr | The MPFR multiple-precision floating-point library | L2 |
| mpi-selector | Tool to provide defaults for which MPI implementation to use | L3 |
| mpich | A Portable Implementation of MPI | L2 |
| mpich-devel | A Portable Implementation of MPI | L2 |
| mpt-firmware | Configuration files for autoloading mptctl at boot time. | L3 |
| mpt-status | Program Showing the Status of LSI 1030 RAID Controller | L2 |
| mrtg | The Multirouter Traffic Grapher | L3 |
| mstflint | Burning Firmware Application | L3 |
| mtools | Access Files on an MS-DOS File System | L3 |
| mtr | Ping and Traceroute Network Diagnostic Tool | L2 |
| mtr-gtk | Ping and Traceroute Network Diagnostic Tool | L2 |
| mt_st | mt-st Controls Magnetic Tape Drives | L2 |
| mtx | A Program for Controlling the Robotic Mechanism in DDS Auto Loaders | L3 |
| Mule-UCS | Unicode Extensions for Multilingually Enhanced Emacs | L2 |
| multipath-tools | Tools to Manage Multipathed Devices with the device-mapper | L3 |
| mutt | Mail Program | L3 |
| mvapich | MPI implementation over Infiniband RDMA-enabled interconnect | L3 |
| mvapich2 | OSU MVAPICH2 MPI package | L3 |
| mvapich2-32bit | OSU MVAPICH2 MPI package | L3 |
| mvapich2-devel | OSU MVAPICH2 MPI package | L2 |
| mvapich2-devel-32bit | OSU MVAPICH2 MPI package | L2 |
| mvapich-devel | MPI implementation over Infiniband RDMA-enabled interconnect | L2 |
| mx4j | Open Source Implementation of JMX Java API | L3 |
| mx4j-javadoc | Javadoc for mx4j | L2 |
| mx4j-manual | Manual for mx4j | L2 |
| MyODBC-unixODBC | ODBC Interface for Communication with MySQL Compiled with UnixODBC | L2 |
| mysql1 | A True Multiuser Multithreaded SQL Database Server | L2 |
| mysql-client1 | MySQL Client | L2 |
| mysql-devel1 | MySQL Development Header Files and Libraries | L2 |
| mysql-Max1 | MySQL - Server with Berkeley DB | L2 |
| mysql-shared1 | MySQL Shared Libraries | L2 |
| mysql-shared-x86_64 | MySQL Shared Libraries | L2 |
| nagios | The Nagios Network Monitor | L3 |
| nagios-nsca | The Nagios Service Check Acceptor | L3 |
| nagios-nsca-client | The Nagios Service Check Acceptor Client | L3 |
| nagios-plugins | The Nagios Plug-Ins | L3 |
| nagios-plugins-extras | Nagios Plug-Ins which Depend on Additional Packages | L3 |
| nagios-www | Nagios Network Monitor | L3 |
| nautilus | The GNOME 2.x Desktop File Manager | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| nautilus-cd-burner | CD Burning Extension for Nautilus | L3 |
| nautilus-cd-burner-devel | CD-Burning Extension for Nautilus | L2 |
| nautilus-cd-burner-x86 | CD Burning Extension for Nautilus | L3 |
| nautilus-devel | Development Package for Nautilus | L2 |
| nautilus-open-terminal | Nautilus Open Terminal | L3 |
| nautilus-share | A Quick and Easy Way to Share Folders in Nautilus via Samba | L3 |
| nautilus-x86 | The GNOME 2.x Desktop File Manager | L3 |
| nbd | Network Block Device Server and Client Utilities | L2 |
| nc6 | Netcat with IPv6 Support | L3 |
| ncftp | A Comfortable FTP Program | L3 |
| ncompress | Old Standard Compression Utilities | L2 |
| ncpfs | Tools for Accessing Novell File Systems | L3 |
| ncpfs-devel | Tools for Accessing Novell Filesystems | L2 |
| ncurses | New curses Libraries | L3 |
| ncurses-devel | Include Files and Libraries mandatory for Development | L2 |
| ncurses-x86 | New curses Libraries | L3 |
| neon | An HTTP and WebDAV Client Library | L2 |
| neon-x86 | An HTTP and WebDAV Client Library | L2 |
| nessus-core | Powerful Security Scanner | L3 |
| nessus-libraries | Powerful Security Scanner Libraries | L3 |
| netacct | Network Accounting | L3 |
| netatalk | AppleTalk for Linux | L2 |
| netatalk-devel | Appletalk for Linux | L2 |
| netcat | A Simple But Powerful Network Tool | L3 |
| netcfg | Network Configuration Files in /etc | L3 |
| netconsole-tools | Configure netconsole Kernel Module | L3 |
| netdate | Set Date and Time by ARPA Internet RFC 868 | L3 |
| netpbm | A Powerful Graphics Conversion Package | L3 |
| net-snmp | SNMP Daemon | L2 |
| net-snmp-devel | SNMP Daemon | L2 |
| net-snmp-x86 | SNMP Daemon | L2 |
| net-tools | Important Programs for Networking | L3 |
| NetworkManager | Network Link Manager and User Applications | L3 |
| NetworkManager-devel | Libraries and headers for adding NetworkManager support to applications | L2 |
| NetworkManager-glib | Libraries and headers for adding NetworkManager support to applications | L3 |
| NetworkManager-gnome | GNOME applications for use with NetworkManager | L3 |
| NetworkManager-kde | KNetworkManager application for use with NetworkManager | L3 |
| netxen-firmware | Firmware for | L3 |
| nfsidmap | NFSv4 ID Mapping Library | L2 |
| nfs-utils | Support Utilities for Kernel nfsd | L3 |
| nmap | Portscanner | L3 |
| nmap-gtk | A Graphical Front-End for Nmap | L3 |
| notification-daemon | Notification Daemon | L3 |
| novell-ldapextd | The Novell LDAP Extended Library (novell-ldapextd) is aimed at | L3 |
| novell-ldapextd-devel | The Novell LDAP Extended Library (novell-ldapextd) is aimed at | L3 |
| nsqd | Name Service Caching Daemon | L3 |
| nss_ldap | NSS LDAP Module | L3 |
| nss_ldap-x86 | NSS LDAP Module | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-----------------------------|---|---|
| ntfsprogs | NTFS filesystem libraries and utilities | L2 |
| ntfsprogs-devel | files required to compile software that uses libntfs | L2 |
| numactl | NUMA Policy Control | L3 |
| nut | UPS Monitoring Software | L3 |
| ocfs2console | Oracle Cluster Filesystem 2 GUI tools | L3 |
| ocfs2-tools | Oracle Cluster File System 2 Core Tools | L3 |
| ocfs2-tools-devel | Oracle Cluster File System 2 Development files | L3 |
| ofed-cxgb3-NIC-kmp-debug | Infiniband cxgb3 Kernel Module | L2 |
| ofed-cxgb3-NIC-kmp-default | Infiniband cxgb3 Kernel Module | L2 |
| ofed-cxgb3-NIC-kmp-kdumppae | Infiniband cxgb3 Kernel Module | L2 |
| ofed-cxgb3-NIC-kmp-vmi | Infiniband cxgb3 Kernel Module | L2 |
| ofed-cxgb3-NIC-kmp-vmipae | Infiniband cxgb3 Kernel Module | L2 |
| omctools | Tools to aid in omc development and testing | L2 |
| openct | OpenCT Library for Smart Card Readers | L3 |
| openct-devel | OpenCT Library for Smart Card Readers | L2 |
| openct-x86 | OpenCT Library for Smart Card Readers | L3 |
| OpenEXR | Library to Handle EXR Pictures in 16-Bit Floating-Point Format | L2 |
| OpenEXR-devel | Library to Handle EXR Pictures (16-bit floating-point format) | L2 |
| OpenEXR-x86 | Library to Handle EXR Pictures in 16-Bit Floating-Point Format | L2 |
| openhpi | Implementation of SA Forum's Hardware Platform Interface (HPI) | L3 |
| openhpi-clients | HPI Command-line Applications | L3 |
| openhpi-daemon | Implementation of SA Forum's Hardware Platform Interface (HPI). | L3 |
| openhpi-devel | Development Files for HPI | L2 |
| openhpi-subagent | Hardware Platform Interface SNMP backend | L2 |
| OpenIPMI | OpenIPMI | L2 |
| OpenIPMI-devel | OpenIPMI - Development libraries | L2 |
| open-iscsi | Linux* Open-iSCSI Software Initiator | L3 |
| openldap2 | The New OpenLDAP Server (LDAPv3) | L3 |
| openldap2-back-meta | OpenLDAP Meta Back-End | L3 |
| openldap2-back-perl | OpenLDAP Perl Back-End | L3 |
| openldap2-client | OpenLDAP2 Client Utilities | L3 |
| openldap2-client-x86 | OpenLDAP2 Client Utilities | L3 |
| openldap2-devel | Libraries Header Files and Documentation for OpenLDAP2 | L2 |
| openmotif | Open Motif | L2 |
| openmotif21-libs | Open Motif 2.1.30 Libraries | L2 |
| openmotif21-libs-x86 | Open Motif 2.1.30 Libraries | L2 |
| openmotif-demo | Open Motif Demo Programs | L2 |
| openmotif-devel | Include Files and Libraries mandatory for Development. | L2 |
| openmotif-libs | Open Motif Runtime Libraries | L2 |
| openmotif-libs-x86 | Open Motif Runtime Libraries | L2 |
| openmpi | A powerful implementaion of MPI | L2 |
| openmpi-devel | A powerful implementaion of MPI | L2 |
| openmpi-x86 | A powerful implementaion of MPI | L2 |
| opensc | OpenSC Smart Card Library | L3 |
| opensc-devel | Additional files needed for OpenSC development | L2 |
| opensc-x86 | OpenSC Smart Card Library | L3 |
| openslp | An OpenSLP Implementation of Service Location Protocol V2 | L3 |
| openslp-devel | OpenSLP Development SDK | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|--------------------------------|---|---|
| openslp-server | The OpenSLP Implementation of the Service Location Protocol V2 | L3 |
| openslp-x86 | An OpenSLP Implementation of Service Location Protocol V2 | L3 |
| opensm | Infiniband Subnet Manager | L3 |
| opensm-devel | Infiniband Subnet Manager | L2 |
| opensm-x86 | Infiniband Subnet Manager | L3 |
| openssh | Secure Shell Client and Server (Remote Login Program) | L3 |
| openssh-askpass | A passphrase dialog for OpenSSH and the X Window System | L3 |
| openssh-askpass-gnome | A GNOME-Based Passphrase Dialog for OpenSSH | L3 |
| openssl | Secure Sockets and Transport Layer Security | L3 |
| openssl-certs | CA certificates for OpenSSL | L3 |
| openssl-devel | Include Files and Libraries mandatory for Development. | L2 |
| openssl-doc | Additional Package Documentation. | L2 |
| openssl-x86 | Secure Sockets and Transport Layer Security | L3 |
| openwan | IPsec Implementation which Allows Building of VPNs | L3 |
| openwbem | Web Based Enterprise Management (WBEM) Implementation | L3 |
| openwbem-base-providers | Linux Instrumentation for Enterprise OpenWBEM providers | L3 |
| openwbem-base-providers-devel | Linux Instrumentation for Enterprise OpenWBEM providers | L3 |
| openwbem-devel | Web Based Enterprise Management (WBEM) Implementation | L2 |
| openwbem-hms-providers | Linux Instrumentation for Enterprise OpenWBEM providers | L3 |
| openwbem-smash-providers | A Novell instrumentation of DMTF SMASH profiles providers used by the | L3 |
| openwbem-smash-providers-devel | A Novell instrumentation of DMTF SMASH profiles providers used by the | L2 |
| openwbem-x86 | Web Based Enterprise Management (WBEM) Implementation | L3 |
| openwbem-xmlservice-providers | A set of CIM providers that allow system services to be instrumented | L2 |
| openxdas | Distributed Auditing Service (XDAS) | L2 |
| openxdas-devel | OpenXDAS static library and header files | L2 |
| opie | Support for One-Time Passwords | L3 |
| oracleasm | Kernel driver backing the Generic Linux ASM Library | L3 |
| oracleasm-kmp-debug | Kernel driver backing the Generic Linux ASM Library | L3 |
| oracleasm-kmp-default | Kernel driver backing the Generic Linux ASM Library | L3 |
| orarun | An Environment for Running Oracle Products | L3 |
| orbit2 | High-Performance CORBA Object Request Broker | L3 |
| orbit2-devel | Include Files and Libraries mandatory for Development. | L2 |
| orbit2-x86 | High-Performance CORBA Object Request Broker | L3 |
| oro | Full regular expressions API | L2 |
| oro-javadoc | Javadoc for oro | L2 |
| pam | A security tool that provides authentication for applications | L3 |
| pam_apparmor | PAM module to add AppArmor change_hat functionality to session-aware | L2 |
| pam-devel | Include Files and Libraries for PAM-Development | L2 |
| pam_krb5 | PAM Module for Kerberos Authentication | L3 |
| pam_krb5-x86 | PAM Module for Kerberos Authentication | L3 |
| pam_ldap | A PAM Module for LDAP Authentication | L3 |
| pam_ldap-x86 | A PAM Module for LDAP Authentication | L3 |
| pam-modules | Additional PAM Modules | L2 |
| pam-modules-x86 | Additional PAM Modules | L2 |
| pam_mount | A PAM Module that can Mount Volumes for a User Session. | L2 |
| pam_mount-x86 | A PAM Module that can Mount Volumes for a User Session. | L2 |
| pam_radius | A PAM Module for User Authentication using a Radius Server | L2 |
| pam_smb | A PAM Module for User Authentication using an NT Server | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|------------------------------|---|---|
| pam_ssh | PAM Module for SSH Authentication | L3 |
| pam-x86 | A security tool that provides authentication for applications | L3 |
| pango | System for Layout and Rendering of Internationalised Text | L3 |
| pango-devel | Include Files and Libraries mandatory for Development. | L2 |
| pango-doc | System for Layout and Rendering of Internationalised Text | L2 |
| pango-x86 | System for Layout and Rendering of Internationalised Text | L3 |
| parted | GNU partitioner | L3 |
| parted-devel | Include Files and Libraries mandatory for Development. | L2 |
| parted-x86 | GNU partitioner | L3 |
| patch | GNU patch | L3 |
| pax | POSIX File System Archiver | L2 |
| pbm2l7k | Driver for Lexmark Printers 7000, 7200 and 5700 | L2 |
| pciutils | PCI-utilities for Kernel version 2.2 and newer | L3 |
| pciutils-devel | Static Library and Include Files of the PCI-utilities | L2 |
| pciutils-ids | PCI-utilities pci.ids database | L3 |
| pcmciautils | Utilities for PC-Cards | L3 |
| pcp | Performance Co-Pilot (system-level performance monitoring) | L2 |
| pcpmon | A graphical monitor for Performance Co-Pilot (PCP) | L2 |
| pcre | A library for Perl-compatible regular expressions | L2 |
| pcre-devel | A library for Perl-compatible regular expressions | L2 |
| pcre-x86 | A library for Perl-compatible regular expressions | L2 |
| pcsc-lite | PCS Smart Cards Library | L3 |
| pcsc-lite-devel | Development package for the MUSCLE project SmartCards library | L2 |
| perftest | IB Performance tests | L2 |
| perl | The Perl interpreter | L3 |
| perl-AppConfig | Perl module for reading configuration files and parsing command line | L3 |
| perl-Archive-Tar | Perl module for creation and manipulation of tar files | L2 |
| perl-Archive-Zip | perl-Archive-Zip | L2 |
| perl-BerkeleyDB | Perl Module for Accessing Berkeley DB Functions | L2 |
| perl-Bit-Vector | Efficient bit vector set of integers and big int" math library" | L3 |
| perl-Bootloader | Library for Configuring Boot Loaders | L3 |
| perl-Carp-Clan | Report Errors from the Perspective of the Caller of a Clan" of Modules" | L3 |
| perl-Compress-Zlib | Perl interface to part of the info-zip zlib compression library | L2 |
| perl-Config-Crontab | Read/Write Vixie compatible crontab files | L3 |
| perl-Config-IniFiles | A module for reading .ini-style configuration files | L2 |
| perl-Convert-ASN1 | Convert::ASN1 | L3 |
| perl-Convert-BER | Convert::BER | L3 |
| perl-Convert-TNEF | Perl module to read TNEF files | L2 |
| perl-Convert-UUlib | Perl interface to the uuilib library | L2 |
| perl-Crypt-DES | Crypt::DES Perl Module | L3 |
| perl-Crypt-SmbHash | perl module Crypt::SmbHash | L2 |
| perl-Curses | A Dynamic Loadable Curses Module for Perl5 | L3 |
| perl-Cyrus-IMAP | Cyrus IMAP Perl Module | L2 |
| perl-Cyrus-SIEVE-managesieve | A Perl Module for Cyrus SIEVE | L2 |
| perl-Data-ShowTable | A Perl Module that allows Pretty-Printing of Data Arrays | L3 |
| perl-Date-Calc | Perl Date-Calc Module | L3 |
| perl-DateManip | Date Manipulation Routines | L3 |
| perl-DBD-mysql | Interface to the MySQL database | L3 |
| perl-DBD-SQLite | The DBD::SQLite is a self contained RDBMS in a DBI driver | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| perl-DBI | The Perl Database Interface | L3 |
| perl-Digest-HMAC | Keyed Hashing for Message Authentication | L3 |
| perl-Digest-MD4 | RSA MD4 Message Digest Algorithm (Perl Module) | L3 |
| perl-Digest-SHA1 | A Perl Interface to the SHA-1 Algorithm | L3 |
| perl-Expect | Expect for perl | L2 |
| perl-File-Tail | reading files which are continuously appended | L2 |
| perl-gettext | gettext for perl | L2 |
| perl-HTML-Parser | Perl HTML Interface | L3 |
| perl-HTML-Tagset | Data Tables Useful for Dealing with HTML | L2 |
| perl-IO-Socket-SSL | IO::Socket::SSL Perl Module | L3 |
| perl-IO-stringy | I/O on in-core objects like strings and arrays | L2 |
| perl-IO-Stty | A Perl Module for Setting Terminal Parameters | L2 |
| perl-IO-Tty | Provides an Interface to Pseudo Tty's | L2 |
| perl-IO-Zlib | IO:: style interface to the Compress::Zlib | L2 |
| perl-ldap | Client Interface for LDAP Servers | L3 |
| perl-ldap-ssl | SSL Extension to perl-ldap | L3 |
| perl-libapparmor | Perl interface for libapparmor functions. | L3 |
| perl-libwww-perl | Modules Providing a World Wide Web API | L3 |
| perl-MailTools | a set of perl modules related to mail applications | L2 |
| perl-MIME-tools | modules for parsing (and creating!) MIME entities | L2 |
| perl-Mon | Client Perl Modules for Mon | L2 |
| perl-Net-Daemon | Net::Daemon - Perl extension for portable daemons | L2 |
| perl-Net-DNS | Perl interface to the DNS resolver | L3 |
| perl-Net-IP | allow easy manipulation of IPv4 and IPv6 addresses | L2 |
| perl-Net-Server | Net::Server - Extensible general Perl server engine | L2 |
| perl-Net-SNMP | Net::SNMP Perl Module | L3 |
| perl-Net_SSLeay | Net::SSLeay Perl Module | L3 |
| perl-Net-Telnet | Net::Telnet - interact with TELNET port or other TCP ports | L2 |
| perl-NetxAP | Interface to the protocol family IMAP, IMSP, ACAP and ICAP | L2 |
| perl-Parse-RecDescent | Perl RecDescent Module | L3 |
| perl-PDA-Pilot | PalmPilot Perl Modules | L3 |
| perl-PIRPC | Perl Extension for Writing PIRPC Servers | L3 |
| perl-SNMP | Perl-SNMP | L3 |
| perl-spamassassin | Perl Modules For Using Spamassassin Within An Own Perl Script | L3 |
| perl-TermReadKey | A Perl Module for Simple Terminal Control | L3 |
| perl-TermReadLine-Gnu | Perl extension for the GNU Readline/History Library | L2 |
| perl-Tie-IxHash | TieIxHash Perl Module | L3 |
| perl-TimeDate | Perl Modules for Time and Date Calculation | L3 |
| perl-Time-Period | A Perl Module for dealing with Time Periods | L3 |
| perl-Tk | Perl Tk | L3 |
| perl-Unix-Syslog | Perl syslog interface | L2 |
| perl-URI | Perl Interface for URI Objects | L3 |
| perl-X500-DN | provides an interface for RFC 2253 style DN strings | L2 |
| perl-x86 | The Perl interpreter | L3 |
| perl-XML-DOM | Perl Extension to XML::Parser | L3 |
| perl-XML-Generator | A Perl Module to help with generating XML Documents | L2 |
| perl-XML-LibXML | XML::LibXML Perl Module | L3 |
| perl-XML-LibXML-Common | XML::LibXML::Common Perl Module | L3 |
| perl-XML-NamespaceSupport | XML::NamespaceSupport Perl Module | L3 |
| perl-XML-Parser | XML Parser (Perl Module) | L3 |
| perl-XML-RegExp | Regular Expressions for XML Tokens | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| perl-XML-SAX | XML::SAX Perl Module | L2 |
| perl-XML-Writer | A Perl Extension for Writing XML Documents | L2 |
| permissions | SUSE Linux Default Permissions | L3 |
| pfmon | Performance monitoring tool for Linux | L2 |
| pgperl | Perl Client Library for PostgreSQL | L2 |
| PgTcl | Tcl Client Library for PostgreSQL | L3 |
| php5 | PHP5 Core Files | L3 |
| php5-bcmath | PHP5 Extension Module | L3 |
| php5-bz2 | PHP5 Extension Module | L3 |
| php5-calendar | PHP5 Extension Module | L3 |
| php5-ctype | PHP5 Extension Module | L3 |
| php5-curl | PHP5 Extension Module | L3 |
| php5-dba | PHP5 Extension Module | L3 |
| php5-dbase | PHP5 Extension Module | L3 |
| php5-devel | Include files of PHP5 | L2 |
| php5-dom | PHP5 Extension Module | L3 |
| php5-exif | PHP5 Extension Module | L3 |
| php5-fastcgi | FastCGI PHP5 Module | L3 |
| php5-filepro | PHP5 Extension Module | L3 |
| php5-ftp | PHP5 Extension Module | L3 |
| php5-gd | PHP5 Extension Module | L3 |
| php5-gettext | PHP5 Extension Module | L3 |
| php5-gmp | PHP5 Extension Module | L3 |
| php5-hash | PHP5 Extension Module | L3 |
| php5-iconv | PHP5 Extension Module | L3 |
| php5-imap | PHP5 Extension Module | L3 |
| php5-ldap | PHP5 Extension Module | L3 |
| php5-mbstring | PHP5 Extension Module | L3 |
| php5-mcrypt | PHP5 Extension Module | L3 |
| php5-mhash | PHP5 Extension Module | L3 |
| php5-mysql | PHP5 Extension Module | L3 |
| php5-mysqli | PHP5 Extension Module | L3 |
| php5-ncurses | PHP5 Extension Module | L3 |
| php5-odbc | PHP5 Extension Module | L3 |
| php5-openssl | PHP5 Extension Module | L3 |
| php5-pcntl | PHP5 Extension Module | L3 |
| php5-pdo | PHP5 Extension Module | L3 |
| php5-pear | PHP Extension and Application Repository | L3 |
| php5-pear-log | PEAR Logging utilities | L3 |
| php5-pgsql | PHP5 Extension Module | L3 |
| php5-posix | PHP5 Extension Module | L3 |
| php5-pspell | PHP5 pspell extension | L3 |
| php5-shmop | PHP5 Extension Module | L3 |
| php5-snmp | PHP5 Extension Module | L3 |
| php5-soap | PHP5 Extension Module | L3 |
| php5-sockets | PHP5 Extension Module | L3 |
| php5-sqlite | PHP5 Extension Module | L3 |
| php5-suhosin | PHP5 Extension Module | L3 |
| php5-sysvmsg | PHP5 Extension Module | L3 |
| php5-sysvsem | PHP5 Extension Module | L3 |
| php5-sysvshm | PHP5 Extension Module | L3 |
| php5-tokenizer | PHP5 Extension Module | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| php5-wddx | PHP5 Extension Module | L3 |
| php5-xmlreader | PHP5 Extension Module | L3 |
| php5-xmlrpc | PHP5 Extension Module | L3 |
| php5-xsl | PHP5 Extension Module | L3 |
| php5-zlib | PHP5 Extension Module | L3 |
| pidentd | An Implementation of the RFC1413 Identification Server | L3 |
| pilot-link | PalmPilot Link Utility (Backup, Uploading Tools and more) | L3 |
| pilot-link-devel | PalmPilot Development Header Files | L2 |
| pinentry | Collection of Simple PIN or Passphrase Entry Dialogs | L3 |
| pkgconfig | A library management system | L2 |
| plotutils | The GNU Plotting Utilities | L3 |
| pmtools | ACPI Debugging Tools | L2 |
| poppler | PDF Rendering Library | L3 |
| poppler-glib | PDF rendering library - a glib wrapper | L3 |
| poppler-qt | PDF rendering library - a qt wrapper | L3 |
| popt | A C library for parsing command line parameters | L3 |
| popt-devel | C Library for Parsing Command Line Parameters | L2 |
| popt-x86 | A C library for parsing command line parameters | L3 |
| portmap | A program that manages RPC connections | L3 |
| postfix | A fast, secure and flexible mailer | L3 |
| postgresql | Basic Clients and Utilities for PostgreSQL | L2 |
| postgresql-contrib | Contributed Extensions and Additions to PostgreSQL | L2 |
| postgresql-devel | PostgreSQL development header files and libraries | L2 |
| postgresql-docs | HTML Documentation for PostgreSQL | L2 |
| postgresql-jdbc | JDBC Drivers for PostgreSQL | L2 |
| postgresql-libs | Shared Libraries Required for PostgreSQL Clients | L2 |
| postgresql-libs-x86 | Shared Libraries Required for PostgreSQL Clients | L2 |
| postgresql-pl | The PL/Tcl, PL/Perl and PL/Python Procedural Languages for PostgreSQL | L2 |
| postgresql-server | The Programs Needed to Create and Run a PostgreSQL Server | L2 |
| powersave | General Powermanagement daemon supporting APM and ACPI and CPU | L3 |
| powersave-devel | Files needed for development with the powersave daemon or general | L2 |
| powersave-libs | Shared libraries of the powersave daemon | L3 |
| powersave-libs-x86 | Shared libraries of the powersave daemon | L3 |
| powertweak | A program to tune systems to their optimal performance | L3 |
| powertweak-extra | Extra Plug-Ins for Powertweak | L3 |
| powertweak-gtk | A Powertweak GTK User Interface | L3 |
| ppp | The Point to Point Protocol for Linux | L3 |
| ppp-devel | Header Files Required for Developing Plugins for pppd | L2 |
| pptp | Point-to-Point Tunneling Protocol (PPTP) Client | L3 |
| pptpd | PoPToP - PPTP Daemon Linux as Microsoft VPN Server | L3 |
| prctl | A utility to perform process operations | L3 |
| procinfo | Display System Status Gathered from /proc | L3 |
| procmail | A program for local e-mail delivery | L3 |
| procps | ps utilities for /proc | L3 |
| providers | A list of internet service providers | L3 |
| psmisc | Utilities for managing processes on your system | L3 |
| psqlODBC | ODBC Driver for PostgreSQL | L2 |
| psutils | Tools for Manipulating PostScript Files | L3 |
| pure-ftpd | A Lightweight, Fast and Secure FTP Server | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| pwdutils | Utilities to Manage User and Group Accounts | L3 |
| pwdutils-plugin-audit | Plugin for the Linux Audit-Subsystem | L3 |
| pxe | An implementation of the Intel PXE bootstrap protocol | L2 |
| PyGreSQL | Python Client Library for PostgreSQL | L2 |
| python | Python Interpreter | L3 |
| python-cairo | Python Bindings for cairo | L3 |
| python-curses | Python Interface to the (N)Curses Library | L3 |
| python-demo | Python Demonstration Scripts | L3 |
| python-devel | Include Files and Libraries Mandatory for Building Python Modules. | L2 |
| python-doc | Additional Package Documentation for Python. | L2 |
| python-doc-pdf | Python PDF Documentation | L2 |
| python-egenix-mx-base | MX Extensions for Python (base) | L3 |
| python-gdbm | Python Interface to the GDBM Library | L3 |
| python-gnome | Python bindings for GNOME | L3 |
| python-gtk | Python bindings for the GTK+ widget set | L3 |
| python-gtk-vnc | Python bindings for the gtk-vnc library | L3 |
| python-idle | An Integrated Development Environment for Python | L3 |
| python-imaging | The Python Imaging Library - PIL | L3 |
| python-ldap | Python LDAP interface | L3 |
| python-mysql | An Interface to the Popular MySQL Database Server for Python | L3 |
| python-numeric | A Numerical Extension to Python | L3 |
| python-openssl | Python wrapper module around the OpenSSL library | L3 |
| python-orbit | Python bindings for ORBit | L3 |
| python-pam | Python bindings for PAM | L3 |
| python-pywbem | Python module for making CIM operation calls using the WBEM protocol | L3 |
| python-qt | Python Bindings for Qt | L2 |
| python-tk | TkInter - Python Tk Interface | L3 |
| python-urlgrabber | A high-level cross-protocol url-grabber | L2 |
| python-x86 | Python Interpreter | L3 |
| python-xml | A Python XML Interface | L3 |
| pyxml | XML Tools in Python | L3 |
| qca | Qt Cryptographic Architecture | L3 |
| qca-devel | Qt Cryptographic Architecture | L2 |
| qca-sasl | Qt Cryptographic Architecture SASL Plug-In | L3 |
| qlgc_vnic_daemon | Tools to use Qlogic Virtual NIC devices via the VNIC protocol over InfiniBand | L3 |
| qlogic-firmware | Firmware files for Qlogic FibreChannel Cards (QLA2XXX Series) | L3 |
| qlvnictools | VNIC ULP service | L3 |
| qpopper | POP3 Mail Daemon from Qualcomm Inc. | L3 |
| qscintilla | C++ Editor Class Library | L2 |
| qt | C++ Program Library Core Components | L3 |
| qt3 | A library for developing applications with graphical user interfaces | L3 |
| qt3-devel | Include Files and Libraries mandatory for Development | L2 |
| qt3-devel-doc | Documentation for the Qt 3 Development Kit | L2 |
| qt3-devel-tools | User Interface Builder and other tools (designer, assistant linguist) | L2 |
| qt3-examples | Programming Examples for Qt 3 | L2 |
| qt3-extensions | Qt3 Extensions | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| qt3-man | Qt 3 Man Pages | L2 |
| qt3-mysql | MySQL Plug-In for Qt | L3 |
| qt3-postgresql | A PostgreSQL Plug-In for Qt | L3 |
| qt3-unixODBC | A UnixODBC Plug-In for Qt | L3 |
| qt3-x86 | A library for developing applications with graphical user interfaces | L3 |
| qt-qt3support | C++ Program Library Core Components | L3 |
| qt-qt3support-x86 | C++ Program Library, Core Components | L3 |
| qt-sql | Qt 4 SQL related libraries | L3 |
| qt-sql-sqlite | Qt 4 sqlite plugin | L3 |
| qt-sql-sqlite-x86 | Qt 4 sqlite plugin | L3 |
| qt-sql-x86 | Qt 4 SQL related libraries | L3 |
| qt-x11 | Qt 4 GUI related libraries | L3 |
| qt-x11-x86 | Qt 4 GUI related libraries | L3 |
| qt-x86 | C++ Program Library Core Components | L3 |
| quagga | Free Routing Software (for BGP, OSPF and RIP for example) | L2 |
| quagga-devel | Free Routing Software (for BGP, OSPF and RIP for example) | L2 |
| quota | Disk Quota System | L3 |
| radiusclient | Radius Client Software | L3 |
| radvd | Router ADvertisement Daemon for IPv6 | L2 |
| rarpd | Reverse Address Resolution Protocol Daemon | L3 |
| rcs | Revision Control System | L2 |
| rdist | Remote File Distribution" Utility" | L3 |
| rds-tools | RDS support tools | L3 |
| readline | The Readline Library | L3 |
| readline-devel | Include Files and Libraries mandatory for Development. | L2 |
| readline-x86 | The Readline Library | L3 |
| release-notes-as | A Short Description of the Most Important Changes for This SUSE Linux Enterprise Data Center Release | L2 |
| recode | A Character Set Converter | L3 |
| recode-devel | Character Set Converter | L2 |
| redbook | IBM redbooks and redpieces related to Linux and your Hardware | L2 |
| regexp | Simple regular expressions API | L2 |
| regexp-javadoc | Javadoc for regexp | L2 |
| reiserfs | Reiser File System utilities | L3 |
| release-notes-sles | short description of most important changes for this SuSE Linux release | L2 |
| resmgr | A program to track when users log in and out | L3 |
| resmgr-x86 | A program to track when users log in and out | L3 |
| rinetd | TCP Redirection Server | L2 |
| rpm | The RPM Package Manager | L3 |
| rpm-devel | Include Files and Libraries mandatory for Development. | L2 |
| rpm-python | Python Bindings for Manipulating RPM Packages | L3 |
| rrdtool | A tool for data logging and analysis | L3 |
| rsaref | RSA Reference Implementation | L2 |
| rsh | Servers for Remote Access Commands (rsh, rlogin and rcp) | L3 |
| rsh-server | Servers for Remote Access Commands (rsh, rlogin and rcp) | L3 |
| rsync | Replacement for RCP/mirror that has Many More Features | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|-------------------------------|---|---|
| rug | Command Line Client for zmd | L3 |
| rzsx | X-, Y- and Z-Modem Data Transfer Protocols | L3 |
| sablot | XSL Processor | L3 |
| sablot-devel | Header Files and Libraries for Sablot Development | L2 |
| salinfo | Decode IA64 SAL records | L2 |
| samba | A SMB/CIFS File, Print and Authentication Server | L3 |
| samba-client | Samba Client Utilities | L3 |
| samba-client-x86 | Samba Client Utilities | L3 |
| samba-doc | Samba Documentation | L2 |
| samba-krb-printing | Wrapper binary for kerberized printing | L3 |
| samba-pdb | PDB-Modules | L3 |
| samba-python | Samba Python Modules | L3 |
| samba-vscan | On-Access Virus Scanning with Samba | L3 |
| samba-winbind | Winbind Daemon and Tool | L3 |
| samba-winbind-x86 | Winbind Daemon and Tool | L3 |
| samba-x86 | A SMB/CIFS File, Print and Authentication Server | L3 |
| sapinit | Kernel Parameter Initializiation for SAP Systems | L3 |
| sap-locale | SAP-specific Locales | L3 |
| sap-locale-x86 | SAP-specific Locales | L3 |
| sash | A stand-alone shell with built-in commands | L3 |
| sax2 | SuSE advanced X Window System-configuration | L3 |
| sax2-gui | SuSE advanced X Window System-configuration GUI | L3 |
| sax2-ident | SaX2 identity and profile information | L3 |
| sax2-libsax | SaX management library for X Window System-configuration | L3 |
| sax2-libsax-devel | SaX management library header files for X Window System-configuration | L2 |
| sax2-libsax-java | Language binding to use libsax with java | L3 |
| sax2-libsax-perl | Language binding to use libsax with perl | L3 |
| sax2-libsax-python | Language binding to use libsax with python | L3 |
| sax2-tools | X Window System tools for SaX2 | L3 |
| sazanami-fonts | Japanese Sazanami" TrueType Fonts" | L2 |
| sbl | SuSE blinux | L2 |
| sblim-cim-client | Java CIM Client library | L3 |
| sblim-cim-client-javadoc | Javadoc for sblim-cim-client | L3 |
| sblim-cim-client-manual | Manual and sample code for sblim-cim-client | L3 |
| sblim-cmpi-base | SBLIM Base Instrumentation | L2 |
| sblim-cmpi-base-devel | SBLIM Base Instrumentation Header Development Files | L2 |
| sblim-cmpi-base-testsuite | SBLIM Base Instrumentation (test suite) | L2 |
| sblim-cmpi-devel | SBLIM CMPI Provider Development Support | L2 |
| sblim-cmpi-fsvol | SBLIM File System & Volume Mgmt. Instrumentation for CMPI | L2 |
| sblim-cmpi-network | SBLIM Network Instrumentation | L2 |
| sblim-cmpi-nfsv3 | SBLIM CMPI NFSv3 Instrumentation | L2 |
| sblim-cmpi-nfsv4 | SBLIM CMPI NFSv4 Instrumentation | L2 |
| sblim-cmpi-params | SBLIM Linux Kernel Parameter Instrumentation for CMPI | L2 |
| sblim-cmpi-sysfs | SBLIM Linux Sysfs Instrumentation for CMPI | L2 |
| sblim-cmpi-syslog | SBLIM Syslog Instrumentation | L2 |
| sblim-gather | SBLIM Performance Data Gatherer and Provider | L2 |
| sblim-gather-devel | SBLIM Gatherer Development Support | L2 |
| sblim-gather-provider | SBLIM Gatherer Provider | L2 |
| sblim-indication_helper | Toolkit for CMPI Indication Providers | L2 |
| sblim-indication_helper-devel | Toolkit for CMPI indication providers (Development Files) | L2 |
| sblim-testsuite | SBLIM Testsuite | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| sblim-wbemcli | SBLIM WBEM Command Line Interface | L2 |
| scanlogd | Detects and Logs Port Scans | L3 |
| scim | Smart Chinese/Common Input Method platform | L3 |
| scim-anthy | Anthy Input Method Engine for SCIM | L3 |
| scim-chewing | chewing input method module for SCIM | L3 |
| scim-devel | Include Files and Libraries mandatory for Development. | L2 |
| scim-hangul | Hangul Input Method Engine for SCIM | L3 |
| scim-hangul-skim | skim setup module for scim-hangul | L3 |
| scim-input-pad | an onscreen input pad to easily input symbols | L3 |
| scim-m17n | M17N Input Method Engine for SCIM | L3 |
| scim-pinyin | Intelligent Pinyin input module for Smart Chinese/Common Input Method | L3 |
| scim-pinyin-skim | skim setup module for scim-pinyin | L3 |
| scim-qtimm | Qt input module plugin for SCIM | L3 |
| scim-qtimm-x86 | Qt input module plugin for SCIM | L3 |
| scim-tables | Data Files for SCIM Generic Table Input Method Module | L3 |
| scim-tables-additional | Input Method data for non-CJK languages including Russian etc.. | L2 |
| scim-tables-ja | SCIM Japanese Data Files | L2 |
| scim-tables-ko | SCIM Korean Data Files | L2 |
| scim-tables-skim | skim setup module for scim-tables | L2 |
| scim-tables-zh | SCIM Chinese Data Files | L2 |
| scim-x86 | Smart Chinese/Common Input Method platform | L3 |
| scpm | System Configuration Profile Management | L3 |
| screen | A program to allow multiple screens on a VT100/ANSI Terminal | L3 |
| scrollkeeper | Cataloging System for Documentation | L3 |
| scsi | SCSI Tools (Text Mode) | L3 |
| scsi-changer | SCSI Media Changer Tools | L3 |
| scsi-eventd | SCSI event daemon | L3 |
| scsirastools | Serviceability for SCSI Disks and Arrays | L3 |
| SDL | Simple DirectMedia Layer Library | L3 |
| SDL-devel | SDL Library Developer Files | L2 |
| SDL-x86 | Simple DirectMedia Layer Library | L3 |
| sdpnetstat | netstat for SDP | L3 |
| seccheck | Security-Check Scripts | L3 |
| sed | A Stream-Oriented Noninteractive Text Editor | L3 |
| sendfax | A Tool for Sending Fax Documents | L2 |
| sendmail | BSD Sendmail | L3 |
| sendmail-devel | BSD Sendmail Development Kit | L2 |
| sensors | Hardware health monitoring for Linux | L2 |
| servicelog | Servicelog Tools | L3 |
| servletapi4 | Java servlet and JSP implementation classes | L3 |
| servletapi4-javadoc | Javadoc for servletapi4 | L2 |
| servletapi5 | Java servlet and JSP implementation classes | L3 |
| servletapi5-javadoc | Javadoc for servletapi5 | L2 |
| setserial | A utility for configuring serial ports | L3 |
| sgi-fonts | Very nice bitmapped fonts from SGI | L2 |
| sgml-skel | Helper Scripts for the SGML System | L3 |
| sgrep | Searching for Structured Patterns | L3 |
| shared-mime-info | Shared MIME Database | L3 |
| sharutils | GNU shar utilities | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|--------------------------------|--|------------------------------------|
| sigar | System Information GAthering | L3 |
| sitar | System InformaTion at Runtime | L3 |
| sitecopy | Local to Remote Website Synchronizer | L2 |
| skim | KDE integration for SCIM | L3 |
| slang | A Library for Display Control | L3 |
| slang-devel | Library for Display Control - Development Package | L2 |
| slang-x86 | A Library for Display Control | L3 |
| sles-admin_en | SLES Adminguide (English) | L2 |
| sles-admin_zh_CN | SLES Adminguide (Simplified Chinese) | L2 |
| sles-admin_zh_TW | SLES Adminguide (Traditional Chinese) | L2 |
| sles-heartbeat_en | SLES Heartbeat (English) | L2 |
| sles-preparation-x86+x86-64_en | SLES Install Guide | L2 |
| sles-release | SLES release file | L3 |
| sles-startup_de | SLES Start-Up Manual (German) | L2 |
| sles-startup_en | SLES Start-Up Manual (English) | L2 |
| sles-startup_es | SLES Start-Up Manual (Spanish) | L2 |
| sles-startup_fr | SLES Start-Up Manual (French) | L2 |
| sles-startup_it | SLES Start-Up Manual (Italian) | L2 |
| sles-startup_ja | SLES Start-Up Manual (Japan) | L2 |
| sles-startup_ko | SLE Start-Up Guide (Korean) | L2 |
| sles-startup_pt_BR | SLES Start-Up Manual (Brazil Portuguese) | L2 |
| sles-startup_zh_CN | SLES Start-Up Manual (Simplified Chinese) | L2 |
| sles-startup_zh_TW | SLES Start-Up Manual (Traditional Chinese) | L2 |
| sles-stor_evms_en | SLES Storage Administration Guide for EVMS (English) | L2 |
| smartmontools | Monitor for S.M.A.R.T. Disks and Devices | L3 |
| smpppd | SuSE Meta PPP Daemon | L2 |
| snort | A Packet Sniffer and Logger | L2 |
| sox | Sound Conversion Tools and Library | L3 |
| spamassassin | SpamAssassin is an extensible email filter which is used to identify | L3 |
| SPIdent | Service Pack Identification Tool | L3 |
| sqlite | Embeddable SQL Database Engine | L3 |
| sqlite2 | Embeddable SQL Database Engine | L2 |
| sqlite2-devel | Embeddable SQL Database Engine | L2 |
| sqlite2-x86 | Embeddable SQL Database Engine | L2 |
| sqlite-devel | Embeddable SQL Database Engine | L2 |
| sqlite-x86 | Embeddable SQL Database Engine | L3 |
| squid | Squid WWW proxy server | L3 |
| squidGuard | filter plugin for squid | L2 |
| src_vipa | Virtual Source IP address support for HA solutions | L3 |
| srptools | tools for SRP/IB | L3 |
| star | POSIX.1-2001-Compliant Tar Implementation | L2 |
| startup-notification | Reference Implementation for the Startup-Notification Protocol | L3 |
| startup-notification-devel | Include Files and Libraries mandatory for Development. | L2 |
| startup-notification-x86 | Reference Implementation for the Startup-Notification Protocol | L3 |
| statserial | Helps to Debug Serial Lines | L3 |
| strace | A utility to trace the system calls of a program | L3 |
| strace-x86 | A utility to trace the system calls of a program | L3 |
| strongswan | StrongSwan -- OpenSource IPsec-based VPN Solution | L3 |
| strongswan-doc | StrongSwan -- OpenSource IPsec-based VPN Solution | L2 |
| struts | Web application framework | L3 |
| struts-javadoc | Javadoc for struts | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| struts-manual | Maul for struts | L2 |
| struts-webapps-tomcat5 | Sample struts webapps for tomcat5 | L3 |
| stunnel | Universal SSL Tunnel | L3 |
| suck | Reading News Offline | L3 |
| sudo | Execute some commands as root | L3 |
| supportutils | Support Troubleshooting Tools | L3 |
| suse-build-key | The public gpg key for rpm package signature verification | L3 |
| SuSEfirewall2 | Stateful Packet Filter Using iptables and netfilter | L3 |
| susehelp | SuSE Help-System (base) | L3 |
| susehelp_de | SuSE Help System (German) | L3 |
| susehelp_en | SuSE Help System (English) | L3 |
| suseRegister | Registration Tool | L3 |
| susevbox | A Configuration Tool for Vbox and an Answering Machine | L3 |
| sysconfig | The sysconfig scheme | L3 |
| sysfsutils | System Utilities Package / Libsysfs | L3 |
| sysfsutils-x86 | System Utilities Package / Libsysfs | L3 |
| syslogd | The Syslog daemon | L3 |
| syslog-ng | The new-generation syslog-daemon | L3 |
| sysstat | Sar and iostat Commands for Linux | L3 |
| sysstat-isag | Interactive System Activity Grapher for sysstat | L2 |
| systemtap | Instrumentation System | L2 |
| system-tools-backends | Backend for GNOME System Tools | L2 |
| sysvinit | SysV-Style init | L3 |
| t1lib | Adobe Type 1 Font Rasterizing Library | L3 |
| t1lib-devel | Development Libraries for T1lib | L2 |
| taglib | C++ Library to Parse Metadata in Media Files | L2 |
| taglib-devel | C++ Library to Parse Metadata in media files | L2 |
| taglib-x86 | C++ Library to Parse Metadata in Media Files | L2 |
| talk | Talk Client for Chatting with Another User | L3 |
| talk-server | Talk Daemon to Chat with Another User | L3 |
| tango-icon-theme | Tango Icon Theme | L3 |
| tar | GNU implementation of tar ((t)ape (ar)chiver) | L3 |
| tcl | The Tcl Programming Language | L3 |
| tcl-devel | Header Files and C API Documentation for Tcl | L2 |
| tclx | TclX - Extended Tcl | L3 |
| tcl-x86 | The Tcl Programming Language | L3 |
| tcpd | A security wrapper for TCP daemons | L3 |
| tcpd-devel | Include Files and Libraries for the TCP wrapper library | L2 |
| tcpdump | A Packet Sniffer | L2 |
| tcpdump-x86 | A security wrapper for TCP daemons | L3 |
| tcsh | The C SHell | L3 |
| telnet | A client program for the telnet remote login protocol | L2 |
| telnet-server | A Server Program for the Telnet Remote Login Protocol | L2 |
| termcap | The Termcap Library | L2 |
| termcap-x86 | The Termcap Library | L2 |
| terminfo | A terminal descriptions database | L3 |
| texinfo | Tools Needed to Create Documentation from Texinfo Sources | L3 |
| tftp | Trivial File Transfer Protocol (TFTP) | L3 |
| thinkeramik | Thin Keramik style for KDE | L2 |
| thinkeramik-style | Thin Keramik style for Qt | L2 |
| thinkeramik-style-x86 | Thin Keramik style for Qt | L2 |
| thinkeramik-x86 | Thin Keramik style for KDE | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| tiff | Tools for Converting from and to the Tiff Format | L3 |
| tightvnc | A virtual X-Window System server | L2 |
| timezone | Timezone descriptions | L3 |
| tix | Tools for tk | L3 |
| tk | Graphical User Interface Toolkit for Tcl | L3 |
| tk-devel | Header Files and C API Documentation for Tk | L2 |
| tk-x86 | Graphical User Interface Toolkit for Tcl | L3 |
| tn5250 | 5250 Emulator | L3 |
| tomcat5 | A servlet container | L2 |
| tomcat5-admin-webapps | Admin webapps for tomcat5 | L2 |
| tomcat5-webapps | Webapps for tomcat5 | L2 |
| tomcat_apparmor | Tomcat 5 plugin for AppArmor change_hat | L2 |
| traffic-vis | Network Traffic Analysis Suite | L3 |
| transfig | Graphic Converter | L2 |
| translation-update | Translation Updates | L2 |
| translation-update-ar | Translation Updates for Arabic | L2 |
| translation-update-bg | Translation Updates for Bulgarian | L2 |
| translation-update-bn | Translation Updates for Bengali | L2 |
| translation-update-bs | Translation Updates for Bosnian | L2 |
| translation-update-ca | Translation Updates for Catalan | L2 |
| translation-update-cs | Translation Updates for Czech | L2 |
| translation-update-cy | Translation Updates for Welsh | L2 |
| translation-update-da | Translation Updates for Danish | L2 |
| translation-update-de | Translation Updates for German | L2 |
| translation-update-el | Translation Updates for Greek | L2 |
| translation-update-en_GB | Translation Updates for English, Great Britain | L2 |
| translation-update-en_US | Translation Updates for English, USA | L2 |
| translation-update-es | Translation Updates for Spanish | L2 |
| translation-update-fi | Translation Updates for Finnish | L2 |
| translation-update-fr | Translation Updates for French | L2 |
| translation-update-gl | Translation Updates for Galician | L2 |
| translation-update-he | Translation Updates for Hebrew | L2 |
| translation-update-hi | Translation Updates for Hindi | L2 |
| translation-update-hr | Translation Updates for Croatian | L2 |
| translation-update-hu | Translation Updates for Hungarian | L2 |
| translation-update-id | Translation Updates for Indonesian | L2 |
| translation-update-it | Translation Updates for Italian | L2 |
| translation-update-ja | Translation Updates for Japanese | L2 |
| translation-update-ka | Translation Updates for Georgian | L2 |
| translation-update-km | Translation Updates for Khmer | L2 |
| translation-update-ko | Translation Updates for Korean | L2 |
| translation-update-lo | Translation Updates for Lao | L2 |
| translation-update-lt | Translation Updates for Lithuanian | L2 |
| translation-update-nb | Translation Updates for Norwegian Bokmal | L2 |
| translation-update-nl | Translation Updates for Dutch | L2 |
| translation-update-pa | Translation Updates for Punjabi | L2 |
| translation-update-pl | Translation Updates for Polish | L2 |
| translation-update-pt | Translation Updates for Portuguese | L2 |
| translation-update-pt_BR | Translation Updates for Brasilian Portuguese | L2 |
| translation-update-ro | Translation Updates for Romanian | L2 |
| translation-update-ru | Translation Updates for Russian | L2 |
| translation-update-sk | Translation Updates for Slovak | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| translation-update-sl | Translation Updates for Slovenian | L2 |
| translation-update-sr | Translation Updates for Serbian | L2 |
| translation-update-sv | Translation Updates for Swedish | L2 |
| translation-update-ta | Translation Updates for Tamil | L2 |
| translation-update-tr | Translation Updates for Turkish | L2 |
| translation-update-uk | Translation Updates for Ukrainian | L2 |
| translation-update-vi | Translation Updates for Vietnamese | L2 |
| translation-update-zh_CN | Translation Updates for Simplified Chinese | L2 |
| translation-update-zh_TW | Translation Updates for Traditional Chinese | L2 |
| ttf-aphic | Chinese TrueType fonts by Arphic Technology (only the license text is) | L2 |
| ttf-aphic-bkai00mp | AR PL KaitiM Big5 Chinese TrueType font by Arphic Technology | L2 |
| ttf-aphic-bsmi00lp | AR PL Mingti2L Big5 Chinese TrueType font by Arphic Technology | L2 |
| ttf-aphic-gbsn00lp | AR PL SungtiL GB Chinese TrueType font by Arphic Technology | L2 |
| ttf-aphic-gkai00mp | AR PL KaitiM GB Chinese TrueType font by Arphic Technology | L2 |
| ttf-cmex-kai | CMEXKai Traditional Chinese TrueType font made by CMEX | L2 |
| ttf-founder-simplified | simplified Chinese TrueType fonts made by Beijing Founder Electronics | L2 |
| ttf-founder-traditional | traditional Chinese TrueType fonts made by Beijing Founder Electronics | L2 |
| type1inst | A PostScript Font Installation Utility | L2 |
| udev | A Rule-Based Device Node and Kernel Event Manager | L3 |
| udftools | UDF filesystem tools | L2 |
| udpcast | File transfer tool via UDP broadcast | L2 |
| ulimit | Set per-process limits (ulimits) | L3 |
| unace | ACE archive extractor | L1 |
| unarj | Pack Program | L2 |
| unclutter | Remove the idle cursor image from the screen | L2 |
| units | Units Conversion Utility | L3 |
| unixODBC | ODBC driver manager with some drivers included | L3 |
| unixODBC-devel | Includes and Static Libraries for ODBC Development | L2 |
| unixODBC-gui-qt | ODBC Configuration Utility, Data Source Browser and ODBC Test Tool | L3 |
| unixODBC-x86 | ODBC driver manager with some drivers included | L3 |
| unrar | A program to extract, test and view RAR archives | L2 |
| unsermake | Replacement for make and automake | L2 |
| unzip | A program to unpack compressed files | L2 |
| update-alternatives | Maintain symbolic links determining default commands | L3 |
| update-desktop-files | A Build Tool to Update Desktop Files | L2 |
| usbutils | Tools and libraries for USB devices | L2 |
| usbview | USB Topology and Device Viewer | L3 |
| utempter | A privileged helper for utmp and wtmp updates | L3 |
| utempter-x86 | A privileged helper for utmp and wtmp updates | L3 |
| util-linux | A collection of basic system utilities | L3 |
| util-linux-crypto | A Collection of Basic File System Encryption Utilities | L2 |
| util-linux-crypto-devel | Set Up dm-crypt Based Encrypted Block Devices | L2 |
| uucp | Taylor UUCP | L2 |
| vacation | A way to automatically reply to incoming e-mail | L3 |
| varmon | Mylex DAC960 RAID Controller Monitoring Tool | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|--|---|
| vcdimager | Video CD (VCD) authoring software | L3 |
| vcdimager-x86 | Video CD (VCD) authoring software | L3 |
| vim | Vi IMproved | L3 |
| vino | GNOME VNC Server | L3 |
| vlan | 802.1q VLAN Implementation for Linux | L3 |
| vlock | It allows you to lock your console display. | L2 |
| vsftpd | Very Secure FTP Daemon - Written from Scratch | L3 |
| vte | Terminal Emulator | L3 |
| vte-devel | Include Files and Libraries mandatory for Development. | L2 |
| w3m | A text-based WWW browser | L3 |
| w3m-inline-image | An inline image extension for w3m | L3 |
| wdiff | Display Word Differences Between Text Files | L2 |
| webalizer | A Web Server Log File Analysis Program | L3 |
| websphere-as_ce | IBM WebSphere Application Server Community Edition | L2 |
| wget | A Tool for Mirroring FTP and HTTP Servers | L2 |
| whois | whois Client Program | L3 |
| wireless-tools | Tools for a wireless LAN | L2 |
| wol | Wake On Lan client | L2 |
| wondershaper | Wondershaper is a QOS (Quality of Service) script. | L3 |
| wordcut | Thai word segmentation utility. | L2 |
| wordcut-devel | Include Files and Libraries mandatory for Development. | L2 |
| words | An English words dictionary | L2 |
| wpa_supplicant | WPA supplicant implementation | L2 |
| wsdl4j | Web Services Description Language Toolkit for Java | L2 |
| wvdial | A PPP dialer | L2 |
| wwstreams | Network Programming Library in C++ | L2 |
| wwstreams-devel | Network Programming Library in C++ | L2 |
| wwwoffle | World Wide Web Offline Proxy | L3 |
| x11-input-ibmasm | X input driver for the IBM ASM | L3 |
| x11-input-synaptics | X11 input module for synaptics touchpad | L2 |
| x11-tools | Tools for the X Window System | L3 |
| x3270 | A Family of IBM 3270 Terminal Emulators | L3 |
| xalan-j2 | Java XSLT processor | L2 |
| xalan-j2-demo | Demonstration and samples for xalan-j2. | L2 |
| xalan-j2-javadoc | Javadoc for xalan-j2 | L2 |
| xalan-j2-manual | Manual for xalan-j2 | L2 |
| xaw3d | 3D Athena Widgets | L3 |
| xaw3d-x86 | 3D Athena Widgets | L3 |
| xdg-menu | XDG Menus for WindowMaker and other Window Managers | L3 |
| xdmbgrd | SuSE Linux background | L3 |
| xerces-j2 | Java XML parser | L3 |
| xerces-j2-demo | Demonstration and sample files for xerces-j2. | L3 |
| xerces-j2-javadoc-apis | Javadoc for xerces-j2 apis | L2 |
| xerces-j2-javadoc-dom3 | Javadoc for xerces-j2 DOM3. | L2 |
| xerces-j2-javadoc-impl | Javadoc for xerces-j2 implementation | L2 |
| xerces-j2-javadoc-other | Javadoc for other xerces-j2 components. | L2 |
| xerces-j2-javadoc-xni | Javadoc for xerces-j2 XNI. | L2 |
| xerces-j2-scripts | Additional utility scripts for xerces-j2. | L3 |
| xfntjp | Japanese Fixed Fonts for the X Window System | L2 |
| xfntkr | Korean Hangul X Window System Fonts | L2 |
| xfsdump | Administrative Utilities for the XFS File System | L3 |
| xfsprogs | Utilities for managing the XFS file system | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|------------------------------|---|---|
| xfsprogs-devel | XFS Filesystem-specific Static Libraries and Headers | L3 |
| xibod | A Control Panel for the Ibody ISDN Bandwidth-On-Demand Daemon | L3 |
| xinetd | An 'inetd' with Expanded Functionality | L3 |
| xkeyboard-config | The X Keyboard Extension | L3 |
| xli | X11 Image Loading Utility | L2 |
| xlockmore | Screen Saver and Locker for the X Window System | L3 |
| xmlcharent | XML Character Entities | L3 |
| xml-commons | Common code for XML projects | L2 |
| xml-commons-apis | APIs subproject of xml-commons | L2 |
| xml-commons-apis-javadoc | Javadoc for xml-commons-apis | L2 |
| xml-commons-apis-manual | Manual for xml-commons-apis | L2 |
| xml-commons-resolver | Resolver subproject of xml-commons | L2 |
| xml-commons-resolver-javadoc | Javadoc for xml-commons-resolver | L2 |
| xml-commons-which | which subproject of xml-commons | L2 |
| xml-commons-which-javadoc | Javadoc for xml-commons-which | L2 |
| xntp | Network Time Protocol daemon (version 4) | L3 |
| xntp-doc | Additional Package Documentation for xntp. | L2 |
| xorg-x11 | X.Org core and sample applications | L3 |
| xorg-x11-devel | Include Files and Libraries mandatory for X11 Development. | L2 |
| xorg-x11-doc | X.Org documentation | L2 |
| xorg-x11-driver-video | X.Org video drivers | L3 |
| xorg-x11-driver-video-nvidia | NVIDIA video dummy driver | L3 |
| xorg-x11-driver-video-radeon | X.Org radeon video driver update for SLE10-SP1 | L2 |
| xorg-x11-fonts-100dpi | 100dpi Bitmaps fonts for X11 | L2 |
| xorg-x11-fonts-75dpi | 75dpi Bitmap Fonts | L2 |
| xorg-x11-fonts-cyrillic | Cyrillic bitmaps fonts for X11 | L2 |
| xorg-x11-fonts-scalable | Scalable fonts for the X Window System | L2 |
| xorg-x11-fonts-syriac | Syriac OpenType Fonts for the X Window System | L2 |
| xorg-x11-libs | Remaining X.Org libraries | L3 |
| xorg-x11-libs-x86 | Remaining X.Org libraries | L3 |
| xorg-x11-man | On-line manuals for X11 | L3 |
| xorg-x11-sdk | X.Org SDK for building drivers | L3 |
| xorg-x11-server | X.Org Server | L3 |
| xorg-x11-server-glx | GLX extension and nvidia dummy driver modules | L3 |
| xorg-x11-Xnest | Hardware independent Xserver Xnest | L3 |
| xorg-x11-Xvfb | Hardware independent Xserver Xvfb | L3 |
| xorg-x11-Xvnc | VNC Server for the X Window System | L3 |
| xosview | System Load Information | L3 |
| xpdf-tools | Character maps and config files required by xpdf | L3 |
| xpp | CUPS X Window System front-end | L3 |
| xscreensaver | A screen saver and locker for the X Window System | L3 |
| xscsi | A Graphical Front-End for SCSIinfo | L3 |
| xsp | Small Web Server Hosting ASP.NET | L3 |
| xsupplicant | Free implementation of IEEE 802.1X protocol | L2 |
| xterm | The basic X terminal program | L3 |
| xtermset | A program to change the settings of an xterm | L3 |
| yast2 | YaST2 - Main Package | L3 |
| yast2-apparmor | Yast2 plugins for AppArmor profile management | L3 |
| yast2-autofs | yast2 modul to create and manage autofs entries in LDAP | L3 |
| yast2-backup | YaST2 - System Backup | L3 |
| yast2-bootloader | YaST2 - Bootloader Configuration | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|------------------------------|---|---|
| yast2-boot-server | YaST2 module for network booting and Wake-On-Lan | L3 |
| yast2-ca-management | YaST2-Modul for managing CAs Certificates and Requests | L3 |
| yast2-cd-creator | YaST2 ISO Image Creator for a Customized Set of Packages | L3 |
| yast2-cim | YaST2 CIM Bindings | L2 |
| yast2-control-center | YaST2 - Control Center | L3 |
| yast2-control-center-gnome | GNOME control center | L3 |
| yast2-control-center-qt | YaST2 - Control Center (Qt Version) | L3 |
| yast2-core | YaST2 - Core Libraries | L3 |
| yast2-core-devel | YaST2 - Include Files and Documentation for Core Libraries | L2 |
| yast2-country | YaST2 - Country Settings (Language, Keyboard and Timezone) | L3 |
| yast2-devel | YaST2 - Development Scripts and Documentation | L2 |
| yast2-dhcp-server | YaST2 - DHCP Server Configuration | L3 |
| yast2-dns-server | YaST2 - DNS Server Configuration | L3 |
| yast2-fingerprint-reader | YaST2 - Fingerprint Reader Configuration | L3 |
| yast2-firewall | YaST2 - Firewall Configuration | L3 |
| yast2-firstboot | YaST Initial System Configuration | L3 |
| yast2-hardware-detection | YaST2 Hardware Detection Interface | L3 |
| yast2-heartbeat | YaST2 - High Availability Configuration | L3 |
| yast2-http-server | YaST2 - HTTP Server Configuration | L3 |
| yast2-inetd | YaST2 - Network Services Configuration | L3 |
| yast2-installation | YaST2 - Installation Parts | L3 |
| yast2-instserver | YaST2 Installation Server Configuration and Management | L3 |
| yast2-irda | YaST2 - Infra-Red (IrDA) Access Configuration | L3 |
| yast2-iscsi-client | Configuration of iscsi-client | L3 |
| yast2-iscsi-server | Configuration of iscsi-client | L3 |
| yast2-isns | YaST2 - Configuration of Internet Storage Naming Service (isns) | L2 |
| yast2-kdump | Configuration of kdump | L3 |
| yast2-kerberos-client | YaST2 - Kerberos Client Configuration | L3 |
| yast2-ldap | YaST2 - LDAP Agent | L3 |
| yast2-ldap-client | YaST2 - LDAP Client Configuration | L3 |
| yast2-ldap-server | YaST2-Module for the configuration of an OpenLDAP Server | L3 |
| yast2-mail | YaST2 - Mail Configuration | L3 |
| yast2-mail-aliases | YaST2 - Mail Configuration (Aliases) | L3 |
| yast2-mail-server | YaST2 Module for advanced mailserver configuration | L3 |
| yast2-mouse | YaST2 - Mouse Configuration | L3 |
| yast2-ncurses | YaST2 - Character Based User Interface | L3 |
| yast2-network | YaST2 - Network Configuration | L3 |
| yast2-nfs-client | YaST2 - NFS Configuration | L3 |
| yast2-nfs-server | YaST2 - NFS Server Configuration | L3 |
| yast2-nis-client | YaST2 - Network Information Services (NIS YP) Configuration | L3 |
| yast2-nis-server | YaST2 - Network Information Services (NIS) Server Configuration | L3 |
| yast2-ntp-client | YaST2 - NTP Client Configuration | L3 |
| yast2-online-update | YaST2 - Online Update (YOU) | L3 |
| yast2-online-update-frontend | YaST2 - Online Update (YOU) | L3 |
| yast2-packager | YaST2 - Package Library | L3 |
| yast2-pam | YaST2 - PAM Agent | L3 |
| yast2-perl-bindings | YaST2 - Perl Bindings | L3 |
| yast2-pkg-bindings | YaST2 Package Manager Access | L3 |
| yast2-power-management | YaST2 - Power Management Configuration | L3 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| yast2-powertweak | YaST2 - Powertweak Configuration | L2 |
| yast2-printer | YaST2 - Printer Configuration | L3 |
| yast2-profile-manager | YaST2 Profile Configuration | L3 |
| yast2-kdump | Configuration of kdump | L3 |
| yast2-qt | YaST2 - Graphical User Interface | L3 |
| yast2-registration | YaST2 Registration Module | L3 |
| yast2-repair | YaST2 - System Repair Tool | L2 |
| yast2-reipl | YaST2 - IPL loader | L2 |
| yast2-restore | YaST2 - System Restore | L3 |
| yast2-runlevel | YaST2 - Runlevel Editor | L3 |
| yast2-samba-client | YaST2 - Samba Client Configuration | L3 |
| yast2-samba-server | YaST2 - Samba Server Configuration | L3 |
| yast2-schema | AutoYaST Schema | L3 |
| yast2-security | YaST2 - Security Configuration | L3 |
| yast2-slp | SLP Agent and Browser for YaST | L3 |
| yast2-slp-server | YaST2 SLP Daemon Server Configuration | L3 |
| yast2-sound | YaST2 - Sound Configuration | L3 |
| yast2-storage | YaST2 - Storage Configuration | L3 |
| yast2-storage-devel | YaST2 - Storage Library Headers and Documentation | L2 |
| yast2-storage-evms | YaST2 - Storage Configuration EVMS | L3 |
| yast2-storage-lib | YaST2 - Storage Configuration Library | L3 |
| yast2-support | YaST2 - Support Inquiries | L3 |
| yast2-sysconfig | YaST2 - Sysconfig Editor | L3 |
| yast2-tftp-server | YaST2 - TFTP Server Configuration | L3 |
| yast2-theme-NLD | YaST2 NLD Theme | L3 |
| yast2-trans-af | YaST2 - Afrikaans English Translations | L2 |
| yast2-trans-ar | YaST2 - Arabic Translations | L2 |
| yast2-trans-bg | YaST2 - Bulgarian Translations | L2 |
| yast2-trans-bn | YaST2 - Bengali Translations | L2 |
| yast2-trans-bs | YaST2 - Bosnian Translations | L2 |
| yast2-trans-ca | YaST2 - Catalan Translations | L2 |
| yast2-trans/cs | YaST2 - Czech Translations | L2 |
| yast2-trans-cy | YaST2 - Welsh Translations | L2 |
| yast2-trans-da | YaST2 - Danish Translations | L2 |
| yast2-trans-de | YaST2 - German Translations | L2 |
| yast2-trans-el_GR | YaST2 - Greek Translations | L2 |
| yast2-trans-en_GB | YaST2 - British English Translations | L2 |
| yast2-trans-en_US | YaST2 - American English Translations | L2 |
| yast2-trans-es | YaST2 - Spanish Translations | L2 |
| yast2-transfer | YaST2 - Agent for Various Transfer Protocols | L3 |
| yast2-trans-fi | YaST2 - Finnish Translations | L2 |
| yast2-trans-fr | YaST2 - French Translations | L2 |
| yast2-trans-gu | YaST2 - Gujarati Translations | L2 |
| yast2-trans-he | YaST2 - Hebrew Translations | L2 |
| yast2-trans-hi | YaST2 - Hindi Translations | L2 |
| yast2-trans-hr | YaST2 - Croatian Translations | L2 |
| yast2-trans-hu | YaST2 - Hungarian Translations | L2 |
| yast2-trans-it | YaST2 - Italian Translations | L2 |
| yast2-trans-ja | YaST2 - Japanese Translations | L2 |
| yast2-trans-km | YaST2 - Khmer Translations | L2 |
| yast2-trans-ko | YaST2 - Korean Translations | L2 |
| yast2-trans-lt | YaST2 - Lithuanian Translations | L2 |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|--|---|---|
| yast2-trans-mr | YaST2 - Marathi Translations | L2 |
| yast2-trans-nb | YaST2 - Norwegian Translations (Norwegian Bokmaal) | L2 |
| yast2-trans-nl | YaST2 - Dutch Translations | L2 |
| yast2-trans-pa | YaST2 - Punjabi Translations | L2 |
| yast2-trans-pl | YaST2 - Polish Translations | L2 |
| yast2-trans-pt | YaST2 - Portuguese Translations | L2 |
| yast2-trans-pt_BR | YaST2 - Brazilian Portuguese Translations | L2 |
| yast2-trans-ro | YaST2 - Romanian Translations | L2 |
| yast2-trans-ru | YaST2 - Russian Translations | L2 |
| yast2-trans-sk | YaST2 - Slovak Translations | L2 |
| yast2-trans-sl_SI | YaST2 - Slovene Translations | L2 |
| yast2-trans-sr | YaST2 - Serbian Translations | L2 |
| yast2-trans-stats | YaST2 - Translation Statistics | L2 |
| yast2-trans-sv | YaST2 - Swedish Translations | L2 |
| yast2-trans-ta | YaST2 - TA Translations | L2 |
| yast2-trans-tr | YaST2 - Turkish Translations | L2 |
| yast2-trans-uk | YaST2 - Ukrainian Translations | L2 |
| yast2-trans-xh | YaST2 - Xhosa Translations | L2 |
| yast2-trans-zh_CN | YaST2 - Simplified Chinese Translations | L2 |
| yast2-trans-zh_TW | YaST2 - Traditional Chinese Translations | L2 |
| yast2-trans-zu | YaST2 - Zulu Translations | L2 |
| yast2-tune | YaST2 - Hardware Tuning | L3 |
| yast2-update | YaST2 - Update | L3 |
| yast2-users | YaST2 - User and Group Configuration | L3 |
| yast2-x11 | YaST2 - X Window System Configuration | L3 |
| yast2-xml | YaST2 - XML Agent | L3 |
| yelp | The GNOME 2.x Desktop Help Browser | L3 |
| ypbind | NIS client daemon | L3 |
| ypserv | YP - (NIS)-Server | L3 |
| yp-tools | Network Information Service (YP) client utilities | L3 |
| yudit | Unicode text editor | L3 |
| zenity | GNOME Command Line Dialog Utility | L3 |
| zen-updater | Novell ZENworks Linux Management daemon | L3 |
| zip | File compression program | L2 |
| zisofs-tools | User tools for zisofs | L3 |
| zlib | Data Compression Library | L3 |
| zlib-devel | Include Files and Libraries mandatory for Development | L2 |
| zlib-x86 | Data Compression Library | L3 |
| zmd | Novell ZENworks Linux Management daemon | L3 |
| zmd-devel | Development files for Red Carpet Daemon | L2 |
| zmd-inventory | Novell ZENworks Linux Management daemon | L3 |
| yudit | Unicode text editor | L3 |
| zoo | Pack Program | L2 |
| zsh | Shell with comprehensive completion | L3 |
| zypper** | Command Line Package Management Using Libzypp | L2 |
| | | |
| | | |
| | | |
| errors and omissions excepted subject to change without prior notice | | |

| Package Short Name | Package Description | Servicelevel SLES10 SP4 ia64 |
|---------------------------|---|---|
| * | Mono Profile 1.0 supported. Profile 2.0 is a preview for testing and is not yet supported by Novell Technical Services. | |
| ** | technical preview, for testing only; usage with KIWI and SLE POS is supported | |
| 1 | for full support MySQL subscription is necessary | |