

Novell SUSE Linux Package Description and Support Level Information for Contracted Customers and Partners

Definitions and Support Level Descriptions

- ACC:** **Additional Customer Contract necessary**
- L1: Installation and Configuration** **problem determination, which means technical support designed to provide compatibility information, installation assistance, usage support, on-going maintenance and basic troubleshooting. Level 1 Support is not intended to correct product defect errors.**
- L2: Reproduction of Potential Issues** **problem isolation, which means technical support designed to duplicate customer problems, isolate problem area and provide resolution for problems not resolved by Level 1 Support.**
- L3: Code Debugging and Patch Provision** **problem resolution, which means technical support designed to resolve complex problems by engaging engineering in resolution of product defects which have been identified by Level 2 Support.**

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|--------------------|--|--------------------------------------|
| 3ddiag | A Tool to Verify the 3D Configuration | L3 |
| 844-ksc-pcf | Korean 8x4x4 Johab Fonts | L2 |
| 855resolution | This software changes the resolution of an available vbios mode. | L2 |
| 915resolution | This software changes the resolution of an available vbios mode. | L2 |
| a2ps | Converts ASCII Text into PostScript | L2 |
| aaa_base | SUSE Linux Base Package | L3 |
| aaa_skel | Skeleton for Default Users | L3 |
| aalib | An ASCII Art Library | L2 |
| aalib-32bit | An ASCII Art Library | L2 |
| aalib-devel | Development Package for AALib | L2 |
| aalib-devel-32bit | Development Package for AALib | L2 |
| acl | Commands for Manipulating POSIX Access Control Lists | L3 |
| acpid | Executes Actions at ACPI Events | L3 |
| acroread | Adobe Reader for PDF Files | L2 |
| acroread_ja | Adobe Reader for PDF Files - Japanese version | L2 |
| AdobeICCPProfiles | Adobe ICC Profiles | L2 |
| agfa-fonts | Professional TrueType Fonts | L2 |
| aide | Advanced Intrusion Detection Environment | L2 |
| alacarte | Menu editor for GNOME | L2 |
| alsa | Advanced Linux Sound Architecture | L3 |
| alsa-32bit | Advanced Linux Sound Architecture | L3 |
| alsa-devel | Include Files and Libraries mandatory for Development. | L2 |
| alsa-firmware | Firmware Data Files for ALSA | L3 |
| alsa-tools | Various ALSA Tools | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| amarok | Media Player for KDE | L3 |
| amarok-libvisual | Visual Plugin Support for amarok | L3 |
| amarok-xine | Xine Output Plugin for Amarok | L3 |
| amavisd-new | High-Performance E-Mail Virus Scanner | L3 |
| anthy | Kana-Kanji Conversion Engine | L2 |
| anthy-devel | Include Files and Libraries mandatory for Development. | L2 |
| apel | A Portable Emacs Library | L2 |
| apparmor-admin_en | AppArmor Admin Guide (English) | L3 |
| apparmor-docs | AppArmor Documentation package | L2 |
| apparmor-parser | AppArmor userlevel parser utility | L3 |
| apparmor-profiles | AppArmor profiles that are loaded into the apparmor kernel module | L3 |
| apparmor-utils | AppArmor User-Level Utilities Useful for Creating AppArmor Profiles | L3 |
| appdefko | Collection of Korean X Window System Application Default Files | L2 |
| arts | Modular Software Synthesizer | L2 |
| arts-32bit | Modular Software Synthesizer | L2 |
| arts-devel | Include Files and Libraries mandatory for Development. | L2 |
| art-sharp | Mono bindings for libart | L3 |
| art-sharp2 | Mono bindings for libart | L3 |
| ash | The Ash Shell | L2 |
| aspell | A Free and Open Source Spell Checker | L3 |
| aspell-32bit | A Free and Open Source Spell Checker | L3 |
| aspell-cs | A Czech Dictionary for Aspell | L2 |
| aspell-de | A German Dictionary for ASpell | L2 |
| aspell-devel | Include Files and Libraries Mandatory for Development | L2 |
| aspell-en | An English Dictionary for ASpell | L2 |
| aspell-es | A Spanish Dictionary for ASpell | L2 |
| aspell-fo | A Faroese Dictionary for ASpell | L2 |
| aspell-fr | A French Dictionary for ASpell | L2 |
| aspell-hu | An Hungarian dictionary for aspell | L2 |
| aspell-it | An Italian Dictionary for Aspell | L2 |
| aspell-pl | A Polish Dictionary for Aspell | L2 |
| aspell-pt | A Portuguese Dictionary for ASpell | L2 |
| aspell-sk | A Slovak Dictionary for ASpell | L2 |
| aspell-sv | A Swedish Dictionary for ASpell | L2 |
| at | A Job Manager | L3 |
| atk | An Accessibility ToolKit | L3 |
| atk-32bit | An Accessibility ToolKit | L3 |
| atk-devel | Include Files and Libraries mandatory for Development. | L2 |
| atmel-firmware | Firmware for Atmel at76c50x Wireless Network Chips | L2 |
| at-spi | Assistive Technology Service Provider Interface | L3 |
| at-spi-devel | Include Files and Libraries mandatory for Development. | L2 |
| attr | A Command to Manipulate File System Extended Attributes | L3 |
| audiofile | An Audio File Library | L3 |
| audiofile-32bit | An Audio File Library | L3 |
| audiofile-devel | An audio file library | L2 |
| audit | User Space Tools for 2.6 Kernel Auditing | L3 |
| audit-libs | Dynamic library for libaudit | L3 |
| audit-libs-32bit | Dynamic library for libaudit | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|--------------------------------------|
| audit-libs-python | Python bindings for libaudit | L3 |
| autoconf | A GNU Tool for Automatically Configuring Source Code | L2 |
| autofs | A Kernel-Based Automounter | L3 |
| autofs5 | A Kernel-Based Automounter | L3 |
| automake | A Program for Automatically Generating GNU-Style Makefile.in Files | L2 |
| autoyast2 | YaST2 Automated Installation | L3 |
| autoyast2-installation | YaST2 - Auto Installation Modules | L3 |
| avahi | D-BUS Service for Zeroconf and Bonjour | L2 |
| avahi-glib | D-BUS Service for Zeroconf/Bonjour | L2 |
| awesfx | SoundFont Utilities for SB AWE32/64 and Emu10k1 Drivers | L2 |
| axis | Apache implementation of the SOAP | L2 |
| baekmuk | Baekmuk Fonts (Korean Fonts for the X Window System Bitmap Version) | L2 |
| baekmuk-ttf | Baekmuk Fonts (Korean Fonts for the X Window System True Type Version) | L2 |
| bash | The GNU Bourne-Again Shell | L3 |
| bc | GNU Command Line Calculator | L3 |
| beagle | Desktop Search Application | L3 |
| beagle-evolution | Evolution Plugin for the Desktop search application beagle | L3 |
| beagle-firefox | Firefox Plugin for the Desktop search application beagle | L3 |
| beagle-gui | Graphical User Interface for the Desktop Search Application Beagle | L3 |
| beagle-index | Global Beagle Index | L3 |
| beagle-quickfinder | QuickFinder Beagle Backend | L2 |
| bin86 | An 8086 Assembler and Linker | L2 |
| bind-libs | Shared libraries of BIND | L3 |
| bind-libs-32bit | Shared libraries of BIND | L3 |
| bind-utils | Utilities to query and test DNS | L3 |
| binutils | GNU Binutils | L2 |
| binutils-32bit | GNU Binutils | L2 |
| bison | The GNU Parser Generator | L3 |
| bison-32bit | The GNU Parser Generator | L3 |
| bitstream-vera | Bitstream Vera(tm) Truetype fonts | L2 |
| blam | GNOME/GTK# RSS Aggregator | L3 |
| blktrace | Block IO tracer | L3 |
| blocxx | BloCXX--C++ Framework for Application Development | L3 |
| blt | Tcl/Tk Extension | L3 |
| bluez-cups | CUPS Driver for Bluetooth Printers | L2 |
| bluez-firmware | Bluetooth(TM) Firmware | L2 |
| bluez-hcidump | HCI Dumper for Debugging Bluetooth Connections | L2 |
| bluez-libs | Bluetooth Libraries | L2 |
| bluez-utils | Bluetooth Daemons and Utilities | L2 |
| bonnie | File System Benchmark | L3 |
| bonnie++ | A Bonnie-Like File System Benchmark | L3 |
| boo | A CLI Scripting Language | L2 |
| boost | Boost C++ Libraries | L2 |
| bootloader-theme-NLD | Boot Loader Background Picture | L2 |
| bootsplash | Graphical System Boot Utilities | L3 |
| bootsplash-theme-SuSE-NLD | Default NLD Bootsplash Theme | L3 |
| bridge-utils | Utilities for Configuring the Linux Ethernet Bridge | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|--------------------------|--|--------------------------------|
| brocade-firmware | Firmware files for Brocade FC HBAs & CNAs | L2 |
| bug-buddy | The GNOME Desktop Bug Reporting Tool | L3 |
| build | A Script to Build SUSE Linux RPMs | L2 |
| busybox | The Swiss Army Knife of Embedded Linux | L3 |
| bytefx-data-mysql | Database connectivity for Mono | L2 |
| bzip2 | A Program for Compressing Files | L2 |
| bzip2-32bit | A Program for Compressing Files | L2 |
| cabextract | A Program to Extract Microsoft Cabinet Files | L2 |
| cairo | Vector Graphics Library with Cross-Device Output Support | L3 |
| cairo-32bit | Vector Graphics Library with Cross-Device Output Support | L3 |
| cairo-devel | Development environment for cairo | L2 |
| cairo-doc | Documentation for cairo | L2 |
| canna-libs | Canna Libraries | L2 |
| capi4hylafax | Adds a faxcapi modem for hylafax | L3 |
| capi4linux | CAPI 2.0 library and associated tools | L3 |
| capi4linux-32bit | CAPI 2.0 library and associated tools | L3 |
| capisuite | ISDN Telecommunication Suite Providing Fax and Voice Services | L3 |
| CASA | Novell Common Authentication Service Adapter (CASA) | L3 |
| CASA-32bit | Novell Common Authentication Service Adapter (CASA) | L3 |
| CASA_auth_token_client | Novell CASA Authentication Token Libraries for Client Applications | L3 |
| CASA-gui | The CASA Console Utility | L3 |
| CASA-kwallet | CASA Aggregation and Distribution KWallet plugin | L3 |
| ccache | Compiler Cache | L3 |
| cdk | The Runtime for the Curses Development Kit | L2 |
| cdk-devel | Development Part of Curses Development Kit | L2 |
| cdparanoia | A Program for Extracting, Verifying and Fixing Audio Tracks from CDs | L2 |
| cdparanoia-32bit | A Program for Extracting, Verifying and Fixing Audio Tracks from CDs | L2 |
| cdrdao | Write CD-Rs in Disk-At-Once Mode | L2 |
| cdrecord | Tool for Writing CDRs | L3 |
| cdrecord-devel | Tool for writing CDRs | L2 |
| check | Unit Test Framework for C | L2 |
| CheckHardware | CheckHardware Tool | L3 |
| checkmedia | Check Installation Media | L3 |
| cifs-mount | Mount using the Common Internet File System (CIFS) | L3 |
| cjk-latex | LaTeX Macro Package for CJK (Chinese/Japanese/Korean) | L3 |
| cjk-latex-wadalab-maru | Japanese PS fonts Wadalab Maru" for CJK-LaTeX (JIS X 0208)" | L2 |
| cjk-latex-wadalab-mincho | Japanese PS fonts Wadalab Mincho" for CJK-LaTeX (JIS X 0208)" | L2 |
| cjk-lyx | A CJK Version of a LaTeX-Based WYSIWYG Editor | L3 |
| cm-unicode | Unicode Version of the Computer Modern Fonts | L2 |
| compat | Libraries from Compatibility Versions | L2 |
| compat-32bit | Libraries from Compatibility Versions | L2 |
| compat-curl2 | Curl Compatibility Library | L3 |
| compat-curl2-32bit | Curl Compatibility Library | L3 |
| compat-libstdc++ | The Old stdc++ Library | L2 |
| compat-openssl097g | Secure Sockets and Transport Layer Security | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| compat-openssl097g-32bit | Secure Sockets and Transport Layer Security | L2 |
| compiz | OpenGL window and compositing manager. | L3 |
| compiz-gnome | OpenGL window and compositing manager configuration utilities | L3 |
| compiz-kde | OpenGL window and compositing managerdecorator | L3 |
| conglomerate | XML Editor for GNOME | L1 |
| contact-lookup-applet | Evolution Address Book Search Applet | L3 |
| control-center2 | The GNOME Control Center for the GNOME 2.x Desktop | L3 |
| control-center2-devel | The GNOME Control Center for the GNOME 2.x Desktop | L2 |
| convmv | Converts File Names from One Encoding to Another | L3 |
| coreutils | GNU Core Utilities | L3 |
| cpio | A Backup and Archiving Utility | L2 |
| cpp | The system GNU Preprocessor | L3 |
| cppunit | C++ Port of the JUnit Testing Framework | L2 |
| cppunit-devel | Include Files and Libraries mandatory for Development | L2 |
| cpufrequtils | Tools to Determine and Set CPUfreq Settings | L3 |
| cpufrequtils-32bit | Tools to Determine and Set CPUfreq Settings | L3 |
| cracklib | Full dictionary for cracklib - A Password-Checking Library | L1 |
| cracklib-32bit | Full dictionary for cracklib - A Password-Checking Library | L1 |
| cron | cron Daemon | L3 |
| cryptconfig | A Utility to Configure Encrypted Home Directories and LUKS Partitions | L2 |
| Crystalcursors | Mouse Cursors in Crystal Icon Style | L2 |
| cscope | Interactive Tool for Browsing C Source Code | L3 |
| ctags | A Program to Generate Tag Files for Use with vi and Other Editors | L2 |
| culmus | Free Hebrew Fonts | L2 |
| cups | The Common UNIX Printing System | L3 |
| cups-backends | Various Free Backends for the cups Package | L3 |
| cups-client | CUPS Client Programs | L3 |
| cups-devel | Development Environment for CUPS | L2 |
| cups-drivers | Drivers for the Common UNIX Printing System | L2 |
| cups-drivers-stp | Gutenprint drivers for CUPS | L2 |
| cups-libs | Libraries for CUPS | L3 |
| cups-libs-32bit | Libraries for CUPS | L3 |
| cups-SUSE-ppds-dat | Pregenerated ppds.dat for cupsd | L1 |
| curl | A Tool for Transferring Data from URLs | L3 |
| curl-32bit | A Tool for Transferring Data from URLs | L3 |
| curl-devel | Header Files and Libraries for cURL Development | L2 |
| cvs | Concurrent Versions System | L3 |
| cvsp | A Program for Generating Patch Set Information from a CVS Repository | L2 |
| cyrus-sasl | Implementation of Cyrus SASL API | L3 |
| cyrus-sasl-32bit | Implementation of Cyrus SASL API | L3 |
| cyrus-sasl-crammd5 | cyrus-sasl plugin for the CRAMMD5 mechanism | L3 |
| cyrus-sasl-devel | Cyrus SASL API Implementation Libraries and Header Files | L2 |
| cyrus-sasl-devel-32bit | Cyrus SASL API Implementation Libraries and Header Files | L2 |
| cyrus-sasl-digestmd5 | cyrus-sasl plugin for the DIGESTMD5 mechanism | L3 |
| cyrus-sasl-gssapi | cyrus-sasl plugin for the GSSAPI mechanism | L3 |
| cyrus-sasl-plain | cyrus-sasl plugin for the PLAIN mechanism | L3 |
| cyrus-sasl-saslauthd | The SASL Authentication Server | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|---|
| dante | A Free Socks v4 and v5 Client Implementation | L2 |
| darts | Double Array Trie System | L3 |
| dasher | Zooming Predictive Text Entry System | L3 |
| db | Berkeley DB Database Library | L2 |
| db-32bit | Berkeley DB Database Library | L2 |
| db41 | Berkeley DB Database Library Version 4.1 | L2 |
| db42 | Berkeley DB Database Library Version 4.2 | L3 |
| db-devel | Include Files and Libraries for the Berkeley DB library | L2 |
| dbench | File System Benchmark Similar to Netbench | L2 |
| dbus-1 | D-Bus Message Bus System | L3 |
| dbus-1-32bit | D-Bus Message Bus System | L3 |
| dbus-1-devel | Developer package for D-Bus | L2 |
| dbus-1-glib | GLib-based library for using D-Bus | L3 |
| dbus-1-glib-32bit | GLib-based library for using D-Bus | L3 |
| dbus-1-gtk | GTK based D-Bus tools | L2 |
| dbus-1-mono | Mono Bindings for D-Bus | L2 |
| dbus-1-python | Python bindings for D-Bus | L2 |
| dbus-1-qt | QT4/KDE bindings for D-Bus | L2 |
| dbus-1-qt3 | QT3/KDE bindings for D-Bus | L3 |
| dbus-1-qt-32bit | QT4/KDE bindings for D-Bus | L2 |
| dbus-1-qt3-32bit | QT3/KDE bindings for D-Bus | L3 |
| dbus-1-qt3-devel | Developer package for QT3/KDE bindings for D-Bus | L2 |
| dbus-1-x11 | X11-requiring add-ons for D-Bus | L2 |
| db-utils | Command Line tools for Managing Berkeley DB Databases | L2 |
| dcraw | Raw Digital Photo Decoding | L2 |
| dcraw-gnome | Data Type Definition and Nautilus Thumbnailer for RAW Digital Photos | L2 |
| ddd | Debugger with Graphical User Interface | L3 |
| dejavu | DejaVu Truetype Fonts | L2 |
| deltarpm | Tools to Create and Apply deltarpm's | L3 |
| desktop-data-NLD | SuSE Theme Files for KDE and GNOME | L3 |
| desktop-file-utils | Utilities for Manipulating Desktop Files | L3 |
| desktop-translations | Desktop Files Translation updates | L3 |
| detex | TeX to ASCII Converter | L3 |
| devhelp | Developer's Help Program for GNOME | L2 |
| devhelp-devel | Developer's Help Program For GNOME | L2 |
| device-mapper | Device Mapper Tools | L3 |
| device-mapper-32bit | Device Mapper Tools | L3 |
| device-mapper-devel | Development package for the device mapper | L3 |
| devilspie | Window-Matching Utility | L2 |
| devs | Device Files | L2 |
| dhcdbd | DHCP D-BUS Daemon | L3 |
| dhcp | Common Files Used by ISC DHCP Software | L3 |
| dhcpcd | A DHCP Client Daemon | L3 |
| dhcp-client | ISC DHCP Client | L3 |
| dia | A Diagram Creation Program | L3 |
| dialog | Menus and Input Boxes for Shell Scripts | L3 |
| dicts | Ispell Dictionary Files | L2 |
| diffstat | Utility That Provides Statistics Based on the Output of diff | L3 |
| diffutils | GNU diff Utilities | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|---|
| digikam | A KDE Photo Manager | L3 |
| digikamimageplugins | Image Manipulation Plug-Ins | L3 |
| dirdiff | Diff Tool to Merge Source Trees | L2 |
| DirectFB | Graphics Library for Framebuffer Devices | L3 |
| DirectFB-32bit | Graphics Library for Framebuffer Devices | L3 |
| dirmngr | A Client for Managing and Downloading CRLs | L3 |
| dmraid | A Device-Mapper Software RAID Support Tool | L2 |
| docbook2x | DocBook-to-Texinfo Converter | L2 |
| docbook_3 | DocBook DTD 3.x | L2 |
| docbook_4 | DocBook DTD Version 4.x | L2 |
| docbook-dsssl-stylesheets | DSSSL Stylesheets for the DocBook DTD | L2 |
| docbook-toys | DocBook Tools | L3 |
| docbook-utils | Small Wrapper Scripts for Processing DocBook Files | L3 |
| docbook-xsl-stylesheets | XSL Stylesheets for the DocBook DTD (XML) | L3 |
| doc-gnu-ko | Korean Translations of GNU Manuals | L2 |
| dockutils | Dockingstation support | L2 |
| dos2unix | A DOS to UNIX Text Converter | L2 |
| dosbootdisk | A DOS Boot Disk Based on FreeDOS | L3 |
| dosfstools | Utilities for Making and Checking MS-DOS FAT File Systems on Linux | L3 |
| doxygen | Automated C, C++ and Java Documentation Generator | L3 |
| dragonegg | Mozilla Plug-In to Embed KDE KParts | L2 |
| dvd+rw-tools | Collection of Tools for Mastering DVD+RW/+R Media | L2 |
| e2fsprogs | Utilities for the Second Extended File System | L3 |
| e2fsprogs-32bit | Utilities for the Second Extended File System | L3 |
| e2fsprogs-devel | Include Files and Libraries mandatory for Development. | L2 |
| e2fsprogs-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| e3 | Tiny Editor with Many Different Modes like Vi, Emacs and Wordstar | L2 |
| eb | EB is a C Library for Accessing CD-ROM Books | L3 |
| ed | Standard UNIX Line Editor | L3 |
| ecj | Eclipse Compiler for Java) | L2 |
| eel | The Eazel Extensions Library | L3 |
| eel-32bit | The Eazel Extensions Library | L3 |
| eel-devel | Include Files and Libraries mandatory for Development. | L2 |
| efont-unicode | Unicode Font by /efont/ | L2 |
| eiciel | GNOME ACL viewer and editor | L2 |
| eID-belgium | Belgian eID middleware | L2 |
| eIDconfig-belgium | Configuration toolkit for the Belgian eID middleware | L2 |
| eject | A Program to Eject Media under Software Control | L3 |
| ekiga | A Gnome based SIP/H323 teleconferencing application | L2 |
| ElectricFence | Malloc Debugger | L2 |
| emacs | GNU Emacs Base Package | L3 |
| emacs-auctex | AUC TeX: An Emacs Extension | L3 |
| emacs-info | Info files for GNU Emacs | L3 |
| emacs-x11 | GNU Emacs: Emacs binary with X Window System Support | L3 |
| engdic | Little Korean <-> English Dictionary | L2 |
| enscript | An ASCII to PostScript(tm) Converter | L2 |
| eog | Eye of GNOME for the GNOME 2.x Desktop | L3 |
| epiphany | GNOME Web Browser Based on the Mozilla Rendering Engine | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-----------------------------|---|--------------------------------------|
| epiphany-devel | GNOME Web Browser based on the Mozilla Rendering Engine | L2 |
| epiphany-doc | Developer Documentation for Epiphany | L2 |
| esound | A Sound Daemon for Enlightenment and GNOME | L3 |
| esound-32bit | A Sound Daemon for Enlightenment and GNOME | L3 |
| esound-devel | EsounD Development Package | L2 |
| ethereal | A Network Traffic Analyser | L3 |
| ethtool | Examine and Tune Ethernet-Based Network Interfaces | L3 |
| evince | GNOME Document Viewer | L3 |
| evolution | The Integrated GNOME Mail, Calendar and Address Book Suite | L3 |
| evolution-data-server | Evolution Data Server | L3 |
| evolution-data-server-32bit | Evolution Data Server | L3 |
| evolution-data-server-devel | Evolution Data Server Development Files | L2 |
| evolution-devel | Include Files and Libraries mandatory for Development. | L2 |
| evolution-exchange | Evolution Connector for Microsoft Exchange Server 2000/2003 | L3 |
| evolution-pilot | The Integrated GNOME Mail, Calendar and Addressbook Suite | L3 |
| evolution-sharp | Mono Bindings for Evolution | L3 |
| evolution-webcal | Evolution Webcal | L3 |
| expat | XML Parser Toolkit | L3 |
| expat-32bit | XML Parser Toolkit | L3 |
| expect | A Tool for Automating Interactive Programs | L3 |
| fam | File Alteration Monitoring Daemon | L3 |
| fam-32bit | File Alteration Monitoring Daemon | L3 |
| fam-devel | Include Files and Libraries Mandatory for Development | L2 |
| fam-server | File Alternation Monitoring Daemon | L3 |
| farsifonts | A Collection of Free Persian OpenType Fonts | L2 |
| fast-user-switch-applet | Fast User-Switching Applet | L3 |
| fbset | Framebuffer Configuration Tool | L3 |
| festival | The Festival Speech Synthesis System | L2 |
| fetchmail | Full-Featured POP and IMAP Mail Retrieval Daemon | L3 |
| fftw | Discrete Fourier Transform (DFT) C Subroutine Library | L3 |
| file | A Tool to Determine File Types | L3 |
| file-32bit | A Tool to Determine File Types | L3 |
| file-roller | An Archive Manager for GNOME | L3 |
| fileshareset | Set and list fileshares | L3 |
| filesystem | Basic Directory Layout | L3 |
| fillup | Tool for Merging Config Files | L3 |
| filters | Printer Filters for HP, Lexmark, CaPSL, Citizen and Apple | L2 |
| finch | Text-Based User Interface for Pidgin Instant Messaging Client | L3 |
| findutils | GNU find--Finding Files | L3 |
| findutils-locate | Tool for Locating Files (GNU Findutils Subpackage) | L3 |
| finger | Show User Information (Client) | L3 |
| firefox3-atk | An Accessibility ToolKit | L3 |
| firefox3-atk-32bit | An Accessibility ToolKit | L3 |
| firefox3-cairo | Vector Graphics Library with Cross-Device Output Support | L3 |
| firefox3-cairo-32bit | Vector Graphics Library with Cross-Device Output Support | L3 |
| firefox3-glib2 | A Library with Convenient Functions Written in C | L3 |
| firefox3-glib2-32bit | A Library with Convenient Functions Written in C | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| firefox3-gtk2 | Library for Creation of Graphical User Interfaces (version 2) | L3 |
| firefox3-gtk2-32bit | Library for Creation of Graphical User Interfaces (version 2) | L3 |
| firefox3-pango | System for Layout and Rendering of Internationalised Text | L3 |
| firefox3-pango-32bit | System for Layout and Rendering of Internationalised Text | L3 |
| flac | Free Lossless Audio Codec | L3 |
| flac-32bit | Free Lossless Audio Codec | L3 |
| flac-devel | FLAC Library Development Package | L2 |
| flash-player | Macromedia Flash Plug-In | L2 |
| flex | Fast Lexical Analyzer Generator | L3 |
| flex-32bit | Fast Lexical Analyzer Generator | L3 |
| flim | An Emacs Library for MIME | L2 |
| fttk | Free C++ GUI Toolkit for the X Window System, OpenGL and WIN32 | L3 |
| fontconfig | Library for Font Configuration | L3 |
| fontconfig-32bit | Library for Font Configuration | L3 |
| fontconfig-devel | Include Files and Libraries mandatory for Development. | L2 |
| fontconfig-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| fonts-arabic | A Collection of Free Arabic Fonts | L2 |
| fonts-config | Configures Fonts for X Windows and other applications | L3 |
| fonts-thai | A Collection of Thai TrueType Fonts | L2 |
| foomatic-filters | Filter Scripts Used by Printer Spoolers | L3 |
| freefont | Free UCS Outline Fonts | L2 |
| freelut | Freely Licensed Alternative to the GLUT Library | L2 |
| freelut-32bit | Freely Licensed Alternative to the GLUT Library | L2 |
| freelut-devel | Development Package for freelut (GLUT Library) | L2 |
| freelut-devel-32bit | Development Package for freelut (GLUT Library) | L2 |
| freetype | TrueType Font Engine | L2 |
| freetype2 | A TrueType Font Library | L2 |
| freetype2-32bit | A TrueType Font Library | L2 |
| freetype2-devel | Include Files and Libraries mandatory for Development. | L2 |
| freetype2-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| freetype-32bit | TrueType Font Engine | L2 |
| freetype-tools | Bundled Tests Demos and Tools for FreeType (Needed for CJK-LaTeX) | L2 |
| fribidi | Free Implementation of BiDi Algorithm | L2 |
| fribidi-32bit | Free Implementation of BiDi Algorithm | L2 |
| fribidi-devel | Static Libraries and Header Files for FriBiDi | L2 |
| f-spot | GNOME Photo Management Application | L3 |
| ft2demos | Freetype2 Utilities and Demo Programs | L3 |
| fuse | Userspace File System | L2 |
| fuse-devel | user space filesystem | L2 |
| fvwm2 | Improved Version of FVWM Window Manager | L3 |
| fvwm-themes | FVWM Configuration Framework | L3 |
| g3utils | Tools for the G3 (Fax) Graphics Format | L3 |
| gail | The GNOME Accessibility Implementation Library | L3 |
| gail-32bit | The GNOME Accessibility Implementation Library | L3 |
| gail-devel | GNOME Accessibility Implementation Library | L2 |
| gail-doc | Additional Package Documentation for gail. | L2 |
| gaim | GTK+-Based Multiprotocol Instant Messaging Client | L3 |
| gaim-devel | Development Headers, Documentation and Libraries for Pidgin | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| gaim-otr | Off The Record" end-to-end encryption plugin for gaim" | L2 |
| gau | Korean Communication Program for the X Window System | L2 |
| gawk | GNU awk | L3 |
| gcalctool | A GNOME Calculator Application | L3 |
| gcc | The system GNU C Compiler | L3 |
| gcc-c++ | The system GNU C++ Compiler | L3 |
| gcc-info | The system GNU Compiler documentation | L2 |
| gcc-java | The system GNU Java Compiler | L2 |
| gconf2 | The GNOME 2.x Desktop Configuration Database System | L3 |
| gconf2-32bit | The GNOME 2.x Desktop Configuration Database System | L3 |
| gconf2-devel | Include Files and Libraries mandatory for Development. | L2 |
| gconf2-doc | Documentation for the GNOME 2.x Desktop Configuration Database System | L2 |
| gconf-editor | An Editor for the GCONF Database System | L3 |
| gconf-sharp | Mono bindings for gconf | L3 |
| gconf-sharp2 | Mono bindings for gconf | L3 |
| gd | A Drawing Library for Programs That Use PNG and JPEG Output | L3 |
| gda-sharp | Mono bindings for gda | L2 |
| gdb | The GNU Debugger | L2 |
| gdbm | GNU Database Routines | L3 |
| gdbm-32bit | GNU Database Routines | L3 |
| gdbm-devel | Include Files and Libraries mandatory for Development. | L2 |
| gdbm-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| gdk-pixbuf | A Library for Fast Pixel Manipulation | L2 |
| gdk-pixbuf-32bit | A Library for Fast Pixel Manipulation | L2 |
| gdm | The GNOME 2.x Display Manager | L3 |
| gecko-sdk | XULRunner/Gecko SDK | L3 |
| gecko-sharp | C# Bindings for the Gecko Engine | L2 |
| gecko-sharp2 | Gecko bindings for Mono | L2 |
| gedit | The Editor for the GNOME 2.x Desktop | L3 |
| gettext | Tools for Native Language Support (NLS) | L3 |
| gettext-32bit | Tools for Native Language Support (NLS) | L3 |
| gettext-devel | Tools for Native Language Support (NLS) | L2 |
| gftp | Multithreaded FTP Client for X11 | L3 |
| gfxboot | Graphical Boot Logo for LILO and SYSLINUX | L3 |
| ghex | GNOME Binary Editor | L3 |
| ghostscript-cjk | Tools for Using CJK TrueType Fonts and CID-Keyed Fonts with Ghostscript | L2 |
| ghostscript-fonts-other | Optional fonts for Ghostscript | L2 |
| ghostscript-fonts-std | Standard Fonts for Ghostscript | L2 |
| ghostscript-library | Necessary Files for Running Ghostscript | L3 |
| ghostscript-x11 | Ghostscript for the X Window System | L3 |
| giflib | A Library for Working with GIF Images | L3 |
| giflib-32bit | A Library for Working with GIF Images | L3 |
| giflib-devel | Library for Working with GIF Images - Files Mandatory for Development | L2 |
| gimp | The GNU Image Manipulation Program | L3 |
| gimp-cmyk | Plug-In Providing CMYK Support for The GIMP | L3 |
| gimp-devel | GIMP Plugin and Extension Development Kit | L2 |
| gimp-help | Help System Data for GIMP2 | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| glade | Glade is a GTK2+ User Interface Builder | L2 |
| glade-sharp | Mono bindings for glade | L3 |
| glade-sharp2 | Mono bindings for glade | L3 |
| gle | The GLE Tubing and Extrusion Library | L3 |
| glib | The Utility Functions for Gtk | L2 |
| glib2 | A Library with Convenient Functions Written in C | L3 |
| glib2-32bit | A Library with Convenient Functions Written in C | L3 |
| glib2-devel | Include Files and Libraries mandatory for Development. | L2 |
| glib2-doc | Documentation for the C Library with Convenience Functions | L2 |
| glib-32bit | The Utility Functions for Gtk | L2 |
| glibc | Standard Shared Libraries (from the GNU C Library) | L3 |
| glibc-32bit | Standard Shared Libraries (from the GNU C Library) | L3 |
| glibc-devel | Include Files and Libraries Mandatory for Development | L2 |
| glibc-devel-32bit | Include Files and Libraries Mandatory for Development | L2 |
| glibc-html | HTML Documentation for the GNU C Library | L2 |
| glibc-i18ndata | Database Sources for 'locale' | L3 |
| glibc-info | Info Files for the GNU C Library | L2 |
| glibc-locale | Locale Data for Localized Programs | L3 |
| glibc-locale-32bit | Locale Data for Localized Programs | L3 |
| glib-devel | Static Libraries and Header Files for GLib | L2 |
| glib-devel-32bit | Static Libraries and Header Files for GLib | L2 |
| glibmm24 | C++ Interface for GLib2 | L3 |
| glib-sharp | Mono bindings for glib | L3 |
| glib-sharp2 | Mono bindings for glib | L3 |
| glitz | Glitz--OpenGL Image Compositing Library | L3 |
| glitz-32bit | Glitz--OpenGL Image Compositing Library | L3 |
| glitz-devel | glitz - OpenGL image compositing library | L2 |
| gmime | MIME Library | L3 |
| gmp | The GNU MP Library | L3 |
| gmp-32bit | The GNU MP Library | L3 |
| gmp-devel | Include Files and Libraries for Development with the GNU MP Library | L2 |
| gnet | Network Library for GLib-Based Programs | L2 |
| gnokii | Nokia Connectivity Program | L2 |
| gnome2-NLD | Distribution Default Settings for the GNOME 2.x Desktop | L3 |
| gnome2-user-docs | GNOME 2.x Desktop Documentation | L2 |
| gnome-applets | A Collection of Useful Programs for the GNOME 2.x Desktop Panel | L3 |
| gnome-applets-devel | A Collection of Useful Programs for the GNOME 2.x Desktop Panel | L2 |
| gnome-audio | Audio Files for the GNOME Desktop | L3 |
| gnome-backgrounds | GNOME Backgrounds | L3 |
| gnome-bluetooth | GNOME Bluetooth Support | L3 |
| gnome-bluetooth-devel | GNOME Bluetooth Support | L2 |
| gnome-common | Commonly Used Files for the GNOME 2.x Desktop Platform | L2 |
| gnome-cups-manager | GNOME CUPS Printer Manager | L3 |
| gnome-cups-manager-devel | GNOME CUPS Printer Manager | L2 |
| gnomedb-sharp | Mono bindings for gnomedb | L2 |
| gnome-desktop | The GNOME Desktop API Library | L3 |
| gnome-desktop-32bit | The GNOME Desktop API Library | L3 |
| gnome-desktop-devel | Include Files and Libraries mandatory for Development. | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| gnome-doc-utils | A Collection of Documentation Utilities for GNOME | L2 |
| gnome-filesystem | GNOME Directory Layout | L3 |
| gnome-games | Games for the GNOME 2.x Desktop | L3 |
| gnome-icon-theme | GNOME Icon Theme | L3 |
| gnome-keyring | GNOME Keyring Password Manager | L3 |
| gnome-keyring-32bit | GNOME Keyring Password Manager | L3 |
| gnome-keyring-devel | GNOME Keyring Password Manager | L2 |
| gnome-keyring-manager | GNOME Keyring Password Manager | L3 |
| gnome-mag | GNOME Screen Magnifier | L3 |
| gnome-main-menu | The GNOME Desktop Menu | L3 |
| gnome-main-menu-devel | The GNOME Desktop Menu | L2 |
| gnome-media | GNOME Multimedia (Media) | L3 |
| gnome-media-devel | GNOME Multimedia (Media) | L2 |
| gnome-menus | The GNOME Desktop Menu | L3 |
| gnome-menus-32bit | The GNOME Desktop Menu | L3 |
| gnome-menus-devel | The GNOME Desktop Menu | L2 |
| gnome-mime-data | MIME Type and Application Database for the GNOME 2.x Desktop | L3 |
| gnome-netstatus | Network Information Applet for GNOME | L3 |
| gnome-nettool | GNOME Interface for Various Networking Tools | L3 |
| gnome-panel-nld | The GNOME 2.x Desktop Panel | L3 |
| gnome-panel-nld-32bit | The GNOME 2.x Desktop Panel | L3 |
| gnome-panel-nld-devel | Include Files and Libraries mandatory for Development. | L2 |
| gnome-panel-nld-doc | Additional Package Documentation. | L2 |
| gnome-pilot | GNOME PalmPilot Programs | L3 |
| gnome-pilot-devel | Include Files and Libraries mandatory for Development. | L2 |
| gnome-power-manager | Power Management for GNOME | L3 |
| gnome-printer-add | Utility to Add a New Printer to GNOME | L3 |
| gnome-screensaver | GNOME Screen Saver and Locker | L3 |
| gnome-session | Session Tools for the GNOME 2.x Desktop | L3 |
| gnome-sharp | Mono bindings for Gnome. | L3 |
| gnome-sharp2 | Mono bindings for Gnome | L3 |
| gnome-speech | GNOME Speech API | L3 |
| gnome-speech-devel | GNOME Speech API Development files | L2 |
| gnome-spell2 | Bonobo Spelling Component | L3 |
| gnome-system-monitor | A Simple Process Monitor | L3 |
| gnome-terminal | The GNOME 2.x Desktop Terminal | L3 |
| gnome-themes | GNOME Themes | L3 |
| gnome-utils | Basic Utilities for the GNOME 2.x Desktop | L3 |
| gnome-vfs2 | The GNOME 2.x Desktop Virtual File System Libraries | L3 |
| gnome-vfs2-32bit | The GNOME 2.x Desktop Virtual File System Libraries | L3 |
| gnome-vfs2-devel | Include Files and Libraries mandatory for Development. | L2 |
| gnome-vfs2-doc | Additional Package Documentation for gnome-vfs2. | L2 |
| gnome-vfs-sharp2 | Mono bindings for gnomvfs | L3 |
| gnome-volume-manager | The GNOME Volume Manager | L3 |
| gnome-web-photo | GNOME Web Photographer | L3 |
| gnopernicus | Assistive Technologies for Blind and Visually Impaired Users of the | L3 |
| gnopernicus-devel | Assistive Technologies for Blind and Visually Impaired Users of the | L2 |
| gnuplot | Function Plotting Utility | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|--|---|---|
| gnutls | The GNU Transport Layer Security Library | L3 |
| gnutls-32bit | The GNU Transport Layer Security Library | L3 |
| gnutls-devel | Development package for gnutls | L2 |
| gnutls-devel-32bit | Development package for gnutls | L2 |
| gob2 | GOB2 The GObject Builder | L2 |
| gok | GNOME On-Screen Keyboard | L3 |
| goom2k4 | Program and Library for visual effects | L3 |
| gpart | Tool That Can Guess a Lost Partition Table | L2 |
| gpg | The GNU Privacy Guard: Encrypts, Decrypts and Signs Data | L3 |
| gpg2 | GnuPG 2 | L2 |
| gpgme | A Library Designed to Give Applications Easy Access to GnuPG | L3 |
| gpm | Console Mouse Support | L3 |
| gpm-32bit | Console Mouse Support | L3 |
| graphviz | Graph Visualization Tools | L2 |
| grass | Geographical Information System | L2 |
| grep | Print lines matching a pattern | L3 |
| groff | GNU troff Document Formatting System | L3 |
| grub | Grand Unified Boot Loader | L3 |
| gsf-sharp | Mono Bindings for libgsf | L3 |
| gststreamer010 | Streaming-Media Framework Runtime | L3 |
| gststreamer010-32bit | Streaming-Media Framework Runtime | L3 |
| gststreamer010-devel | Include Files and Libraries mandatory for Development. | L2 |
| gststreamer010-doc | Streaming-Media Framework Runtime: Documentation for Developers | L2 |
| gststreamer010-plugins-base | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gststreamer010-plugins-base-32bit | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gststreamer010-plugins-base-devel | GStreamer Streaming-Media Framework Plug-Ins | L2 |
| gststreamer010-plugins-base-doc | GStreamer Streaming-Media Framework Plug-Ins | L2 |
| gststreamer010-plugins-base-oil | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gststreamer010-plugins-base-oil-32bit | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gststreamer010-plugins-base-visual | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gststreamer010-plugins-base-visual-32bit | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gststreamer010-plugins-good | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gststreamer010-plugins-good-doc | GStreamer Streaming-Media Framework Plug-Ins | L2 |
| gststreamer010-plugins-good-extra | GStreamer Streaming-Media Framework Plug-Ins | L3 |
| gsynaptics | A Graphical Front-End for TouchPad Configuration | L2 |
| gtk | A Library for the Creation of Graphical User Interfaces | L2 |
| gtk2 | Library for Creation of Graphical User Interfaces | L3 |
| gtk2-32bit | Library for Creation of Graphical User Interfaces | L3 |
| gtk2-devel | Include Files and Libraries mandatory for Development. | L2 |
| gtk2-doc | Additional Package Documentation for gtk2. | L2 |
| gtk2-engines | Engines for GTK2 Themes | L3 |
| gtk2-engines-32bit | Engines for GTK2 Themes | L3 |
| gtk2-themes | Additional Themes and Engines for GTK2 | L3 |
| gtk-32bit | A Library for the Creation of Graphical User Interfaces | L2 |
| gtk-devel | Developer Files for GIMP ToolKit | L2 |
| gtkdoc | GTK+ DocBook Documentation Generator | L2 |
| gtk-engines | Theme Engines for GTK+ | L2 |
| gtk-engines-32bit | Theme Engines for GTK+ | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-------------------------------|---|--------------------------------------|
| gtkhtml2 | Library for HTML Support for Gtk2 | L3 |
| gtkhtml2-devel | Include Files and Libraries mandatory for Development. | L2 |
| gtkhtml-sharp | Mono bindings for gtkhtml | L2 |
| gtkhtml-sharp2 | Mono bindings for gtkhtml | L2 |
| gtkmm24 | C++ Interface for GTK2 (a GUI library for X) | L3 |
| gtk-qt-engine | GTK-Style Engine for Use with Qt Plug-Ins and Settings | L1 |
| gtk-qt-engine-32bit | GTK-Style Engine for Use with Qt Plug-Ins and Settings | L1 |
| gtk-sharp | Mono bindings for gtk+ | L3 |
| gtk-sharp2 | .Net Language Bindings for GTK+ | L3 |
| gtk-sharp2-32bit | .Net Language Bindings for GTK+ | L3 |
| gtk-sharp2-complete | GTK+ and GNOME bindings for Mono (virtual package) | L3 |
| gtk-sharp2-doc | Monodoc documentation for gtk-sharp2 | L2 |
| gtk-sharp2-gapi | C Source Parser and C Generator | L2 |
| gtk-sharp-32bit | Mono bindings for gtk+ | L3 |
| gtk-sharp-complete | GTK+ and GNOME bindings for Mono (virtual package) | L3 |
| gtk-sharp-gapi | C Source Parser and C Generator | L2 |
| gtksourceview | GTK+ 2.0 Source Editing Widget | L2 |
| gtksourceview-devel | GTK+ 2.0 Source Editing Widget | L2 |
| gtksourceview-doc | Additional Package Documentation. | L2 |
| gtksourceview-sharp2 | GtkSourceView bindings for Mono | L2 |
| gtkspell | GTK2 Spell Checker Interface Library | L3 |
| gtk-vnc | A GTK widget for VNC clients | L3 |
| gucharmap | A Feature-Rich Unicode Character Map | L3 |
| gucharmap-devel | Include Files and Libraries mandatory for Development. | L2 |
| guile | GNU's Ubiquitous Intelligent Language for Extension | L3 |
| gwenview | Simple Image Viewer for KDE | L3 |
| gzip | GNU Zip Compression Utilities | L3 |
| hal | Daemon for Collecting Hardware Information | L3 |
| hal-32bit | Daemon for Collecting Hardware Information | L3 |
| hal-devel | Developer package for HAL | L2 |
| hal-gnome | GNOME based device manager for HAL | L2 |
| hal-resmgr | Install ACLs on device nodes | L3 |
| hardinfo | hardinfo is a system profiler for GNOME. | L3 |
| hdparm | A Program to Get and Set Hard Disk Parameters | L3 |
| helix-banshee | A Music Player | L3 |
| helix-banshee-devel | A Music Player | L2 |
| helix-banshee-engine-gst | GStreamer playback engine for Helix Banshee | L3 |
| helix-banshee-engine-helix | Helix playback engine for Helix Banshee | L2 |
| helix-banshee-plugins-default | Default Helix Banshee plugins | L3 |
| helix-banshee-plugins-extra | Extra Helix Banshee plugins | L3 |
| helix-dbus-server | DBus server for hxclientkit | L2 |
| hermes | A Graphics Conversion Library | L3 |
| hotkey-setup | hotkey-setup sets up kernel keyboard mapping of laptop extra keys | L2 |
| hplip | HP's Printing, Scanning and Faxing Software | L3 |
| hplip17 | HP's Printing, Scanning and Faxing Software: Cutting Edge Version | L2 |
| hplip17-hpijs | HPIJS for HP's printing and scanning software HPLIP: Cutting Edge | L2 |
| hplip-hpijs | HPIJS for HP's printing and scanning software HPLIP | L2 |
| hp-officeJet | A Driver for HP OfficeJet All-in-One Devices | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|--------------------------------|---|--------------------------------------|
| htdig | WWW Index and Search System | L3 |
| hwinfo | Hardware Library | L3 |
| hwinfo-devel | Hardware Detection Library | L2 |
| hylafax | Very Powerful Fax Server | L3 |
| hylafax-client | Linux client package for the Hylafax server | L3 |
| i4l-base | ISDN for Linux Basic Utilities | L3 |
| i4lfirm | ISDN firmware for active ISDN cards | L2 |
| i4l-isdnlog | An ISDN line logging and control utility | L3 |
| ial | Input Abstraction Layer | L3 |
| ibm-data-db2 | Database connectivity for DB2 | L3 |
| ICAClient | Citrix Client | L2 |
| icecream | For Distributed Compile in the Network | L2 |
| icecream-monitor | Monitor Program for the icecream Compile Farm | L3 |
| icu | International Components for Unicode | L2 |
| id3lib | A Library for Manipulating ID3v1 and ID3v2 tags | L3 |
| id3lib-devel | Documentation and Headers for id3lib | L2 |
| id-utils | Language-Independent Identifier Database Tool | L2 |
| ifnteuro | European fonts for the X Window System | L2 |
| ifplugd | Daemon Activating Network Interfaces on Cable Plug | L3 |
| iftop | Real-Time Interface Bandwidth Usage | L3 |
| ikvm | A JVM Based on the Mono Runtime | L2 |
| ImageMagick | Viewer and Converter for Images | L2 |
| ImageMagick-devel | Include Files and Libraries Mandatory for Development. | L2 |
| ImageMagick-Magick++ | C++ Interface for ImageMagick - runtime library | L2 |
| imap-lib | IMAP4rev1/c-client Development Environment | L2 |
| imlib | A Shared Library for Loading and Rendering 3D Images | L2 |
| imlib2 | Imlib 2 the Successor to Imlib | L2 |
| imlib2-devel | Imlib 2 - development libraries | L2 |
| imlib2-loaders | Imlib 2 - image loaders | L2 |
| imlib-32bit | A Shared Library for Loading and Rendering 3D Images | L2 |
| imlib-config | Configuration Tool for imlib | L2 |
| imlib-devel | Imlib Development Environment | L2 |
| indent | Indent Formats C Source Code | L3 |
| indic-fonts | Professional Indian Language TrueType Fonts | L2 |
| info | A Stand-Alone Terminal-Based Info Browser | L3 |
| info2html | Program to Convert Info Pages into HTML Pages | L3 |
| initviocons | Terminal Initialization for the iSeries Virtual Console | L3 |
| inkscape | Inkscape Vector Illustration Program | L3 |
| input-utils | A Set of Utilities for Input Devices | L2 |
| insserv | A Program to Arrange Initialization Scripts | L3 |
| install-initrd | Create initrd for Installation | L3 |
| inst-source-utils | Utilities for creating customized installation sources. | L3 |
| intel-i810-agpgart-kmp-default | Updated intel-agp kernel module for Intel Graphics | L2 |
| intel-i810-agpgart-kmp-smp | Updated intel-agp kernel module for Intel Graphics | L2 |
| intel-i810-agpgart-kmp-xen | Updated intel-agp kernel module for Intel Graphics | L2 |
| intel-i810-drm23-kmp-default | Updated drm kernel module for Intel Graphics | L2 |
| intel-i810-drm23-kmp-smp | Updated drm kernel module for Intel Graphics | L2 |
| intel-i810-drm23-kmp-xen | Updated drm kernel module for Intel Graphics | L2 |
| intel-i810-drm-kmp-default | Updated drm kernel module for Intel Graphics | L2 |
| intel-i810-drm-kmp-smp | Updated drm kernel module for Intel Graphics | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-----------------------------|---|---|
| intel-i810-drm-kmp-xen | Updated drm kernel module for Intel Graphics | L2 |
| intel-i810-Mesa | Updated Mesa driver for Intel 3D Graphics | L2 |
| intel-i810-xorg-x11 | Updated Xorg X11 driver for Intel 2D Graphics | L2 |
| intel-iamt | intel-iamt user space package for Intel iAMT | L2 |
| intel-iamt-heci-kmp-default | Updated intel-iamt-heci kernel module for Intel iAMT | L2 |
| intel-iamt-heci-kmp-smp | Updated intel-iamt-heci kernel module for Intel iAMT | L2 |
| intel-iamt-heci-kmp-xen | Updated intel-iamt-heci kernel module for Intel iAMT | L2 |
| intlfonts | Documentation for the International Fonts | L2 |
| intltool | Internationalization Tool Collection | L2 |
| ipadic | Standard Japanese Dictionary for ChaSen | L3 |
| IPAGothic | Gothic" Japanese TrueType font made by IPA" | L2 |
| IPAMincho | Mincho" Japanese TrueType font made by IPA" | L2 |
| IPAPGothic | Proportional Gothic" Japanese TrueType font made by IPA" | L2 |
| IPAPMincho | Proportional Mincho" Japanese TrueType font made by IPA" | L2 |
| IPAUIGothic | UI Gothic" Japanese TrueType font made by IPA" | L2 |
| ipgrab | A TCP/IP Packet Level Debugger | L2 |
| ipmitool | Utility for IPMI Control | L2 |
| ipod-sharp | Library for Interacting with Apple iPod? Devices | L3 |
| iproute2 | Advanced Routing | L3 |
| iptables | IP Packet Filter Administration | L3 |
| iputils | IPv4and IPv6 Networking Utilities | L3 |
| ipw3945d | Regulatory Daemon for Intel PRO/Wireless 3945ABG cards | L2 |
| ipw3945-kmp-default | Kernel Module for Intel PRO/Wireless 3945ABG cards | L2 |
| ipw3945-kmp-smp | Kernel Module for Intel PRO/Wireless 3945ABG cards | L2 |
| ipw3945-kmp-xen | Kernel Module for Intel PRO/Wireless 3945ABG cards | L2 |
| ipw-firmware | Firmware for Intel PRO/Wireless WLAN Cards | L2 |
| irda | Necessary Tools for Using the Infrared Port | L2 |
| irqbalance | Balance IRQs on SMP Machines | L3 |
| isapnp | An ISA Plug and Play Configuration Utility | L2 |
| iscan-free | Free Image Scan Version with epkowa Driver for Epson Scanners | L2 |
| iso-codes | ISO Code Lists and Translations | L3 |
| iso_ent | Character Entity Sets for ISO 8879:1986 | L3 |
| ispell | A Spell Checker | L3 |
| ispell-american | American ispell dictionary | L2 |
| ispell-british | British ispell dictionary | L2 |
| ispell-dutch | Dutch ispell dictionary | L2 |
| ispell-french | French ispell dictionary | L2 |
| ispell-german | German ispell dictionary | L2 |
| ispell-greek | Greek ispell dictionary | L2 |
| ispell-hungarian | Hungarian Ispell Dictionary | L2 |
| ispell-italian | Italian ispell dictionary | L2 |
| ispell-ngerman | New German ispell dictionary | L2 |
| ispell-polish | Polish ispell dictionary | L2 |
| ispell-portuguese | Portuguese ispell dictionary | L2 |
| ispell-spanish | Spanish ispell dictionary | L2 |
| ispell-swedish | Swedish ispell dictionary | L2 |
| itcl-32bit | Object Oriented Extension for Tcl | L3 |
| ivman | A Generic Handler for HAL Events | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-----------------------------------|--|--------------------------------------|
| iwl5000-ucode | Firmware for Intel PRO/Wireless 5100 ABGN and 5300 ABGN WLAN Cards | L3 |
| iwl3945-ucode | Firmware for Intel PRO/Wireless 3945ABG WLAN Cards | L3 |
| iwl4965-ucode | Firmware for Intel Wireless WiFi Link 4965AGN Cards | L3 |
| iwlwifi-kmp-default | Intel Wireless Link WiFi drivers | L2 |
| iwlwifi-kmp-smp | Intel Wireless Link WiFi drivers | L2 |
| iwlwifi-kmp-xen | Intel Wireless Link WiFi drivers | L2 |
| jack | Jack Audio Connection Kit | L3 |
| jack-32bit | Jack Audio Connection Kit | L3 |
| jack-devel | Development package for jack | L2 |
| jadetex | TeX Processor for OpenJade | L3 |
| jarnal | Jarnal is a java based notetaking/sketching application | L2 |
| java-1_4_2-gcj-compat | JPackage Runtime Scripts for GCJ | L2 |
| java-1_4_2-gcj-compat-32bit | JPackage Runtime Scripts for GCJ | L2 |
| java-1_4_2-sun | Java(TM) 2 Runtime Environment | L2 |
| java-1_4_2-sun-alsa | ALSA support for java-1.4.2-sun | L2 |
| java-1_4_2-sun-demo | Demonstration files for java-1.4.2-sun | L2 |
| java-1_4_2-sun-devel | Java(TM) 2 SDK Standard Edition | L2 |
| java-1_4_2-sun-jdbc | JDBC/ODBC bridge driver for java-1.4.2-sun | L2 |
| java-1_4_2-sun-plugin | Browser plugin files for java-1.4.2-sun | L2 |
| java-1_4_2-sun-src | Source files for java-1.4.2-sun | L2 |
| java-1_5_0-ibm | Java(TM) 5 Runtime Environment | L3 |
| java-1_5_0-ibm-32bit | Java(TM) 5 Runtime Environment | L3 |
| java-1_5_0-ibm-alsa-32bit | ALSA support for java-1_5_0-ibm | L3 |
| java-1_5_0-ibm-demo | Demonstration files for java-1_5_0-ibm | L3 |
| java-1_5_0-ibm-devel | Java(TM) 5 SDK Standard Edition | L3 |
| java-1_5_0-ibm-devel-32bit | Java(TM) 5 SDK Standard Edition | L3 |
| java-1_5_0-ibm-src | Java(TM) 5 Runtime Environment | L3 |
| java-1_6_0-sun-1.6.0. | Java(TM) 1.6 Runtime Environment | L2 |
| java-1_6_0-sun-32bit-1.6.0 | Java(TM) 1.6 Runtime Environment | L2 |
| java-1_6_0-sun-alsa-1.6.0 | ALSA support for java-1.6.0-sun | L2 |
| java-1_6_0-sun-demo-1.6.0 | Demonstration files for java-1.6.0-sun | L2 |
| java-1_6_0-sun-jdbc-1.6.0 | JDBC/ODBC bridge driver for java-1.6.0-sun | L2 |
| java-1_6_0-sun-plugin-32bit-1.6.0 | Browser plugin files for java-1.6.0-sun | L2 |
| java-1_6_0-sun-src-1.6.0 | Source files for java-1.6.0-sun | L2 |
| jfsutils | IBM JFS Utility Programs | L3 |
| joe | A Text Editor | L2 |
| jpackage-utils | JPackage Utilities | L3 |
| jpeg | Independent JPEG Group's JPEG Software | L3 |
| jsclasses | pLaTeX2e New Potential Japanese Standard Document Class | L2 |
| k3b | A Universal CD and DVD Burning Application | L3 |
| kafeine | Xine-Based Multimedia Player | L2 |
| kasumi | Dictionary Tool for Anthy | L3 |
| kbd | Keyboard and Font Utilities | L3 |
| kcall | SIP (Voice over IP) Solution for KDE and Kontact | L2 |
| kde3-i18n-cs | Czech Translations for KDE | L2 |
| kde3-i18n-da | Danish Translations for KDE | L2 |
| kde3-i18n-de | German Translations for KDE | L2 |
| kde3-i18n-el | Greek Translations for KDE | L2 |
| kde3-i18n-en_GB | English (UK) Translations for KDE | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|---|
| kde3-i18n-es | Spanish Translations for KDE | L2 |
| kde3-i18n-fr | French Translations for KDE | L2 |
| kde3-i18n-hu | Hungarian Translations for KDE | L2 |
| kde3-i18n-it | Italian Translations for KDE | L2 |
| kde3-i18n-ja | Japanese Translations for KDE | L2 |
| kde3-i18n-lt | Lithuanian translations for KDE | L2 |
| kde3-i18n-nl | Dutch Translations for KDE | L2 |
| kde3-i18n-pl | Polish Translations for KDE | L2 |
| kde3-i18n-pt | Portuguese Translations for KDE | L2 |
| kde3-i18n-pt_BR | Brazilian Portuguese Translations for KDE | L2 |
| kde3-i18n-ru | Russian Translations for KDE | L2 |
| kde3-i18n-sk | Slovak Translations for KDE | L2 |
| kde3-i18n-sl | Slovenian Translations for KDE | L2 |
| kde3-i18n-sv | Swedish Translations for KDE | L2 |
| kde3-i18n-ta | Tamil Translations for KDE | L2 |
| kde3-i18n-tr | Turkish Translations for KDE | L2 |
| kde3-i18n-zh_CN | Simplified Chinese Translations for KDE | L2 |
| kde3-i18n-zh_TW | Chinese Translations for KDE | L2 |
| kdeaddons3-kate | A text editor for KDE | L2 |
| kdeaddons3-kicker | KDE kicker applets | L2 |
| kdeaddons3-konqueror | Konqueror Related Add-Ons | L2 |
| kdeartwork3-kscreensaver | Screensaver from KDE | L3 |
| kdeartwork3-sound | Sound themes for KDE | L3 |
| kdeartwork3-xscreensaver | XScreensaver Support for KDE | L3 |
| kdebase3 | The KDE Core Components | L3 |
| kdebase3-32bit | The KDE Core Components | L3 |
| kdebase3-beagle | Beagle dependent plugins for KDE desktop | L3 |
| kdebase3-devel | KDE Base Package: Base Build Environment | L2 |
| kdebase3-kdm | The KDE login and display manager | L3 |
| kdebase3-ksysguardd | KDE base package: ksysguard daemon | L3 |
| kdebase3-NLD | SuSE KDE extension | L3 |
| kdebase3-nsplugin | Netscape plugin support for KDE | L3 |
| kdebase3-samba | KDE Base package: Windows Connection Module | L3 |
| kdebase3-session | The KDE Session | L3 |
| kdebindings3 | Bindings for Qt and KDE Libraries | L2 |
| kdebindings3-java | Java Bindings for KDE | L2 |
| kdebindings3-javascript | JavaScript Bindings and Interpreter for KDE | L2 |
| kdebindings3-perl | DCOP Perl Bindings for KDE | L2 |
| kdebindings3-python | Python Bindings for KDE | L2 |
| kdebindings3-ruby | Ruby Bindings for Qt and KDE Libraries | L2 |
| kdebluetooth | Bluetooth Support for KDE | L2 |
| kdegames3 | Games for KDE | L2 |
| kdegames3-arcade | Arcade games for KDE | L2 |
| kdegames3-board | KDE board games | L2 |
| kdegames3-card | Card games for KDE | L2 |
| kdegames3-tactic | Tactic and logic games for KDE | L2 |
| kdegraphics3 | Base Libraries for KDE Graphics Applications | L3 |
| kdegraphics3-devel | Include Files and Libraries mandatory for Development. | L2 |
| kdegraphics3-fax | KDE fax viewer | L3 |
| kdegraphics3-kamera | KDE digital camera application | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|------------------------------|--|--------------------------------------|
| kdegraphics3-pdf | KDE PDF File Viewer | L3 |
| kdegraphics3-postscript | KDE Postscript File Viewer | L3 |
| kdegraphics3-scan | Kooka the Scanning Program for KDE | L3 |
| kdelibs3 | KDE Base Libraries | L3 |
| kdelibs3-32bit | KDE Base Libraries | L3 |
| kdelibs3-arts | KDE aRts support | L3 |
| kdelibs3-arts-32bit | KDE aRts support | L3 |
| kdelibs3-devel | KDE Base Package: Build Environment | L2 |
| kdelibs3-devel-doc | Additional Package Documentation | L2 |
| kdelibs3-doc | Documentation for KDE Base Libraries | L2 |
| kdemultimedia3 | KDE Multimedia Libraries | L3 |
| kdemultimedia3-CD | KDE Audio CD Tools | L3 |
| kdemultimedia3-devel | Include Files and Libraries mandatory for Development. | L2 |
| kdemultimedia3-mixer | KDE sound mixer | L3 |
| kdemultimedia3-sound | KDE sound applications and plugins | L3 |
| kdemultimedia3-video | KDE Video Player | L3 |
| kdenetwork3 | KDE Network Libraries | L3 |
| kdenetwork3-InstantMessenger | Chat applications for KDE | L3 |
| kdenetwork3-news | News-related KDE application | L3 |
| kdenetwork3-vnc | Exporting of VNC and Connecting of VNC/RDP Sessions | L3 |
| kdepim3 | Personal Information Manager Software for KDE | L3 |
| kdepim3-devel | Personal Information Manager software for KDE | L2 |
| kdepim3-kpilot | This Package allows Communication with the 3COM Palm Pilot | L3 |
| kdepim3-mobile | Cell Phone Support | L2 |
| kdepim3-networkstatus | Network Status Libraries and KDED Module | L3 |
| kdepim3-sync | This Package allows Communication with Mobile Phones | L2 |
| kdesdk3 | The KDE Software Development Kit | L2 |
| kdesdk3-devel | Include Files and Libraries mandatory for Development. | L2 |
| kdesdk3-profile | Profiling Tools | L2 |
| kdesdk3-translate | Tools to Handle Translations | L2 |
| kdetv | A Program for Watching TV in KDE | L3 |
| kdeutils3 | KDE Utility Programs | L3 |
| kdeutils3-devel | Include Files and Libraries mandatory for Development. | L2 |
| kdeutils3-laptop | KDE utility programs for laptop users | L3 |
| kdevelop3 | Integrated Development Environment for the X Window System, Qt, KDE | L2 |
| kdump | Script for kdump | L3 |
| kernel-default | The Standard Kernel for both Uniprocessor and Multiprocessor Systems | L3 |
| kernel-smp | Kernel with Multiprocessor Support | L3 |
| kernel-source | The Linux Kernel Sources | L1 |
| kernel-syms | Kernel Symbol Versions (modversions) | L2 |
| kernel-xen | The Xen Kernel | L3 |
| kerry | Desktop search tool | L3 |
| keyutils | Linux Key Management Utilities | L3 |
| keyutils-libs | Key utilities library | L3 |
| KhmerOS-fonts | Fonts for the Khmer language of Cambodia | L2 |
| kino | Kino is a non-linear DV Editor for GNU/Linux | L1 |
| kinternet | SUSE Internet Connect Tool | L2 |
| kio_beagle | KIO Slave for Beagle | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|--------------------|---|--------------------------------------|
| kio_ipodslave | iPod Browsing with Konqueror | L2 |
| kiosktool | Kiosk Admin Tool | L3 |
| kio_slp | SLP Browsing with Konqueror | L3 |
| kipi-plugins | KDE Plug-Ins for Image Manipulation | L3 |
| klogd | The kernel log daemon | L3 |
| kpowersave | KDE Frontend for Battery Monitoring, Suspend CPU Freq and General | L3 |
| kradio | Comfortable V4L and V4L2 Radio Application for KDE | L2 |
| krb5 | MIT Kerberos5 Implementation--Libraries | L3 |
| krb5-32bit | MIT Kerberos5 Implementation--Libraries | L3 |
| krb5-client | MIT Kerberos5 implementation - client programs | L3 |
| krb5-devel | MIT Kerberos5 - Include Files and Libraries | L2 |
| krb5-devel-32bit | MIT Kerberos5 - Include Files and Libraries | L2 |
| krecord | A Sound Recorder | L3 |
| kscpm | KDE Support for SCPM | L3 |
| ksh | Korn Shell | L3 |
| ksymoops | Kernel Oops and Error Message Decoder | L3 |
| ktorrent | KDE BitTorrent Client | L2 |
| lacheck | Syntax Checker for LaTeX Documents | L2 |
| latex-ucs | Unicode Support for LaTeX | L3 |
| ldapcplib | C++ API for LDAPv3 | L3 |
| ldapsmb | Tool to administer Samba's LDAP backend | L3 |
| less | Text File Browser and Pager Similar to more | L3 |
| lha | Pack Program | L2 |
| libacl | A dynamic library for accessing POSIX Access Control Lists | L3 |
| libacl-32bit | A dynamic library for accessing POSIX Access Control Lists | L3 |
| libacl-devel | Include Files and Libraries mandatory for Development | L2 |
| libadns | Advanced DNS resolver client library | L3 |
| libaio | Linux-Native Asynchronous I/O Access Library | L3 |
| libaio-32bit | Linux-Native Asynchronous I/O Access Library | L3 |
| libaio-devel | Development Files for Linux-native Asynchronous I/O Access | L2 |
| libakode | A Simple Audio Back-End | L3 |
| libakode-devel | a simple audio backend | L2 |
| libamso | AMSO1100 Userspace Library) | L3 |
| libamso-32bit | AMSO1100 Userspace Library) | L3 |
| libamso-devel | AMSO1100 Userspace Library) | L2 |
| libao | A Cross-Platform Audio Output Library | L3 |
| libao-devel | Include Files and Libraries mandatory for Development. | L2 |
| libapparmor | Immunix Library to provide key AppArmor symbols | L3 |
| libapparmor-32bit | Immunix Library to provide key AppArmor symbols | L3 |
| libapr1 | Apache Portable Runtime (APR) Library | L3 |
| libapr1-devel | Apache Portable Runtime (APR) Library | L2 |
| libapr-util1 | Apache Portable Runtime (APR) Library | L3 |
| libapr-util1-devel | Apache Portable Runtime (APR) Library | L2 |
| libart_lgpl | Libart Components Licensed under the LGPL | L3 |
| libart_lgpl-32bit | Libart Components Licensed under the LGPL | L3 |
| libart_lgpl-devel | Include Files and Libraries mandatory for Development. | L2 |
| libattr | A dynamic library for filesystem extended attribute support | L3 |
| libattr-32bit | A dynamic library for filesystem extended attribute support | L3 |
| libattr-devel | Include Files and Libraries mandatory for Development | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|------------------------|---|--------------------------------------|
| libavc1394 | Libavc1394--Programming Interface to the AV/C Specification | L2 |
| libavc1394-32bit | Libavc1394--Programming Interface to the AV/C Specification | L2 |
| libavc1394-devel | libavc1394 is a programming interface to the AV/C specification | L2 |
| libavc1394-devel-32bit | libavc1394 is a programming interface to the AV/C specification | L2 |
| libbeagle | Beagle C interface | L3 |
| libbeagle-32bit | Beagle C interface | L3 |
| libbeagle-devel | Beagle C interface development files | L2 |
| libbonobo | The Bonobo Component System for the GNOME 2.x Desktop Platform | L3 |
| libbonobo-32bit | The Bonobo Component System for the GNOME 2.x Desktop Platform | L3 |
| libbonobo-devel | Include Files and Libraries mandatory for Development. | L2 |
| libbonobo-doc | Additional Package Documentation. | L2 |
| libbonoboui | The Bonobo Part of the GNOME User Interface Libraries | L3 |
| libbonoboui-32bit | The Bonobo Part of the GNOME User Interface Libraries | L3 |
| libbonoboui-devel | Include Files and Libraries mandatory for Development. | L2 |
| libbonoboui-doc | The Bonobo Part of the GNOME User Interface Libraries | L2 |
| libbtctl | GObject Bluetooth Controller Library | L3 |
| libbtctl-devel | Development Package for GObject Bluetooth Controller Library | L2 |
| libcap | Library for Capabilities (linux-privs) Support | L3 |
| libcap-32bit | Library for Capabilities (linux-privs) Support | L3 |
| libcap-devel | Development files for libcap | L2 |
| libcddb | CDDDB Access Library | L3 |
| libcddb-32bit | CDDDB Access Library | L3 |
| libcddb-devel | CDDDB Access Library | L2 |
| libcdio | CD-ROM Access Library | L3 |
| libcdio-32bit | CD-ROM Access Library | L3 |
| libcdio-devel | CD-ROM access library | L2 |
| libchewing | Intelligent Phonetic Input Method Library for Traditional Chinese | L3 |
| libchewing-devel | Intelligent phonetic input method library for traditional Chinese | L2 |
| libcom_err | com_err library | L3 |
| libcom_err-32bit | com_err library | L3 |
| libcroco | CSS2 Parser Library | L2 |
| libcroco-32bit | CSS2 Parser Library | L2 |
| libcroco-devel | CSS2 Parser Library Development Files | L2 |
| libcxgb3 | Chelsio T3 RNIC OpenIB Userspace Library | L3 |
| libcxgb3-32bit | Chelsio T3 RNIC OpenIB Userspace Library | L3 |
| libcxgb3-devel | Chelsio T3 RNIC OpenIB Userspace Library | L2 |
| libdaemon | Lightweight C library That Eases the Writing of UNIX Daemons | L3 |
| libdc1394 | 1394-Based Digital Camera Control Library | L2 |
| libdc1394-devel | Development libraries and header files for dc1394 | L2 |
| libdrm | Userspace Interface for Kernel DRM Services | L3 |
| libdrm-32bit | Userspace Interface for Kernel DRM Services | L3 |
| libdrm-devel | Libraries includes and more to develop libdrm applications | L2 |
| libdrm23 | Userspace Interface for Kernel DRM Services | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-----------------------|--|--------------------------------------|
| libdv | The Quasar DV Codec | L1 |
| libdv-32bit | The Quasar DV Codec | L1 |
| libdvdnv | A DVD Navigation Library | L3 |
| libdvdnv-devel | DVD navigation library | L2 |
| libdvread | A Library for Reading DVD Video Images | L3 |
| libdvread-devel | development environment for libdvread | L2 |
| libelf | An ELF Object File Access Library | L3 |
| libelf-32bit | An ELF Object File Access Library | L3 |
| libevent | Library Providing an Event Handling API | L2 |
| libexif | An EXIF Tag Parsing Library for Digital Cameras | L3 |
| libexif-32bit | An EXIF Tag Parsing Library for Digital Cameras | L3 |
| libflaim | Embeddable cross-platform database engine | L3 |
| libfuse2 | Library of FUSE, the User space File System for GNU/Linux and BSD | L2 |
| libg2c33 | The GNU G77 Fortran Compiler Runtime | L2 |
| libg2c33-32bit | The GNU G77 Fortran Compiler Runtime | L2 |
| libgail-gnome | GNOME Accessibility Implementation Library for gnomeui and libbonoboui | L3 |
| libgail-gnome-devel | GNOME Accessibility Implementation Library for gnomeui and libbonoboui | L2 |
| libgcc | C compiler runtime library | L3 |
| libgcj | Java Runtime Library for gcc | L2 |
| libgcj-32bit | Java Runtime Library for gcc | L2 |
| libgcj-devel | The system GNU Java development files. | L2 |
| libgcj-devel-32bit | The system GNU Java development files. | L2 |
| libgcrypt | The GNU Crypto Library | L2 |
| libgcrypt-32bit | The GNU Crypto Library | L2 |
| libgcrypt-devel | The GNU Crypto Library | L2 |
| libgcrypt-devel-32bit | The GNU Crypto Library | L2 |
| libgda | GNU Data Access (GDA) Library | L3 |
| libgda-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgdiplus | Open Source Implementation of the GDI+ API | L3 |
| libgfortran-x86 | The GNU C Compiler and Support Files | L3 |
| libgimpprint | Gimp-Print libraries | L2 |
| libglade2 | Glade Library Compatible with the GNOME 2.x Desktop Platform | L3 |
| libglade2-32bit | Glade Library Compatible with the GNOME 2.x Desktop Platform | L3 |
| libglade2-devel | Include Files and Libraries mandatory for Development. | L2 |
| libglade2-doc | Glade Library Compatible with the GNOME 2.x Platform | L2 |
| libgnome | The GNOME 2.x Desktop Base Libraries | L3 |
| libgnome-32bit | The GNOME 2.x Desktop Base Libraries | L3 |
| libgnomecanvas | An Add-On for the GNOME User Interface Libraries | L3 |
| libgnomecanvas-32bit | An Add-On for the GNOME User Interface Libraries | L3 |
| libgnomecanvas-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnomecanvas-doc | Additional Package Documentation. | L2 |
| libgnomecups | GNOME CUPS Library | L3 |
| libgnomecups-32bit | GNOME CUPS Library | L3 |
| libgnomecups-devel | GNOME CUPS Library | L2 |
| libgnomedb | Library for Writing GNOME Database Programs | L3 |
| libgnomedb-devel | Include Files and Libraries mandatory for Development. | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| libgnome-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnome-doc | Additional Package Documentation. | L2 |
| libgnomeprint | The GNOME 2.x Printing Library | L3 |
| libgnomeprint-32bit | The GNOME 2.x Printing Library | L3 |
| libgnomeprint-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnomeprint-doc | The GNOME 2.x Printing Library | L2 |
| libgnomeprintui | User Interface Part of the GNOME Printing Library | L3 |
| libgnomeprintui-32bit | User Interface Part of the GNOME Printing Library | L3 |
| libgnomeprintui-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnomeprintui-doc | User Interface Part of the GNOME-Printing Library | L2 |
| libgnomesu | GNOME su Library | L3 |
| libgnomesu-devel | Development files for libgnomesu | L2 |
| libgnomeui | The GNOME User Interface Library | L3 |
| libgnomeui-32bit | The GNOME User Interface Library | L3 |
| libgnomeui-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgnomeui-doc | Additional Package Documentation. | L2 |
| libgpg-error | Library That Defines Common Error Values for All GnuPG Components | L2 |
| libgpg-error-32bit | Library That Defines Common Error Values for All GnuPG Components | L2 |
| libgpg-error-devel | Development package for libgpg-error | L2 |
| libgpg-error-devel-32bit | Development package for libgpg-error | L2 |
| libgphoto2 | A Digital Camera Library | L3 |
| libgphoto2-32bit | A Digital Camera Library | L3 |
| libgpod | Library to Manipulate Songs and Playlists Stored on an iPod | L3 |
| libgsf | GNOME Structured File Library | L3 |
| libgsf-32bit | GNOME Structured File Library | L3 |
| libgsf-devel | Include Files and Libraries mandatory for Development. | L2 |
| libgsf-doc | Additional Package Documentation. | L2 |
| libgsf-gnome | GNOME Structured File Library | L3 |
| libgsm | GSM 06.10 Lossy Speech Compressor Library and Utilities | L3 |
| libgssapi | Generic GSSAPI Library | L2 |
| libgssapi-32bit | Generic GSSAPI Library | L2 |
| libgtkhtml | A Library for HTML Support in GTK2.0 | L3 |
| libgtkhtml-32bit | A Library for HTML Support in GTK2.0 | L3 |
| libgtk-vnc-1_0-0 | A GTK widget for VNC clients | L3 |
| libgtop | LibGTop Library | L3 |
| libgtop-32bit | LibGTop Library | L3 |
| libgtop-devel | Include Files and Libraries mandatory for Development. | L2 |
| libibcm | Userspace Infiniband Connection Management API | L3 |
| libibcm-32bit | Userspace Infiniband Connection Management API | L3 |
| libibcm-devel | Development files for the libibcm library | L2 |
| libibcommon | Common Utility functions for IB diagnostic and management tools | L3 |
| libibcommon-32bit | Common Utility functions for IB diagnostic and management tools | L3 |
| libibcommon-devel | Development files for the libibcommon library | L2 |
| libibmad | Low layer Infiniband diagnostic and management programs | L3 |
| libibmad-32bit | Low layer Infiniband diagnostic and management programs | L3 |
| libibmad-devel | Development files for the libibmad library. | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------|--|--------------------------------------|
| libibumad | User MAD library functions on top of user MAD modules for Infiniband diagnostic and management tools | L3 |
| libibumad-32bit | User MAD library functions on top of user MAD modules for Infiniband diagnostic and management tools | L3 |
| libibumad-devel | Development files for the libibumad library. | L2 |
| libibverbs | Infiniband verbs library | L3 |
| libibverbs-32bit | Infiniband verbs library | L3 |
| libibverbs-devel | Development files for the libibverbs library | L2 |
| libicecore | ICEcore protocol library | L2 |
| libicu | International Components for Unicode (development files) | L2 |
| libicu-32bit | International Components for Unicode (development files) | L2 |
| libid3tag | ID3 Tag Manipulation Library | L3 |
| libidl | IDL Parsing Library | L3 |
| libidl-32bit | IDL Parsing Library | L3 |
| libidl-devel | Include Files and Libraries mandatory for Development. | L2 |
| libidn | Support for Internationalized Domain Names (IDN) | L3 |
| libidn-32bit | Support for Internationalized Domain Names (IDN) | L3 |
| libidn-devel | Include Files and Libraries mandatory for Development. | L2 |
| libieee1284 | A Library for Interfacing IEEE 1284-Compatible Devices | L2 |
| libieee1284-32bit | A Library for Interfacing IEEE 1284-Compatible Devices | L2 |
| libiiclib | ICEcore protocol library | L2 |
| libiksemel | ICEcore protocol library | L2 |
| libiniparser | Library to parse ini files | L3 |
| libiniparser-32bit | Library to parse ini files | L3 |
| libipathverbs | PathScale InfiniPath HCA Userspace Driver) | L3 |
| libipathverbs-32bit | PathScale InfiniPath HCA Userspace Driver) | L3 |
| libipathverbs-devel | PathScale InfiniPath HCA Userspace Driver) | L2 |
| libipoddevice | GObject Library That Provides iPod Device Transparency through HAL | L3 |
| libipoddevice-32bit | GObject Library That Provides iPod Device Transparency through HAL | L3 |
| libiterm | Internationalized Terminal Emulator Library | L3 |
| libiterm-devel | Header files and development libraries for libiterm | L2 |
| libjasper | JPEG-2000 library | L3 |
| libjasper-32bit | JPEG-2000 library | L3 |
| libjpeg | JPEG libraries | L3 |
| libjpeg-32bit | JPEG libraries | L3 |
| libjpeg-devel | Development Tools for Programs which will use the Libjpeg Library | L2 |
| libjpeg-devel-32bit | Development Tools for Programs which will use the Libjpeg Library | L2 |
| libkexif | EXIF Data Handling Library | L3 |
| libkipi | KDE Image Plug-In Interface | L3 |
| libkipi-devel | KDE Image Plugin Interface | L2 |
| libksba | A X.509 Library | L2 |
| libksba-devel | A X.509 Library | L2 |
| liblcms | Libraries for the Little CMS Engine | L2 |
| liblcms-32bit | Libraries for the Little CMS Engine | L2 |
| liblcms-devel | Include Files and Libraries Mandatory for Development | L2 |
| liblcms-devel-32bit | Include Files and Libraries Mandatory for Development | L2 |
| libmal | Palm Sync Library | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|---|
| libmal-devel | Palm Sync Library | L2 |
| libmccrypt | Data Encryption Library | L3 |
| libmikmod | MikMod Sound Library | L2 |
| libmikmod-32bit | MikMod Sound Library | L2 |
| libmlx4 | Mellanox InfiniBand HCA Userspace Driver) | L3 |
| libmlx4-32bit | Mellanox InfiniBand HCA Userspace Driver) | L3 |
| libmlx4-devel | Development files for the libmlx4 library | L2 |
| libmng | Library for Support of MNG and JNG Formats | L2 |
| libmng-32bit | Library for Support of MNG and JNG Formats | L2 |
| libmng-devel | Include Files and Libraries mandatory for Development. | L2 |
| libmspack | Library That Implements Different Microsoft Compressions | L2 |
| libmthca | User space libraries (device-specific) for Infiniband Mellanox HCA | L3 |
| libmthca-32bit | User space libraries (device-specific) for Infiniband Mellanox HCA | L3 |
| libmthca-devel | User space libraries (device-specific) for Infiniband Mellanox HCA | L2 |
| libmtp | Access to MTP Players | L3 |
| libmtp7 | Access to MTP Players | L3 |
| libmudflap | The Mudflap Extension Runtime Library | L2 |
| libmusicbrainz | Library That Provides Access to the MusicBrainz Server | L3 |
| libmusicbrainz-devel | Include Files and Libraries mandatory for Development. | L2 |
| libnetlib | ICEcore protocol library | L2 |
| libnetpbm | Libraries for the NetPBM (NetPortableBitmap) Graphic Formats | L3 |
| libnetpbm-32bit | Libraries for the NetPBM (NetPortableBitmap) Graphic Formats | L3 |
| libnjb | Nomad Jukebox API | L3 |
| libnl | Convenience library for kernel netlink sockets | L3 |
| libnl-32bit | Convenience library for kernel netlink sockets | L3 |
| libnotify | Notifications Library | L3 |
| libnotify-devel | Notifications Library | L2 |
| libnscd | Library to Allow Applications to Communicate with nscd | L3 |
| libnscd-32bit | Library to Allow Applications to Communicate with nscd | L3 |
| libnvtv | Simple API library for nvtv | L2 |
| libogg | Ogg Bitstream Library | L3 |
| libogg-32bit | Ogg Bitstream Library | L3 |
| libogg-devel | Include Files and Libraries mandatory for Development. | L2 |
| liboil | Library of Optimized Inner Loops | L3 |
| liboil-32bit | Library of Optimized Inner Loops | L3 |
| liboil-devel | Library of Optimized Inner Loops | L2 |
| liboil-doc | Library of Optimized Inner Loops | L2 |
| libopencdk | Library Providing Basic Parts of the OpenPGP Message Format | L2 |
| libopencdk-32bit | Library Providing Basic Parts of the OpenPGP Message Format | L2 |
| libopencdk-devel | Development tools for programs which will use the opencdk library | L2 |
| libopencdk-devel-32bit | Development tools for programs which will use the opencdk library | L2 |
| libopensync | A Platform and Distribution Independent Synchronization Framework | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-------------------------------|---|---|
| libopensync-plugin-evolution2 | Evolution 2 Synchronization Plug-In for OpenSync | L2 |
| libopensync-plugin-file | File Synchronization Plug-In for OpenSync | L2 |
| libopensync-plugin-gnokii | Gnokii Synchronization Plug-In for OpenSync | L2 |
| libopensync-plugin-kdepim | KDE PIM Synchronization Plug-In for OpenSync | L2 |
| libopensync-plugin-palm | Palm Synchronization Plug-In for OpenSync | L1 |
| libopensync-plugin-syncml | SyncML Synchronization Plug-In for OpenSync | L2 |
| libopensync-tools | Tools for libopensync | L2 |
| libosip2 | Implementation of SIP--RFC 3261 | L2 |
| libotf | Library for Handling OpenType Fonts | L3 |
| libotf-devel | Include Files and Libraries mandatory for Development. | L2 |
| libotr | Off The Record" messaging library toolkit" | L2 |
| libpcap | A Library for Network Sniffers | L3 |
| libpcap-32bit | A Library for Network Sniffers | L3 |
| libpng | Library for the Portable Network Graphics Format | L3 |
| libpng-32bit | Library for the Portable Network Graphics Format | L3 |
| libpng-devel | Include Files and Libraries mandatory for Development. | L2 |
| libpng-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| libpurple | Library for IM Clients Like Pidgin and Finch | L3 |
| libquicktime | A Library for Reading and Writing Quicktime Movie Files | L3 |
| libraw1394 | A Firewire Interface | L2 |
| libraw1394-32bit | A Firewire Interface | L2 |
| libraw1394-devel | Development and Include Files for Libraw1394 | L2 |
| libraw1394-devel-32bit | Development and Include Files for Libraw1394 | L2 |
| librdmacm | RDMA cm library | L3 |
| librdmacm-32bit | RDMA cm library | L3 |
| librdmacm-devel | RDMA cm library | L2 |
| libreiserfs | ReiserFS File System Access Library | L2 |
| libreiserfs-32bit | ReiserFS File System Access Library | L2 |
| librpcsecgss | Library Implementing GSSAPI Security for ONC RPC | L2 |
| librsvg | A Library for Rendering SVG Data | L3 |
| librsvg-32bit | A Library for Rendering SVG Data | L3 |
| librsvg-devel | Include Files and Libraries mandatory for Development. | L2 |
| libsamplerate | A Sample Rate Converter Library | L3 |
| libsamplerate-devel | Include Files and Libraries mandatory for Development. | L2 |
| libsdp | Infiniband Sockets Direct Protocol - user space library | L3 |
| libsdp-32bit | Infiniband Sockets Direct Protocol - user space library | L3 |
| libsdp-devel | Infiniband Sockets Direct Protocol - user space library | L2 |
| libsexy | Extended Widgets for GTK+ | L3 |
| libshout | Library for Communication with icecast Server | L3 |
| libsidplay1 | A Library for C64 Music Files | L3 |
| libsigc++2 | Typesafe Signal Framework for C++ | L2 |
| libsmbclient | Samba Client Library | L3 |
| libsmbclient-32bit | Samba Client Library | L3 |
| libsmbclient-devel | Libraries and Header Files to Develop Programs with smbclient Support | L2 |
| libsndfile | A Library to Handle Various Audio File Formats | L3 |
| libsndfile-32bit | A Library to Handle Various Audio File Formats | L3 |
| libsndfile-devel | Development package for the libsndfile library | L2 |
| libsoup | Simple Object Access Protocol (SOAP) | L3 |
| libsoup-32bit | Simple Object Access Protocol (SOAP) | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| libsoup-devel | Include Files and Libraries mandatory for Development. | L2 |
| libsoup-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| libssui | Session UI for SLED | L2 |
| libssui-devel | Include Files and Static Libraries for use of libssui | L2 |
| libstdc++33 | The standard C++ shared library | L3 |
| libstdc++33-32bit | The standard C++ shared library | L3 |
| libstdc++ | The standard C++ shared library | L3 |
| libstdc++-devel | The system GNU C++ development files | L2 |
| libstroke | A Stroke Translation Library | L3 |
| libstroke-devel | Development package for libstroke | L2 |
| libsvg | Library for SVG Files | L3 |
| libsvg-cairo | Render SVG Content Using cairo | L3 |
| libsynaptics | A Small C++ Library To Use The Synaptics Driver | L2 |
| libsynctl | Library providing support for the SyncML protocol | L2 |
| libtheora | Free Video Codec | L2 |
| libtheora-32bit | Free Video Codec | L2 |
| libtheora-devel | Free Video Codec | L2 |
| libthinkfinger | ThinkFinger driver for the SGS Thomson Microelectronics fingerprint | L2 |
| libtidy | A library to clean up and pretty-print HTML/XHTML/XML | L2 |
| libtiff | The Tiff Library (with JPEG and compression support) | L3 |
| libtiff-32bit | The Tiff Library (with JPEG and compression support) | L3 |
| libtiff-devel | Development Tools for Programs which will use the libtiff Library | L2 |
| libtool | A Tool to Build Shared Libraries | L2 |
| libtool-32bit | A Tool to Build Shared Libraries | L2 |
| libtunepimp | Library That Provides Access to the MusicBrainz Server | L3 |
| libtunepimp-devel | Include Files and Libraries mandatory for Development. | L2 |
| libusb | USB Libraries | L2 |
| libusb-32bit | USB Libraries | L2 |
| libvirt | A C toolkit to interact with the virtualization capabilities of Linux | L2 |
| libvirt-python | A C toolkit to interact with the virtualization capabilities of Linux | L2 |
| libvisual | Sound Visualization Library | L2 |
| libvisual-32bit | Sound Visualization Library | L2 |
| libvisual-devel | sound visualisation library | L2 |
| libvisual-plugins | Sound Visualization Library Plug-Ins | L2 |
| libvorbis | The Vorbis General Audio Compression Codec | L3 |
| libvorbis-32bit | The Vorbis General Audio Compression Codec | L3 |
| libvorbis-devel | Include Files and Libraries mandatory for Development. | L2 |
| libwmf | Library and Utilities for Displaying and Converting Metafile Images | L3 |
| libwmf-devel | Static libraries header files and documentation for libwmf | L2 |
| libwnck | Window Navigator Construction Kit (Library Package) | L3 |
| libwnck-32bit | Window Navigator Construction Kit (Library Package) | L3 |
| libwnck-devel | Include Files and Libraries mandatory for Development. | L2 |
| libxcrypt | Crypt Library for DES, MD5 and Blowfish | L3 |
| libxcrypt-32bit | Crypt Library for DES, MD5 and Blowfish | L3 |
| libxklavier | Library with X Keyboard Related Functions | L3 |
| libxklavier-devel | Include Files and Libraries mandatory for Development. | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-----------------------------------|--|--------------------------------------|
| libxml | A Library to Manipulate XML Files | L2 |
| libxml2 | A Library to Manipulate XML Files | L3 |
| libxml2-32bit | A Library to Manipulate XML Files | L3 |
| libxml2-devel | Include Files and Libraries mandatory for Development. | L2 |
| libxml2-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| libxml2-python | Python Bindings for libxml2 | L3 |
| libxml-32bit | A Library to Manipulate XML Files | L2 |
| libxmlrpc | ICEcore protocol library | L2 |
| libxslt | XSL Transformation Library | L3 |
| libxslt-32bit | XSL Transformation Library | L3 |
| libxslt-devel | Include Files and Libraries mandatory for Development. | L2 |
| libxslt-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| liby2util | YaST2--Utilities Library | L3 |
| libzio | A Library for Accessing Compressed Text Files | L3 |
| libzypp | Package, Patch, Pattern and Product Management | L3 |
| libzypp-zmd-backend | ZMD backend for Package, Patch, Pattern and Product Management | L3 |
| liferea | Linux Feed Reader | L3 |
| lilo | The Linux Loader a Boot Menu | L2 |
| limal | LiMaL--Core Library | L3 |
| limal-apparmor-notifications | Limal pluglib for AppArmor notifications configuration files | L3 |
| limal-apparmor-notifications-perl | Perl bindings for the apparmor-notifications limal pluglib. | L3 |
| limal-bootloader | LiMaL--Boot Loader Configuration Library | L3 |
| limal-perl | LiMaL - Core Library Perl Bindings | L3 |
| lineakd | Linux Support for Easy Access and Internet Keyboards | L2 |
| lineakd-devel | Header files libraries and development documentation for LinEAK | L2 |
| lineak_defaultplugin | Default Plug-In for Linux Support for Easy Access and Internet | L2 |
| lineak_kde | Plug-Ins and Add-Ons for KDE for the Linux Support for Easy Access and | L2 |
| lineak_xosdplugin | XOSD On-Screen Display Plug-In for the lineakd Daemon | L2 |
| linphone | Web Phone | L2 |
| linphone-applet | Web Phone | L2 |
| linux32 | 32-Bit Emulation Utility for x86-64 | L3 |
| linux-atm-lib | Libraries for ATM | L2 |
| lirc | Tools for Infrared Receivers | L2 |
| lirc-32bit | Tools for Infrared Receivers | L2 |
| lkcdutils | Linux Kernel Crash Dump (LKCD) Utilities | L2 |
| log4net | A .NET framework for logging | L3 |
| logrotate | Rotate, Compress, Remove and Mail System Log Files | L3 |
| loudmouth | Jabber Client Library Written in C | L3 |
| lpdfilter | A Standard Printer Filter for Lpd | L3 |
| lprng | LPRng Print Spooler | L3 |
| lsb | Linux Standard Base Core | L3 |
| lsof | A Program That Lists Information about Files Opened by Processes | L3 |
| ltrace | Trace the Library and System Calls a Program Makes | L2 |
| ltrace-32bit | Trace the Library and System Calls a Program Makes | L2 |
| lua | Small Embeddable Language with Simple Procedural Syntax | L2 |
| lua-devel | Development files for lua | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-------------------------|--|--------------------------------------|
| lukemftp | Enhanced FTP Client | L3 |
| lv | Powerful, Multilingual File Viewer Same User Interface as Less"" | L3 |
| lvm2 | LVM2 Tools | L3 |
| lzo | A Real-Time Data Compression Library | L3 |
| lzo-32bit | A Real-Time Data Compression Library | L3 |
| lzo-devel | a real-time data compression library | L2 |
| lzo-devel-32bit | a real-time data compression library | L2 |
| m17n-db | m17n Database Needed by the m17n Library m17n-lib | L3 |
| m17n-lib | Multilingual Text Processing Library for the C Language | L3 |
| m17n-lib-devel | multilingual text processing library for the C language | L2 |
| m4 | GNU m4 | L3 |
| mac80211-kmp-default | Intel Wireless Link WiFi drivers | L3 |
| mac80211-kmp-kdumppae | Intel Wireless Link WiFi drivers | L3 |
| mac80211-kmp-smp | Intel Wireless Link WiFi drivers | L3 |
| mac80211-kmp-vmi | Intel Wireless Link WiFi drivers | L3 |
| mac80211-kmp-vmipae | Intel Wireless Link WiFi drivers | L3 |
| mac80211-kmp-xen | Intel Wireless Link WiFi drivers | L3 |
| mac80211-syms | mac80211 module version information | L2 |
| madwifi | Tools for configuring atheros cards | L2 |
| madwifi-kmp-default | kernel modules for atheros cards | L2 |
| madwifi-kmp-smp | kernel modules for atheros cards | L2 |
| mailx | A MIME-Capable Implementation of the mailx Command | L3 |
| make | GNU make | L3 |
| man | A Program for Displaying man Pages | L3 |
| man-pages | Linux and POSIX Manual Pages | L2 |
| man-pages-es | LDP man Page (Spanish) | L2 |
| man-pages-fr | LDP man Pages (French) | L2 |
| man-pages-it | LDP man Pages (Italian) | L2 |
| man-pages-ja | LDP man Pages (Japanese) | L2 |
| man-pages-ko | LDP man Pages (Korean) | L2 |
| manufacturer-PPDs | PPD Files from Printer Manufacturers | L2 |
| master-boot-code | i386 Master Boot Record Code | L2 |
| mc | Midnight Commander | L3 |
| mcelog | Log Machine Check Events | L3 |
| mdadm | Utility for Configuring MD Setup | L3 |
| mDNSResponder-devel | Multicast DNS services (Apple Rendezvous) | L2 |
| mDNSResponder-lib | Multicast DNS Services (Apple Rendezvous) | L3 |
| mDNSResponder-lib-32bit | Multicast DNS Services (Apple Rendezvous) | L3 |
| meanwhile | Lotus Sametime Community Client Library | L2 |
| meanwhile-devel | Lotus Sametime Community Client library | L2 |
| memtest86 | Memory Testing Image for x86 Architecture | L2 |
| mergeant | Mergeant--A Database Admin Tool (Development Version) | L3 |
| Mesa | Documentation for the OpenGL Mesa Library | L3 |
| Mesa-32bit | Documentation for the OpenGL Mesa Library | L3 |
| Mesa-devel | Development package for mesasoft (GL library) | L2 |
| Mesa-devel-32bit | Development package for mesasoft (GL library) | L2 |
| Mesa7 | Mesa is a 3-D graphics library with an API which is very similar to that of OpenGL.* | L3 |
| metacity | A Fast Window Manager for the GNOME 2.x Desktop | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-------------------------------|--|--------------------------------------|
| metacity-themes | Themes for the Metacity Window Manager | L3 |
| mgetty | Mgetty Listens for Data, Fax or Voice Calls on a Serial Line | L3 |
| mhash | A Library for Working with Strong Hashes (Like MD5) | L3 |
| mhtml-firefox | Provides Firefox with MHTML web archive compatibility | L2 |
| microcode_ctl | Microcode Updates for Intel CPUs | L3 |
| mingetty | Minimal Getty for Virtual Consoles Only | L3 |
| minicom | A Terminal Program | L2 |
| mjpegtools | MJPEG Video Capture and Processing Tools | L3 |
| mkinitrd | Creates an Initial RAM Disk Image for Preloading Modules | L3 |
| mkisofs | A program for creating CDs in Linux | L3 |
| mktemp | A Utility for Temp Files | L3 |
| mlterm | Multilingual Terminal Emulator for X | L3 |
| mm | Shared Memory Library | L3 |
| mod_mono | Run ASP.NET Pages on Unix with Apache and Mono | L3 |
| module-init-tools | Utilities to Load Modules into the Kernel | L3 |
| mono-basic | Mono's VB runtime | L2 |
| mono-core | A .NET Runtime Environment | L3 |
| mono-core-32bit | A .NET Runtime Environment | L3 |
| mono-data | Database connectivity for Mono | L3 |
| mono-data-firebird | Database connectivity for Mono | L3 |
| mono-data-oracle | Database connectivity for Mono | L2 |
| mono-data-postgresql | Database connectivity for Mono | L3 |
| mono-data-sqlite | Database connectivity for Mono | L3 |
| mono-data-sybase | Database connectivity for Mono | L2 |
| mono-devel | Mono development tools | L2 |
| monodevelop | A Full-Featured IDE for Mono and Gtk# | L2 |
| monodoc-core | Monodoc--A Documentation Browser Written in C# | L3 |
| mono-extras | Extra packages | L2 |
| mono-locale-extras | Extra locale information | L3 |
| mono-nunit | NUnit Testing Framework | L3 |
| mono-tools | Collection of Tools and Utilities for Mono | L3 |
| mono-web | Mono implementation of ASP.NET Remoting and Web Services | L3 |
| mono-winforms | Mono's Windows Forms implementation | L2 |
| MozillaFirefox | Mozilla Firefox Web Browser | L3 |
| MozillaFirefox-branding-SLED | Sled Mozilla Firefox Branding | L2 |
| MozillaFirefox-translations | Translations for MozillaFirefox | L2 |
| mozilla-nspr | Netscape Portable Runtime | L3 |
| mozilla-nspr-32bit | Netscape Portable Runtime | L3 |
| mozilla-nspr-devel | Netscape Portable Runtime development files | L2 |
| mozilla-nss | Network (Netscape) Security Services | L3 |
| mozilla-nss-32bit | Network (Netscape) Security Services | L3 |
| mozilla-nss-devel | Network (Netscape) Security Services development files | L2 |
| mozilla-nss-tools | Tools for developing, debugging and managing applications that use | L3 |
| mozilla-xulrunner | Mozilla Runtime Environment | L2 |
| mozilla-xulrunner-32bit | Mozilla Runtime Environment | L2 |
| mozilla-xulrunner190 | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner190-32bit | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner190-gnomevfs | Mozilla Runtime Environment | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|--------------------------------------|---|--------------------------------------|
| mozilla-xulrunner190-gnomevfs-32 | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner190-translations | Mozilla Runtime Environment | L2 |
| mozilla-xulrunner190-translations-32 | Mozilla Runtime Environment | L2 |
| mozilla-xulrunner191 | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner191-32bit | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner191-gnomevfs | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner191-gnomevfs-32 | Mozilla Runtime Environment | L3 |
| mozilla-xulrunner191-translations | Mozilla Runtime Environment | L2 |
| mozilla-xulrunner191-translations-32 | Mozilla Runtime Environment | L2 |
| mpi-selector | Tool to provide defaults for which MPI implementation to use | L3 |
| msynctool | CLI for synchronization with OpenSync | L2 |
| mstflint | Burning Firmware Application | L3 |
| mtools | Access Files on an MS-DOS File System | L3 |
| Mule-UCS | Unicode Extensions for Multilingually Enhanced Emacs | L2 |
| multipath-tools | Tools to Manage Multipathed Devices with the device-mapper | L3 |
| multisync | A Calendar and Other PIM Data Synchronization Program | L2 |
| multisync-backup | A backup plugin for MultiSync | L2 |
| multisync-evolution | A Ximian Evolution plugin for MultiSync | L2 |
| multisync-gui | GUI for synchronization with OpenSync | L2 |
| multisync-irmc | An IrMC (SonyEricsson T39/T68i/T610 Siemens S55) plugin for MultiSync | L2 |
| multisync-irmc-bluetooth | Bluetooth support for the IrMC plugin for MultiSync. | L2 |
| multisync-kdepim | A KDE 3.x addressbook plugin for MultiSync. | L2 |
| multisync-ldap | A LDAP plugin for MultiSync. | L2 |
| multisync-opie | An Opie/Zaurus plugin for MultiSync. | L2 |
| multisync-syncml | A SyncML plugin for MultiSync. | L2 |
| mutt | Mail Program | L3 |
| myspell-african | African Dictionary for MySpell | L2 |
| myspell-american | American Dictionary for MySpell | L2 |
| myspell-brazilian | Brazilian Dictionary for MySpell | L2 |
| myspell-british | British Dictionary for MySpell | L2 |
| myspell-catalan | Catalan Dictionary for MySpell | L2 |
| myspell-czech | Czech Dictionary for MySpell | L2 |
| myspell-danish | Danish Dictionary for MySpell | L2 |
| myspell-dutch | Dutch Dictionary for MySpell. | L2 |
| myspell-french | French Dictionary for MySpell. | L2 |
| myspell-german | German Dictionary for MySpell. | L2 |
| myspell-greek | Greek Dictionary for MySpell | L2 |
| myspell-gujarati | Gujarati Dictionary for MySpell | L2 |
| myspell-hindi | Hindi Dictionary for MySpell | L2 |
| myspell-hungarian | Hungarian Dictionary for MySpell | L2 |
| myspell-italian | Italian Dictionary for MySpell | L2 |
| myspell-lithuanian | Lithuanian Dictionary for MySpell. | L2 |
| myspell-marathi | Marathi Dictionary for MySpell | L2 |
| myspell-norsk-bokmaal | Norwegian Bokmaal Dictionary for MySpell | L2 |
| myspell-norsk-nynorsk | Norwegian Nynorsk Dictionary for MySpell | L2 |
| myspell-polish | Polish Dictionary for MySpell | L2 |
| myspell-portuguese | Portuguese Dictionary for MySpell | L2 |
| myspell-russian | Russian Dictionary for MySpell | L2 |
| myspell-slovak | Slovak Dictionary for MySpell | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| myspell-slovene | Slovene Dictionary for MySpell | L2 |
| myspell-spanish | Spanish Dictionary for MySpell | L2 |
| myspell-swedish | Swedish Dictionary for MySpell | L2 |
| myspell-xhosa | Xhosa Dictionary for MySpell | L2 |
| myspell-zulu | Zulu Dictionary for MySpell. | L2 |
| mysql1 | A True Multiuser Multithreaded SQL Database Server | L2 |
| mysql-client1 | MySQL Client | L2 |
| mysql-devel1 | MySQL Development Header Files and Libraries | L2 |
| mysql-shared1 | MySQL Shared Libraries | L2 |
| mysql-shared-32bit1 | MySQL Shared Libraries | L2 |
| nant | Ant for .NET | L2 |
| nautilus | The GNOME 2.x Desktop File Manager | L3 |
| nautilus-32bit | The GNOME 2.x Desktop File Manager | L3 |
| nautilus-cd-burner | CD Burning Extension for Nautilus | L3 |
| nautilus-cd-burner-32bit | CD Burning Extension for Nautilus | L3 |
| nautilus-cd-burner-devel | CD-Burning Extension for Nautilus | L2 |
| nautilus-devel | Development Package for Nautilus | L2 |
| nautilus-eiciel | Nautilus ACL viewer and editor extension | L2 |
| nautilus-gnome-main-menu | The GNOME Desktop Menu | L3 |
| nautilus-open-terminal | Nautilus Open Terminal | L3 |
| nautilus-sendto | Integrate Nautilus, Evolution and Gaim | L3 |
| nautilus-share | A Quick and Easy Way to Share Folders in Nautilus via Samba | L3 |
| ncpfs | Tools for Accessing Novell File Systems | L3 |
| ncurses | New curses Libraries | L3 |
| ncurses-32bit | New curses Libraries | L3 |
| ncurses-devel | Include Files and Libraries mandatory for Development | L2 |
| ncurses-devel-32bit | Include Files and Libraries mandatory for Development | L2 |
| ndiswrapper | Use Microsoft NDIS Network Drivers for WLAN Cards | L2 |
| ndiswrapper-kmp-default | Use Microsoft NDIS Network Drivers for WLAN Cards | L2 |
| ndiswrapper-kmp-smp | Use Microsoft NDIS Network Drivers for WLAN Cards | L2 |
| neon | An HTTP and WebDAV Client Library | L2 |
| neon-32bit | An HTTP and WebDAV Client Library | L2 |
| neon-devel | Static Libraries and header files for neon | L2 |
| netatalk | AppleTalk for Linux | L2 |
| netcat | A Simple But Powerful Network Tool | L3 |
| netcfg | Network Configuration Files in /etc | L3 |
| netpbm | A Powerful Graphics Conversion Package | L3 |
| net-snmp | SNMP Daemon | L2 |
| net-snmp-32bit | SNMP Daemon | L2 |
| net-snmp-devel | SNMP Daemon | L2 |
| net-tools | Important Programs for Networking | L3 |
| NetworkManager | Network Link Manager and User Applications | L3 |
| NetworkManager-devel | Libraries and headers for adding NetworkManager support to applications | L2 |
| NetworkManager-glib | Libraries and headers for adding NetworkManager support to applications | L3 |
| NetworkManager-gnome | GNOME applications for use with NetworkManager | L3 |
| NetworkManager-kde | KNetworkManager application for use with NetworkManager | L3 |
| NetworkManager-novellvpn | VPN support for Turnpike. | L3 |
| NetworkManager-openvpn | NetworkManager VPN support for OpenVPN | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|----------------------------|--|--------------------------------------|
| NetworkManager-vpnc | NetworkManager VPN Support for vpnc | L3 |
| nfsidmap | NFSv4 ID Mapping Library | L2 |
| nfs-utils | Support Utilities for Kernel nfsd | L3 |
| nh2ps | Hangul Text to Postscript Converter | L2 |
| njb-sharp | Mono/C# Bindings to libnjb | L3 |
| notification-daemon | Notification Daemon | L3 |
| novell-groupwise-gwclient | Novell GroupWise Client | L3 |
| novell-iprint-xclient-sh | Mozilla Plug-In and Shared Library for iPrint | L3 |
| novell-iprint-xclient-sl | Mozilla Plug-In and Shared Library for iPrint | L3 |
| novell-ipsec-tools | IPsec Utilities with turnpike plugin enabled | L2 |
| novell-lum | Linux User Management | L2 |
| novell-lum-32bit | Linux User Management | L2 |
| novell-messenger-client | Novell GroupWise Messenger Client | L3 |
| novell-NLDAPbase-dyn | LDAP SSL Libraries | L3 |
| novell-NLDAPbase-dyn-32bit | LDAP SSL Libraries | L3 |
| novell-NLDAPsdk-dyn | LDAP SDK Libraries | L3 |
| novell-NLDAPsdk-dyn-32bit | LDAP SDK Libraries | L3 |
| novell-nortelplugins | Plugins for IKE using turnpike enabled IPsec-tools | L3 |
| novfs-kmp-default | Kernel Modules for novfs | L2 |
| novfs-kmp-smp | Kernel Modules for novfs | L2 |
| nscd | Name Service Caching Daemon | L3 |
| nss_ldap | NSS LDAP Module | L3 |
| nss_ldap-32bit | NSS LDAP Module | L3 |
| ntfs-3g | Linux NTFS-3G userspace filesystem with full write support | L2 |
| ntfsprogs | NTFS filesystem libraries and utilities | L2 |
| numactl | NUMA Policy Control | L3 |
| obexftp | ObexFTP Implements the Object Exchange (OBEX) Protocol's File Transfer | L2 |
| ocrad | GNU Ocrad--Optical Character Recognition Program | L2 |
| omnibook-kmp-default | Kernel modules for Omnibooks from omke-project | L2 |
| omnibook-kmp-smp | Kernel modules for Omnibooks from omke-project | L2 |
| opal | Open Phone Abstraction Library | L2 |
| openal | Open Audio Library | L3 |
| openal-32bit | Open Audio Library | L3 |
| openal-devel | Static libraries header files and tests for freealut library | L2 |
| openclipart | Open Clip Art Library | L2 |
| openct | OpenCT Library for Smart Card Readers | L3 |
| openct-32bit | OpenCT Library for Smart Card Readers | L3 |
| OpenEXR | Library to Handle EXR Pictures in 16-Bit Floating-Point Format | L2 |
| OpenEXR-32bit | Library to Handle EXR Pictures in 16-Bit Floating-Point Format | L2 |
| OpenEXR-devel | Library to Handle EXR Pictures (16-bit floating-point format) | L2 |
| OpenIPMI | OpenIPMI | L2 |
| openjade | DSSSL Engine for SGML Documents | L3 |
| openldap2 | The New OpenLDAP Server (LDAPv3) | L3 |
| openldap2-client | OpenLDAP2 Client Utilities | L3 |
| openldap2-client-32bit | OpenLDAP2 Client Utilities | L3 |
| openldap2-devel | Libraries Header Files and Documentation for OpenLDAP2 | L2 |
| openldap2-devel-32bit | Libraries Header Files and Documentation for OpenLDAP2 | L2 |
| openmotif-libs | Open Motif Runtime Libraries | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-----------------------------|---|---|
| openmotif-libs-32bit | Open Motif Runtime Libraries | L2 |
| openmpi | A powerful implementaion of MPI | L2 |
| openmpi-32bit | A powerful implementaion of MPI | L2 |
| openmpi-devel | A powerful implementaion of MPI | L2 |
| openmpi-devel-32bit | A powerful implementaion of MPI | L2 |
| openobex | Open Source Implementation of the Object Exchange (OBEX) Protocol | L2 |
| openobex-devel | Development package for openobex | L2 |
| OpenOffice_org | A Free Office Suite (Framework) | L3 |
| OpenOffice_org-af | African Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-ar | Arabic Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-ca | Catalan Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-cs | Czech Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-da | Danish Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-de | German Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-de-templates | German Templates for OpenOffice.org | L2 |
| OpenOffice_org-es | Spanish Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-fi | Finnish Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-fr | French Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-galleries | Extra Galleries for OpenOffice.org | L2 |
| OpenOffice_org-gnome | GNOME Extensions for OpenOffice.org | L3 |
| OpenOffice_org-gu-IN | Gujarati Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-hi-IN | Hindi Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-hu | Hungarian Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-it | Italian Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-ja | Japanese Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-kde | KDE Extensions for OpenOffice.org | L2 |
| OpenOffice_org-mono | Mono UNO Bridge for OpenOffice.org | L2 |
| OpenOffice_org-nb | Norwegian Bokmaal Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-nl | Dutch Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-nld | NLD Branding for OpenOffice.org | L3 |
| OpenOffice_org-nn | Norwegian Nynorsk Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-pl | Polish Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-pt-BR | Brazilian Portuguese Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-Quickstarter | OpenOffice.org Quickstarter | L2 |
| OpenOffice_org-ru | Russian Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-sk | Slovak Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-sv | Swedish Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-xh | Xhosa Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-zh-CN | Chinese Simplified Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-zh-TW | Chinese Traditional Localization Files for OpenOffice.org | L2 |
| OpenOffice_org-zu | Zulu Localization Files for OpenOffice.org | L2 |
| opensc | OpenSC Smart Card Library | L3 |
| opensc-32bit | OpenSC Smart Card Library | L3 |
| openslp | An OpenSLP Implementation of Service Location Protocol V2 | L3 |
| openslp-32bit | An OpenSLP Implementation of Service Location Protocol V2 | L3 |
| openslp-devel | OpenSLP Development SDK | L2 |
| opensp | The OpenJade Group's SGML and XML Parsing Tools | L3 |
| openssh | Secure Shell Client and Server (Remote Login Program) | L3 |
| openssh-askpass | A passphrase dialog for OpenSSH and the X Window System | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------|--|--------------------------------------|
| openssl | Secure Sockets and Transport Layer Security | L3 |
| openssl-32bit | Secure Sockets and Transport Layer Security | L3 |
| openssl-devel | Include Files and Libraries mandatory for Development. | L2 |
| openssl-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| openswan | IPsec Implementation which Allows Building of VPNs | L3 |
| openvpn | Create VPN over Wireless and Ethernet Networks using a Tun Device | L2 |
| opie | Support for One-Time Passwords | L3 |
| oprofile | System-Wide Profiler for Linux Systems | L2 |
| orbit2 | High-Performance CORBA Object Request Broker | L3 |
| orbit2-32bit | High-Performance CORBA Object Request Broker | L3 |
| orbit2-devel | Include Files and Libraries mandatory for Development. | L2 |
| oto | Open Type Organizer | L3 |
| pam | A security tool that provides authentication for applications | L3 |
| pam-32bit | A security tool that provides authentication for applications | L3 |
| pam_apparmor | PAM module to add AppArmor change_hat functionality to session-aware | L2 |
| pam-devel | Include Files and Libraries for PAM-Development | L2 |
| pam_krb5 | PAM Module for Kerberos Authentication | L3 |
| pam_krb5-32bit | PAM Module for Kerberos Authentication | L3 |
| pam_ldap | A PAM Module for LDAP Authentication | L3 |
| pam_ldap-32bit | A PAM Module for LDAP Authentication | L3 |
| pam-modules | Additional PAM Modules | L2 |
| pam-modules-32bit | Additional PAM Modules | L2 |
| pam_mount | A PAM Module that can Mount Volumes for a User Session. | L2 |
| pam_mount-32bit | A PAM Module that can Mount Volumes for a User Session. | L2 |
| pam_thinkfinger | PAM module to be used with ThinkFinger an driver for the SGS Thomson | L2 |
| pan | A Powerful Newsreader for GNOME | L2 |
| pango | System for Layout and Rendering of Internationalised Text | L3 |
| pango-32bit | System for Layout and Rendering of Internationalised Text | L3 |
| pango-devel | Include Files and Libraries mandatory for Development. | L2 |
| pango-doc | System for Layout and Rendering of Internationalised Text | L2 |
| parted | GNU partitioner | L3 |
| parted-32bit | GNU partitioner | L3 |
| patch | GNU patch | L3 |
| patchutils | A Collection of Tools for Manipulating Patch Files | L2 |
| pax | POSIX File System Archiver | L2 |
| pciutils | PCI-utilities for Kernel version 2.2 and newer | L3 |
| pciutils-ids | PCI-utilities pci.ids database | L3 |
| pcmciautils | Utilities for PC-Cards | L3 |
| pcre | A library for Perl-compatible regular expressions | L2 |
| pcre-32bit | A library for Perl-compatible regular expressions | L2 |
| pcre-devel | A library for Perl-compatible regular expressions | L2 |
| pcsc-acr38 | PC/SC IFD Handler for the ACR38 Smart Card Reader | L2 |
| pcsc-ccid | PCSC Driver for CCID Based Smart Card Readers and GemPC Twin Serial | L2 |
| pcsc-lite | PCS Smart Cards Library | L3 |
| pcsc-lite-devel | Development package for the MUSCLE project SmartCards library | L2 |
| perl | The Perl interpreter | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|------------------------|---|--------------------------------------|
| perl-32bit | The Perl interpreter | L3 |
| perl-Algorithm-Diff | Compute 'Intelligent' Differences Between Two Files or Lists | L3 |
| perl-Archive-Tar | Perl module for creation and manipulation of tar files | L2 |
| perl-Archive-Zip | perl-Archive-Zip | L2 |
| perl-Authen-SASL | SASL Authentication framework | L3 |
| perl-Authen-SASL-Cyrus | SASL Authentication Framework - Cyrus Plugin | L3 |
| perl-BerkeleyDB | Perl Module for Accessing Berkeley DB Functions | L2 |
| perl-Bootloader | Library for Configuring Boot Loaders | L3 |
| perl-Compress-Zlib | Perl interface to part of the info-zip zlib compression library | L2 |
| perl-Config-Crontab | Read/Write Vixie compatible crontab files | L3 |
| perl-Convert-ASN1 | Convert::ASN1 | L3 |
| perl-Convert-TNEF | Perl module to read TNEF files | L2 |
| perl-Convert-UUlib | Perl interface to the uuilib library | L2 |
| perl-Crypt-DES | Crypt::DES Perl Module | L3 |
| perl-Crypt-SmbHash | perl module Crypt::SmbHash | L2 |
| perl-Data-ShowTable | A Perl Module that allows Pretty-Printing of Data Arrays | L3 |
| perl-DBD-mysql | Interface to the MySQL database | L3 |
| perl-DBD-SQLite | The DBD::SQLite is a self contained RDBMS in a DBI driver | L3 |
| perl-DBI | The Perl Database Interface | L3 |
| perl-Digest-HMAC | Keyed Hashing for Message Authentication | L3 |
| perl-Digest-MD4 | RSA MD4 Message Digest Algorithm (Perl Module) | L3 |
| perl-Digest-SHA1 | A Perl Interface to the SHA-1 Algorithm | L3 |
| perl-Encode-HanExtra | Extra sets of Chinese encodings | L3 |
| perl-Encode-JIS2K | JIS X 0212 (aka JIS 2000) Encodings | L3 |
| perl-Expect | Expect for perl | L2 |
| perl-File-MMAGIC | Perl modules to guess file types | L2 |
| perl-File-Tail | reading files which are continuously appended | L2 |
| perl-gettext | gettext for perl | L2 |
| perl-HTML-Parser | Perl HTML Interface | L3 |
| perl-HTML-Tagset | Data Tables Useful for Dealing with HTML | L2 |
| perl-IO-Socket-SSL | IO::Socket::SSL Perl Module | L3 |
| perl-IO-stringy | I/O on in-core objects like strings and arrays | L2 |
| perl-IO-Stty | A Perl Module for Setting Terminal Parameters | L2 |
| perl-IO-Tty | Provides an Interface to Pseudo Tty's | L2 |
| perl-IO-Zlib | IO:: style interface to the Compress::Zlib | L2 |
| perl-ldap | Client Interface for LDAP Servers | L3 |
| perl-ldap-ssl | SSL Extension to perl-ldap | L3 |
| perl-libapparmor | Perl interface for libapparmor functions. | L3 |
| perl-libwww-perl | Modules Providing a World Wide Web API | L3 |
| perl-libxml-perl | Collection of Perl modules for working with XML | L3 |
| perl-MailTools | a set of perl modules related to mail applications | L2 |
| perl-MIME-tools | modules for parsing (and creating!) MIME entities | L2 |
| perl-Net-Daemon | Net::Daemon - Perl extension for portable daemons | L2 |
| perl-Net-DNS | Perl interface to the DNS resolver | L3 |
| perl-Net-IP | allow easy manipulation of IPv4 and IPv6 addresses | L2 |
| perl-Net-Server | Net::Server - Extensible general Perl server engine | L2 |
| perl-Net-SNMP | Net::SNMP Perl Module | L3 |
| perl-Net_SSLeay | Net::SSLeay Perl Module | L3 |
| perl-NKF | Perl extension for nkf (Network Kanji Filter) | L3 |
| perl-Parse-RecDescent | Perl RecDescent Module | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| perl-PDA-Pilot | PalmPilot Perl Modules | L3 |
| perl-PerlMagick | Perl interface for ImageMagick | L2 |
| perl-PIRPC | Perl Extension for Writing PIRPC Servers | L3 |
| perl-SGMLS | SGML/XML Parsers | L2 |
| perl-SNMP | Perl-SNMP | L3 |
| perl-spamassassin | Perl Modules For Using Spamassassin Within An Own Perl Script | L3 |
| perl-TermReadKey | A Perl Module for Simple Terminal Control | L3 |
| perl-TermReadLine-Gnu | Perl extension for the GNU Readline/History Library | L2 |
| perl-Tie-IxHash | TieIxHash Perl Module | L3 |
| perl-TimeDate | Perl Modules for Time and Date Calculation | L3 |
| perl-Tk | Perl Tk | L3 |
| perl-Unicode-Map8 | Mapping table between 8-bit chars and Unicode | L3 |
| perl-Unicode-String | String of Unicode characters (UCS2/UTF16) | L3 |
| perl-Unix-Syslog | Perl syslog interface | L2 |
| perl-URI | Perl Interface for URI Objects | L3 |
| perl-X500-DN | provides an interface for RFC 2253 style DN strings | L2 |
| perl-XML-DOM | Perl Extension to XML::Parser | L3 |
| perl-XML-LibXML | XML::LibXML Perl Module | L3 |
| perl-XML-LibXML-Common | XML::LibXML::Common Perl Module | L3 |
| perl-XML-Namespacesupport | XML::Namespacesupport Perl Module | L3 |
| perl-XML-Parser | XML Parser (Perl Module) | L3 |
| perl-XML-RegExp | Regular Expressions for XML Tokens | L3 |
| perl-XML-SAX | XML::SAX Perl Module | L2 |
| perl-XML-Simple | Easy API to read/write XML (Perl module) | L3 |
| perl-XML-Stream | Creates and XML Stream connection and parses return data | L3 |
| perl-XML-Writer | A Perl Extension for Writing XML Documents | L2 |
| perl-XML-XSLT | Perl module XML::XSLT | L3 |
| permissions | SUSE Linux Default Permissions | L3 |
| php-doc | PHP Documentation | L2 |
| pilot-link | PalmPilot Link Utility (Backup, Uploading Tools and more) | L3 |
| pilot-link-devel | PalmPilot Development Header Files | L2 |
| pin | A tool for finding package information | L3 |
| pinentry | Collection of Simple PIN or Passphrase Entry Dialogs | L3 |
| pkgconfig | A library management system | L2 |
| planner | Project Management Application for GNOME | L3 |
| planner-devel | Project Management Application for GNOME | L2 |
| plotutils | The GNU Plotting Utilities | L3 |
| pmtools | ACPI Debugging Tools | L2 |
| poppler | PDF Rendering Library | L3 |
| poppler-devel | PDF rendering library | L2 |
| poppler-glib | PDF rendering library - a glib wrapper | L3 |
| poppler-qt | PDF rendering library - a qt wrapper | L3 |
| popt | A C library for parsing command line parameters | L3 |
| popt-32bit | A C library for parsing command line parameters | L3 |
| popt-devel | C Library for Parsing Command Line Parameters | L2 |
| popt-devel-32bit | C Library for Parsing Command Line Parameters | L2 |
| portmap | A program that manages RPC connections | L3 |
| postfix | A fast, secure and flexible mailer | L3 |
| postgresql-devel | PostgreSQL development header files and libraries | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|---|
| postgresql-libs | Shared Libraries Required for PostgreSQL Clients | L2 |
| postgresql-libs-32bit | Shared Libraries Required for PostgreSQL Clients | L2 |
| powersave | General Powermanagement daemon supporting APM and ACPI and CPU | L3 |
| powersave-libs | Shared libraries of the powersave daemon | L3 |
| powersave-libs-32bit | Shared libraries of the powersave daemon | L3 |
| powertweak | A program to tune systems to their optimal performance | L3 |
| powertweak-extra | Extra Plug-Ins for Powertweak | L3 |
| ppp | The Point to Point Protocol for Linux | L3 |
| pptp | Point-to-Point Tunneling Protocol (PPTP) Client | L3 |
| preload | Preloads Files into System Cache for Faster Booting | L3 |
| procinfo | Display System Status Gathered from /proc | L3 |
| procmail | A program for local e-mail delivery | L3 |
| procps | ps utilities for /proc | L3 |
| providers | A list of internet service providers | L3 |
| psmisc | Utilities for managing processes on your system | L3 |
| pstoedit | PostScript and PDF Converter | L3 |
| psutils | Tools for Manipulating PostScript Files | L3 |
| ptdownloader | Ericom PowerTerm WebConnect | L2 |
| pure-ftpd | A Lightweight, Fast and Secure FTP Server | L3 |
| pwdutils | Utilities to Manage User and Group Accounts | L3 |
| pwlib | Portable Windows Library from Equivalence Pty. Ltd. | L2 |
| pwlib-devel | pwlib package for developers (includes headers and scripts) | L2 |
| pwlib-plugins-avc | AVC plugin for pwlib | L2 |
| pwlib-plugins-dc | DC plugin for pwlib | L2 |
| pwlib-plugins-v4l2 | V4L2 support for pwlib | L2 |
| python | Python Interpreter | L3 |
| python-32bit | Python Interpreter | L3 |
| python-cairo | Python Bindings for cairo | L3 |
| python-devel | Include Files and Libraries Mandatory for Building Python Modules. | L2 |
| python-elementtree | Fast XML parser and writer | L2 |
| python-gdbm | Python Interface to the GDBM Library | L3 |
| python-gnome | Python bindings for GNOME | L3 |
| python-gnome-extras | Python bindings for GNOME | L3 |
| python-gtk | Python bindings for the GTK+ widget set | L3 |
| python-gtk-vnc | Python bindings for the gtk-vnc library | L3 |
| python-imaging | The Python Imaging Library - PIL | L3 |
| python-ldap | Python LDAP interface | L3 |
| python-numeric | A Numerical Extension to Python | L3 |
| python-openssl | Python wrapper module around the OpenSSL library | L3 |
| python-orbit | Python bindings for ORBit | L3 |
| python-pam | Python bindings for PAM | L3 |
| python-qt | Python Bindings for Qt | L2 |
| python-sqlite | Python bindings for sqlite | L2 |
| python-tk | TkInter - Python Tk Interface | L3 |
| python-urlgrabber | A high-level cross-protocol url-grabber | L2 |
| python-xml | A Python XML Interface | L3 |
| pyxml | XML Tools in Python | L3 |
| qca | Qt Cryptographic Architecture | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-------------------------|---|--------------------------------------|
| qca-devel | Qt Cryptographic Architecture | L2 |
| qscintilla | C++ Editor Class Library | L2 |
| qt3 | A library for developing applications with graphical user interfaces | L3 |
| qt3-32bit | A library for developing applications with graphical user interfaces | L3 |
| qt3-devel | Include Files and Libraries mandatory for Development | L2 |
| qt3-devel-32bit | Include Files and Libraries mandatory for Development | L2 |
| qt3-devel-doc | Documentation for the Qt 3 Development Kit | L2 |
| qt3-devel-tools | User Interface Builder and other tools (designer, assistant linguist) | L2 |
| qt3-examples | Programming Examples for Qt 3 | L2 |
| qt3-man | Qt 3 Man Pages | L2 |
| qt-qt3support-32bit | C++ Program Library, Core Components | L3 |
| qt-sql-32bit | Qt 4 SQL related libraries | L3 |
| qt-sql-mysql | Qt 4 MySQL support | L1 |
| qt-sql-mysql-32bit | Qt 4 MySQL support | L1 |
| qt-sql-postgresql | Qt 4 PostgreSQL plugin | L1 |
| qt-sql-postgresql-32bit | Qt 4 PostgreSQL plugin | L1 |
| qt-sql-sqlite-32bit | Qt 4 sqlite plugin | L3 |
| qt-sql-unixODBC | Qt 4 unixODBC plugin | L1 |
| qt-x11-32bit | Qt 4 GUI related libraries | L3 |
| quilt | A Tool for Working with Many Patches | L2 |
| quota | Disk Quota System | L3 |
| rcs | Revision Control System | L2 |
| rdesktop | a Remote Desktop Protocol client | L2 |
| readline | The Readline Library | L3 |
| readline-32bit | The Readline Library | L3 |
| readline-devel | Include Files and Libraries mandatory for Development. | L2 |
| readline-devel-32bit | Include Files and Libraries mandatory for Development. | L2 |
| RealPlayer | RealPlayer 10 for Linux | L2 |
| recode | A Character Set Converter | L3 |
| reiserfs | Reiser File System utilities | L3 |
| release-notes-sled | A Short Description of the Most Important Changes for This SUSE Linux | L2 |
| resapplet | Resolution Switching Applet | L3 |
| resmgr | A program to track when users log in and out | L3 |
| resmgr-32bit | A program to track when users log in and out | L3 |
| rhythmbox | GNOME Music Management Application | L2 |
| rpm | The RPM Package Manager | L3 |
| rpm-devel | Include Files and Libraries mandatory for Development. | L2 |
| rpm-python | Python Bindings for Manipulating RPM Packages | L3 |
| rrdtool | A tool for data logging and analysis | L3 |
| rsaref | RSA Reference Implementation | L2 |
| rsh | Servers for Remote Access Commands (rsh, rlogin and rcp) | L3 |
| rsvg-sharp | Mono bindings for various rsvg | L2 |
| rsvg-sharp2 | Mono bindings for rsvg | L2 |
| rsync | Replacement for RCP/mirror that has Many More Features | L3 |
| ruby | An Interpreted Object-Oriented Scripting Language | L2 |
| rug | Command Line Client for zmd | L3 |
| rzs | X-, Y- and Z-Modem Data Transfer Protocols | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|------------------------|---|--------------------------------------|
| sabayon | Tool to maintain user profiles in a GNOME desktop | L3 |
| sabayon-admin | Graphical tools for Sabayon profile management | L3 |
| samba | A SMB/CIFS File, Print and Authentication Server | L3 |
| samba-32bit | A SMB/CIFS File, Print and Authentication Server | L3 |
| samba-client | Samba Client Utilities | L3 |
| samba-client-32bit | Samba Client Utilities | L3 |
| samba-doc | Samba Documentation | L2 |
| samba-krb-printing | Wrapper binary for kerberized printing | L3 |
| samba-pdb | PDB-Modules | L3 |
| samba-vscan | On-Access Virus Scanning with Samba | L3 |
| samba-winbind | Winbind Daemon and Tool | L3 |
| samba-winbind-32bit | Winbind Daemon and Tool | L3 |
| sane | SANE (Scanner Access Now Easy) scanner drivers | L2 |
| sane-32bit | SANE (Scanner Access Now Easy) scanner drivers | L2 |
| sash | A stand-alone shell with built-in commands | L3 |
| sax2 | SuSE advanced X Window System-configuration | L3 |
| sax2-gui | SuSE advanced X Window System-configuration GUI | L3 |
| sax2-ident | SaX2 identity and profile information | L3 |
| sax2-libsax | SaX management library for X Window System-configuration | L3 |
| sax2-libsax-csharp | Language binding to use libsax with C# | L3 |
| sax2-libsax-perl | Language binding to use libsax with perl | L3 |
| sax2-tools | X Window System tools for SaX2 | L3 |
| sazanami-fonts | Japanese Sazanami" TrueType Fonts" | L2 |
| sbl | SuSE blinux | L2 |
| scim | Smart Chinese/Common Input Method platform | L3 |
| scim-32bit | Smart Chinese/Common Input Method platform | L3 |
| scim-anthy | Anthy Input Method Engine for SCIM | L3 |
| scim-chewing | chewing input method module for SCIM | L3 |
| scim-devel | Include Files and Libraries mandatory for Development. | L2 |
| scim-hangul | Hangul Input Method Engine for SCIM | L3 |
| scim-hangul-skim | skim setup module for scim-hangul | L3 |
| scim-input-pad | an onscreen input pad to easily input symbols | L3 |
| scim-m17n | M17N Input Method Engine for SCIM | L3 |
| scim-pinyin | Intelligent Pinyin input module for Smart Chinese/Common Input Method | L3 |
| scim-pinyin-skim | skim setup module for scim-pinyin | L3 |
| scim-qtimm | Qt input module plugin for SCIM | L3 |
| scim-qtimm-32bit | Qt input module plugin for SCIM | L3 |
| scim-tables | Data Files for SCIM Generic Table Input Method Module | L3 |
| scim-tables-additional | Input Method data for non-CJK languages including Russian etc.. | L2 |
| scim-tables-ja | SCIM Japanese Data Files | L2 |
| scim-tables-ko | SCIM Korean Data Files | L2 |
| scim-tables-skim | skim setup module for scim-tables | L2 |
| scim-tables-zh | SCIM Chinese Data Files | L2 |
| scons | Replacement for make | L2 |
| scpm | System Configuration Profile Management | L3 |
| scpm-devel | Header files and API documentation for SCPM | L2 |
| screen | A program to allow multiple screens on a VT100/ANSI Terminal | L3 |
| scrollkeeper | Cataloging System for Documentation | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-----------------------|--|--------------------------------------|
| scsi | SCSI Tools (Text Mode) | L3 |
| scsirastools | Serviceability for SCSI Disks and Arrays | L3 |
| SDL | Simple DirectMedia Layer Library | L3 |
| SDL-32bit | Simple DirectMedia Layer Library | L3 |
| SDL-devel | SDL Library Developer Files | L2 |
| SDL_mixer-32bit | Sample Mixer Library for SDL | L2 |
| SDL_net | Simple DirectMedia Layer--Networking Library | L3 |
| sdpNetstat | netstat for SDP | L3 |
| sed | A Stream-Oriented Noninteractive Text Editor | L3 |
| sendmail | BSD Sendmail | L3 |
| sensors | Hardware health monitoring for Linux | L2 |
| setserial | A utility for configuring serial ports | L3 |
| sfftobmp | Tool to convert Structured Fax Files (.sff) to other image formats | L2 |
| sgml-skel | Helper Scripts for the SGML System | L3 |
| sgmltool | SGML-Tools - a Text-Formatting Package | L3 |
| sgrep | Searching for Structured Patterns | L3 |
| shared-mime-info | Shared MIME Database | L3 |
| sharutils | GNU shar utilities | L3 |
| sig | System Information GATHERing | L3 |
| sisctrl | SiS Display Control Panel | L2 |
| skencil | Python-Based Vector Drawing Program | L2 |
| skim | KDE integration for SCIM | L3 |
| slang | A Library for Display Control | L3 |
| slang-32bit | A Library for Display Control | L3 |
| slang-devel | Library for Display Control - Development Package | L2 |
| slang-devel-32bit | Library for Display Control - Development Package | L2 |
| sled-deployment_en | SLED Deployment Guide (English) | L2 |
| sled-deployment_zh_CN | SLED Deployment Guide (Simplified Chinese) | L2 |
| sled-deployment_zh_TW | SLED Deployment Guide (Traditional Chinese) | L2 |
| sled-desktop-qs_cs | SLED Quick Start Guides (Czech) | L2 |
| sled-desktop-qs_da | SLED Quick Start Guides (Danish) | L2 |
| sled-desktop-qs_de | SLED Quick Start Guides (German) | L2 |
| sled-desktop-qs_en | SLED Quick Start Guides (English) | L2 |
| sled-desktop-qs_es | SLED Quick Start Guides (Spanish) | L2 |
| sled-desktop-qs_fi | SLED Quick Start Guides (Finnish) | L2 |
| sled-desktop-qs_fr | SLED Quick Start Guides (French) | L2 |
| sled-desktop-qs_hu | SLED Quick Start Guides (Hungarian) | L2 |
| sled-desktop-qs_it | SLED Quick Start Guides (Italian) | L2 |
| sled-desktop-qs_ja | SLED Quick Start Guides (Japanese) | L2 |
| sled-desktop-qs_nb | SLED Quick Start Guides (Norwegian) | L2 |
| sled-desktop-qs_nl | SLED Quick Start Guides (Dutch) | L2 |
| sled-desktop-qs_pt_BR | SLED Quick Start Guides (Brazilian Portuguese) | L2 |
| sled-desktop-qs_ru | SLED Quick Start Guides (Russian) | L2 |
| sled-desktop-qs_sv | SLED Quick Start Guides (Swedish) | L2 |
| sled-desktop-qs_zh_CN | SLED Quick Start Guides (Simplified Chinese) | L2 |
| sled-desktop-qs_zh_TW | SLED Quick Start Guides (Traditional Chinese) | L2 |
| sled-gnome-cbt_en | SLED GNOME Computer Based Training (English) | L2 |
| sled-gnome-user_cs | SLED GNOME User Guide (Czech) | L2 |
| sled-gnome-user_da | SLED GNOME User Guide (Danish) | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|---|
| sled-gnome-user_de | SLED GNOME User Guide (German) | L2 |
| sled-gnome-user_en | SLED GNOME User Guide (English) | L2 |
| sled-gnome-user_es | SLED GNOME User Guide (Spanish) | L2 |
| sled-gnome-user_fi | SLED GNOME User Guide (Finnish) | L2 |
| sled-gnome-user_fr | SLED GNOME User Guide (French) | L2 |
| sled-gnome-user_hu | SLED GNOME User Guide (Hungarian) | L2 |
| sled-gnome-user_it | SLED GNOME User Guide (Italian) | L2 |
| sled-gnome-user_ja | SLED GNOME User Guide (Japanese) | L2 |
| sled-gnome-user_nb | SLED GNOME User Guide (Norwegian) | L2 |
| sled-gnome-user_nl | SLED GNOME User Guide (Dutch) | L2 |
| sled-gnome-user_pt_BR | SLED GNOME User Guide (Brazil Portuguese) | L2 |
| sled-gnome-user_ru | SLED GNOME User Guide (Russian) | L2 |
| sled-gnome-user_sv | SLED GNOME User Guide (Swedish) | L2 |
| sled-gnome-user_zh_CN | SLED GNOME User Guide (Simplified Chinese) | L2 |
| sled-gnome-user_zh_TW | SLED GNOME User Guide (Traditional Chinese) | L2 |
| sled-install-qs_cs | SLED Installation Quick Start (Czech) | L2 |
| sled-install-qs_da | SLED Installation Quick Start (Danish) | L2 |
| sled-install-qs_de | SLED Installation Quick Start (German) | L2 |
| sled-install-qs_en | SLED Installation Quick Start (English) | L2 |
| sled-install-qs_es | SLED Installation Quick Start (Spanish) | L2 |
| sled-install-qs_fi | SLED Installation Quick Start (Finnish) | L2 |
| sled-install-qs_fr | SLED Installation Quick Start (French) | L2 |
| sled-install-qs_hu | SLED Installation Quick Start (Hungarian) | L2 |
| sled-install-qs_it | SLED Installation Quick Start (Italian) | L2 |
| sled-install-qs_ja | SLED Installation Quick Start (Japanese) | L2 |
| sled-install-qs_nb | SLED Installation Quick Start (Norwegian) | L2 |
| sled-install-qs_nl | SLED Installation Quick Start (Dutch) | L2 |
| sled-install-qs_pt_BR | SLED Installation Quick Start (Brazilian Portuguese) | L2 |
| sled-install-qs_ru | SLED Installation Quick Start (Russian) | L2 |
| sled-install-qs_sv | SLED Installation Quick Start (Swedish) | L2 |
| sled-install-qs_zh_CN | SLED Installation Quick Start (Simplified Chinese) | L2 |
| sled-install-qs_zh_TW | SLED Installation Quick Start (Traditional Chinese) | L2 |
| sled-kde-user_cs | SLED KDE User Guide (Czech) | L2 |
| sled-kde-user_da | SLED KDE User Guide (Danish) | L2 |
| sled-kde-user_de | SLED KDE User Guide (German) | L2 |
| sled-kde-user_en | SLED KDE User Guide (English) | L2 |
| sled-kde-user_es | SLED KDE User Guide (Spanish) | L2 |
| sled-kde-user_fi | SLED KDE User Guide (Finnish) | L2 |
| sled-kde-user_fr | SLED KDE User Guide (French) | L2 |
| sled-kde-user_hu | SLED KDE User Guide (Hungarian) | L2 |
| sled-kde-user_it | SLED KDE User Guide (Italian) | L2 |
| sled-kde-user_ja | SLED KDE User Guide (Japanese) | L2 |
| sled-kde-user_nb | SLED KDE User Guide (Norwegian) | L2 |
| sled-kde-user_nl | SLED KDE User Guide (Dutch) | L2 |
| sled-kde-user_pt_BR | SLED KDE User Guide (Brazil Portuguese) | L2 |
| sled-kde-user_ru | SLED KDE User Guide (Russian) | L2 |
| sled-kde-user_sv | SLED KDE User Guide (Swedish) | L2 |
| sled-kde-user_zh_CN | SLED KDE User Guide (Simplified Chinese) | L2 |
| sled-kde-user_zh_TW | SLED KDE User Guide (Traditional Chinese) | L2 |
| sled-network-user_de | SLED Network Connectivity Guide (German) | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|----------------------------|--|---|
| sled-network-user_en | SLED Network Connectivity Guide (English) | L2 |
| sled-network-user_es | SLED Network Connectivity Guide (Spanish) | L2 |
| sled-network-user_fr | SLED Network Connectivity Guide (French) | L2 |
| sled-network-user_it | SLED Network Connectivity Guide (Italian) | L2 |
| sled-network-user_ja | SLED Network Connectivity Guide (Japanese) | L2 |
| sled-network-user_zh_CN | SLED Network Connectivity Guide (Simplified Chinese) | L2 |
| sled-network-user_zh_TW | SLED Network Connectivity Guide (Traditional Chinese) | L2 |
| sled-release | SuSE Linux Desktop Release Files | L2 |
| smartmontools | Monitor for S.M.A.R.T. Disks and Devices | L3 |
| smpppd | SuSE Meta PPP Daemon | L2 |
| socat | Multipurpose relay for bidirectional data transfer | L2 |
| sound-juicer | Clean and Lean GNOME CD Ripper | L3 |
| sox | Sound Conversion Tools and Library | L3 |
| spamassassin | SpamAssassin is an extensible email filter which is used to identify | L3 |
| spandsp | A DSP library for Telephony and SoftFAX | L2 |
| speex | An Open Source Patent Free Speech Codec | L3 |
| speex-32bit | An Open Source Patent Free Speech Codec | L3 |
| speex-devel | Development package for SpeeX | L2 |
| SPident | Service Pack Identification Tool | L3 |
| sqlite | Embeddable SQL Database Engine | L3 |
| sqlite2 | Embeddable SQL Database Engine | L2 |
| sqlite2-32bit | Embeddable SQL Database Engine | L2 |
| sqlite2-devel | Embeddable SQL Database Engine | L2 |
| sqlite-32bit | Embeddable SQL Database Engine | L3 |
| sqlite-devel | Embeddable SQL Database Engine | L2 |
| squid | Squid WWW proxy server | L3 |
| src_vipa | Virtual Source IP address support for HA solutions | L3 |
| src_vipa-32bit | Virtual Source IP address support for HA solutions | L3 |
| srptools | tools for SRP/IB | L3 |
| star | POSIX.1-2001-Compliant Tar Implementation | L2 |
| startup-notification | Reference Implementation for the Startup-Notification Protocol | L3 |
| startup-notification-32bit | Reference Implementation for the Startup-Notification Protocol | L3 |
| startup-notification-devel | Include Files and Libraries mandatory for Development. | L2 |
| statserial | Helps to Debug Serial Lines | L3 |
| strace | A utility to trace the system calls of a program | L3 |
| strace-32bit | A utility to trace the system calls of a program | L3 |
| subversion | A Concurrent Versioning system similar to but better than CVS | L2 |
| subversion-devel | Development package for Subversion developers | L2 |
| sudo | Execute some commands as root | L3 |
| sumf | SCPM Universal Management Front-End | L3 |
| supportutils | Support Troubleshooting Tools | L3 |
| suse-build-key | The public gpg key for rpm package signature verification | L3 |
| SuSEfirewall2 | Stateful Packet Filter Using iptables and netfilter | L3 |
| susehelp | SuSE Help-System (base) | L3 |
| susehelp_en | SuSE Help System (English) | L3 |
| suseRegister | Registration Tool | L3 |
| suspend | A Set Of Tools To Support Sleep Modes | L2 |
| sysconfig | The sysconfig scheme | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|---|
| sysfsutils | System Utilities Package / Libsysfs | L3 |
| sysfsutils-32bit | System Utilities Package / Libsysfs | L3 |
| syslinux | Boot Loader for Linux | L3 |
| syslog-ng | The new-generation syslog-daemon | L3 |
| sysstat | Sar and Iostat Commands for Linux | L3 |
| sysstat-isag | Interactive System Activity Grapher for sysstat | L2 |
| system-tools-backends | Backend for GNOME System Tools | L2 |
| sysvinit | SysV-Style init | L3 |
| t1lib | Adobe Type 1 Font Rasterizing Library | L3 |
| taglib | C++ Library to Parse Metadata in Media Files | L2 |
| taglib-32bit | C++ Library to Parse Metadata in Media Files | L2 |
| taglib-devel | C++ Library to Parse Metadata in media files | L2 |
| tango-icon-theme | Tango Icon Theme | L3 |
| tar | GNU implementation of tar ((t)ape (ar)chiver) | L3 |
| tcl | The Tcl Programming Language | L3 |
| tcl-32bit | The Tcl Programming Language | L3 |
| tcpd | A security wrapper for TCP daemons | L3 |
| tcpd-32bit | A security wrapper for TCP daemons | L3 |
| tcpd-devel | Include Files and Libraries for the TCP wrapper library | L2 |
| tcpdump | A Packet Sniffer | L2 |
| tcsh | The C SHell | L3 |
| te_ams | All about Ams-TeX | L2 |
| te_cont | The conTeXt system depending on pdfTeX | L2 |
| te_dvlij | Printer drivers for LaserJets (obsolete) | L2 |
| te_eplai | An extended plain TeX version (not NTS) | L2 |
| te_kpath | The headers and library of the kpathsea tools | L2 |
| te_latex | All About LaTeX | L2 |
| telnet | A client program for the telnet remote login protocol | L2 |
| te_mpost | All about MetaPost | L2 |
| te_omega | Omega an extended TeX/LaTeX version with unicode | L2 |
| te_ptex | The publishing TeX"" Japanese-capable TeX/LaTeX by ASCII corporation | L2 |
| termcap | The Termcap Library | L2 |
| termcap-32bit | The Termcap Library | L2 |
| terminfo | A terminal descriptions database | L3 |
| testgart | Program for Testing AGPGART Support | L2 |
| tetex | The Base System of teTeX | L2 |
| te_web | The WEB tools for programming in WEB | L2 |
| TeX-Guy | DVI Interpreter Library and Utilities for Displaying and Printing | L3 |
| TeX-Guy-devel | DVI Interpreter Library and Utilities for Displaying and Printing | L2 |
| tftp | Trivial File Transfer Protocol (TFTP) | L3 |
| thinkeramik-style | Thin Keramik style for Qt | L2 |
| thinkeramik-style-32bit | Thin Keramik style for Qt | L2 |
| tidy | Utility to clean up and pretty-print HTML/XHTML/XML | L2 |
| tiff | Tools for Converting from and to the Tiff Format | L3 |
| tightvnc | A virtual X-Window System server | L2 |
| timezone | Timezone descriptions | L3 |
| tiny-nvidia-installer | Tiny nvidia installer | L2 |
| tix | Tools for tk | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|---|---|
| tk | Graphical User Interface Toolkit for Tcl | L3 |
| tk-32bit | Graphical User Interface Toolkit for Tcl | L3 |
| tomboy | GNOME Note Taking Application | L3 |
| toshutils | Toshiba Linux Utilities | L2 |
| totem | Movie Player for the GNOME Desktop | L3 |
| tpb | ThinkPad buttons - use special buttons on IBM ThinkPads | L2 |
| transfig | Graphic Converter | L2 |
| translation-update | Translation Updates | L2 |
| translation-update-af | Translation Updates for Afrikaans | L2 |
| translation-update-ar | Translation Updates for Arabic | L2 |
| translation-update-bg | Translation Updates for Bulgarian | L2 |
| translation-update-bn | Translation Updates for Bengali | L2 |
| translation-update-bs | Translation Updates for Bosnian | L2 |
| translation-update-ca | Translation Updates for Catalan | L2 |
| translation-update-cs | Translation Updates for Czech | L2 |
| translation-update-cy | Translation Updates for Welsh | L2 |
| translation-update-da | Translation Updates for Danish | L2 |
| translation-update-de | Translation Updates for German | L2 |
| translation-update-el | Translation Updates for Greek | L2 |
| translation-update-en_GB | Translation Updates for English, Great Britain | L2 |
| translation-update-en_US | Translation Updates for English, USA | L2 |
| translation-update-es | Translation Updates for Spanish | L2 |
| translation-update-fi | Translation Updates for Finnish | L2 |
| translation-update-fr | Translation Updates for French | L2 |
| translation-update-gl | Translation Updates for Galician | L2 |
| translation-update-gu | Translation Updates for Gujarati | L2 |
| translation-update-he | Translation Updates for Hebrew | L2 |
| translation-update-hi | Translation Updates for Hindi | L2 |
| translation-update-hr | Translation Updates for Croatian | L2 |
| translation-update-hu | Translation Updates for Hungarian | L2 |
| translation-update-id | Translation Updates for Indonesian | L2 |
| translation-update-it | Translation Updates for Italian | L2 |
| translation-update-ja | Translation Updates for Japanese | L2 |
| translation-update-ka | Translation Updates for Georgian | L2 |
| translation-update-km | Translation Updates for Khmer | L2 |
| translation-update-ko | Translation Updates for Korean | L2 |
| translation-update-lo | Translation Updates for Lao | L2 |
| translation-update-lt | Translation Updates for Lithuanian | L2 |
| translation-update-mr | Translation Updates for Marathi | L2 |
| translation-update-nb | Translation Updates for Norwegian Bokmal | L2 |
| translation-update-nl | Translation Updates for Dutch | L2 |
| translation-update-pa | Translation Updates for Punjabi | L2 |
| translation-update-pl | Translation Updates for Polish | L2 |
| translation-update-pt | Translation Updates for Portuguese | L2 |
| translation-update-pt_BR | Translation Updates for Brazilian Portuguese | L2 |
| translation-update-ro | Translation Updates for Romanian | L2 |
| translation-update-ru | Translation Updates for Russian | L2 |
| translation-update-sk | Translation Updates for Slovak | L2 |
| translation-update-sl | Translation Updates for Slovenian | L2 |
| translation-update-sr | Translation Updates for Serbian | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|---|
| translation-update-sv | Translation Updates for Swedish | L2 |
| translation-update-ta | Translation Updates for Tamil | L2 |
| translation-update-tr | Translation Updates for Turkish | L2 |
| translation-update-uk | Translation Updates for Ukrainian | L2 |
| translation-update-vi | Translation Updates for Vietnamese | L2 |
| translation-update-xh | Translation Updates for Xhosa | L2 |
| translation-update-zh_CN | Translation Updates for Simplified Chinese | L2 |
| translation-update-zh_TW | Translation Updates for Traditional Chinese | L2 |
| translation-update-zu | Translation Updates for Zulu | L2 |
| tree | file listing as a tree | L3 |
| tsclient | Terminal Server Client is a frontend for rdesktop | L2 |
| ttf-alee | Korean TrueType fonts by A Lee. | L2 |
| ttf-arphic | Chinese TrueType fonts by Arphic Technology (only the license text is | L2 |
| ttf-arphic-bkai00mp | AR PL KaitiM Big5 Chinese TrueType font by Arphic Technology | L2 |
| ttf-arphic-bsmi00lp | AR PL Mingti2L Big5 Chinese TrueType font by Arphic Technology | L2 |
| ttf-arphic-gbsn00lp | AR PL SungtiL GB Chinese TrueType font by Arphic Technology | L2 |
| ttf-arphic-gkai00mp | AR PL KaitiM GB Chinese TrueType font by Arphic Technology | L2 |
| ttf-cmex-kai | CMEXKai Traditional Chinese TrueType font made by CMEX | L2 |
| ttf-founder-simplified | simplified Chinese TrueType fonts made by Beijing Founder Electronics | L2 |
| ttf-founder-traditional | traditional Chinese TrueType fonts made by Beijing Founder Electronics | L2 |
| turnpike | IKE Plugin framework for IPSec tools | L3 |
| tv-common | Fonts, Tools and some READMEs for motv and xawtv | L3 |
| tvflash | Tool to manage Mellanox HCA firmware flash memory | L3 |
| udev | A Rule-Based Device Node and Kernel Event Manager | L3 |
| ufraw | The Unidentified Flying Raw | L2 |
| ufraw-gimp | Raw photo loader plugin for The GIMP | L2 |
| ulimit | Set per-process limits (ulimits) | L3 |
| umtsmon | Control/monitor your UMTS card | L3 |
| unace | ACE archive extractor | L1 |
| unarj | Pack Program | L2 |
| unclutter | Remove the idle cursor image from the screen | L2 |
| unfonts | Korean TrueType fonts | L2 |
| unixODBC | ODBC driver manager with some drivers included | L3 |
| unixODBC-32bit | ODBC driver manager with some drivers included | L3 |
| unixODBC-devel | Includes and Static Libraries for ODBC Development | L2 |
| unixODBC-gui-qt | ODBC Configuration Utility, Data Source Browser and ODBC Test Tool | L3 |
| unrar | A program to extract, test and view RAR archives | L2 |
| unsermake | Replacement for make and automake | L2 |
| unzip | A program to unpack compressed files | L2 |
| update-alternatives | Maintain symbolic links determining default commands | L3 |
| update-desktop-files | A Build Tool to Update Desktop Files | L2 |
| usbutils | Tools and libraries for USB devices | L2 |
| usbview | USB Topology and Device Viewer | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-------------------------|--|--------------------------------------|
| utempter | A privileged helper for utmp and wtmp updates | L3 |
| utempter-32bit | A privileged helper for utmp and wtmp updates | L3 |
| util-linux | A collection of basic system utilities | L3 |
| util-linux-crypto | A Collection of Basic File System Encryption Utilities | L2 |
| util-linux-crypto-devel | Set Up dm-crypt Based Encrypted Block Devices | L2 |
| uvcvideo-kmp-default | USB Video Class (UVC) webcam driver | L2 |
| uvcvideo-kmp-smp | USB Video Class (UVC) webcam driver | L2 |
| uvcvideo-kmp-xen | USB Video Class (UVC) webcam driver | L2 |
| v4l-conf | Video4linux Configuration Tool | L3 |
| v4l-tools | video4linux terminal / command line utilities | L3 |
| vacation | A way to automatically reply to incoming e-mail | L3 |
| valgrind | Memory Management Debugger | L3 |
| varmon | Mylex DAC960 RAID Controller Monitoring Tool | L2 |
| vcdimager | Video CD (VCD) authoring software | L3 |
| vcdimager-32bit | Video CD (VCD) authoring software | L3 |
| vcdimager-devel | Video CD (VCD) authoring software | L2 |
| VFLib3 | Versatile Font Library | L3 |
| VFLib3-devel | development libraries for VFLib3 | L2 |
| vim | Vi IMproved | L3 |
| vino | GNOME VNC Server | L3 |
| virt-manager | Virtual Machine Manager | L2 |
| virt-viewer | Virtual Machine Viewer | L2 |
| vmx-manager | Create, configure and manage VMware virtual machines | L2 |
| vorbis-tools | Ogg Vorbis Tools | L3 |
| vpnc | Client for cisco3000 VPN Concentrator | L2 |
| vte | Terminal Emulator | L3 |
| vte-devel | Include Files and Libraries mandatory for Development. | L2 |
| vte-sharp | Mono bindings for vte | L3 |
| vte-sharp2 | Mono bindings for vte | L3 |
| w3m | A text-based WWW browser | L3 |
| wbxml2 | WBXML parser and compiler library. | L2 |
| wdiff | Display Word Differences Between Text Files | L2 |
| wget | A Tool for Mirroring FTP and HTTP Servers | L2 |
| whois | whois Client Program | L3 |
| wiggle | A Tool for Applying Patches with Conflicts | L3 |
| WindowMaker | A Colorful and Flexible Window Manager | L3 |
| WindowMaker-applets | Window Maker Applets | L3 |
| WindowMaker-themes | Themes for Window Maker | L3 |
| wireless-tools | Tools for a wireless LAN | L2 |
| wlan-kmp-default | Kernel Modules for Wireless LAN Cards | L2 |
| wlan-kmp-kdumppae | Kernel Modules for Wireless LAN Cards | L2 |
| wlan-kmp-smp | Kernel Modules for Wireless LAN Cards | L2 |
| wlan-kmp-vmi | Kernel Modules for Wireless LAN Cards | L2 |
| wlan-kmp-vmipae | Kernel Modules for Wireless LAN Cards | L2 |
| wlan-kmp-xen | Kernel Modules for Wireless LAN Cards | L2 |
| wm-icons | Window Manager Icons themable icon distribution | L2 |
| wordcut | Thai word segmentation utility. | L2 |
| wordcut-devel | Include Files and Libraries mandatory for Development. | L2 |
| words | An English words dictionary | L2 |
| wpa_supplicant | WPA supplicant implementation | L2 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|-----------------------|---|--------------------------------------|
| wsdl4j | Web Services Description Language Toolkit for Java | L2 |
| ww | Word 8 Converter for Unix | L3 |
| wvdial | A PPP dialer | L2 |
| wvstreams | Network Programming Library in C++ | L2 |
| wvstreams-devel | Network Programming Library in C++ | L2 |
| wxGTK | C++ Framework for Cross-Platform Development | L2 |
| x11-input-synaptics | X11 input module for synaptics touchpad | L2 |
| x11-input-wacom | X11 input module for wacom tablet | L2 |
| x11-input-wacom-tools | Tools for configuration diagnostic and libraries for Wacom tablets | L2 |
| x11-tools | Tools for the X Window System | L3 |
| x3270 | A Family of IBM 3270 Terminal Emulators | L3 |
| xalan-j2 | Java XSLT processor | L2 |
| xaw3d | 3D Athena Widgets | L3 |
| xaw3d-32bit | 3D Athena Widgets | L3 |
| xchat | An IRC Client | L3 |
| xdelta | Binary delta generator and RCS replacement library | L2 |
| xdg-menu | XDG Menus for WindowMaker and other Window Managers | L3 |
| xdmbrd | SuSE Linux background | L3 |
| xemacs | XEmacs | L3 |
| xemacs-info | Info Files for XEmacs | L3 |
| xemacs-packages | XEmacs Packages | L3 |
| xemacs-packages-info | Info Files for the XEmacs Packages | L3 |
| xen | Xen Virtualization: Hypervisor (aka VMM aka Microkernel) | L3 |
| xen-devel | Xen Virtualization: Headers and libraries for development | L2 |
| xen-doc-html | Xen Virtualization: HTML documentation | L2 |
| xen-doc-pdf | Xen Virtualization: PDF documentation | L2 |
| xen-doc-ps | Xen Virtualization: PostScript documentation | L2 |
| xen-kmp-default | Xen para-virtual device drivers for fully virtualized guests | L3 |
| xen-kmp-smp | Xen para-virtual device drivers for fully virtualized guests | L3 |
| xen-kmp-vmi | Xen para-virtual device drivers for fully virtualized guests | L3 |
| xen-kmp-vmipae | Xen para-virtual device drivers for fully virtualized guests | L3 |
| xen-libs | Xen Virtualization: Libraries | L3 |
| xen-libs-32bit | Xen Virtualization: Libraries | L3 |
| xen-tools | Xen Virtualization: Control tools for domain 0 | L3 |
| xen-tools-domU | Xen Virtualization: Control tools for domain U | L3 |
| xen-tools-ioemu | Xen Virtualization: BIOS and device emulation for unmodified guests | L3 |
| xerces-j2 | Java XML parser | L3 |
| xfntjp | Japanese Fixed Fonts for the X Window System | L2 |
| xfsprogs | Utilities for managing the XFS file system | L2 |
| xgl | Xserver that uses OpenGL for its drawing operations. | L3 |
| xgl-hardware-list | Xgl hardware compatibility list | L3 |
| xine-devel | Include Files and Libraries mandatory for Development. | L2 |
| xine-lib | Video Player with Plug-Ins | L2 |
| xine-lib-32bit | Video Player with Plug-Ins | L2 |
| xinetd | An 'inetd' with Expanded Functionality | L3 |
| xkeyboard-config | The X Keyboard Extension | L3 |
| xli | X11 Image Loading Utility | L2 |
| xlockmore | Screen Saver and Locker for the X Window System | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|------------------------------|--|--------------------------------------|
| xmlcharent | XML Character Entities | L3 |
| xmms-lib | The extensible media player | L3 |
| xmms-lib-32bit | The extensible media player | L3 |
| xmset | A Small Command Line Tool for Mouse Configuration | L3 |
| xntp | Network Time Protocol daemon (version 4) | L3 |
| xorg-x11 | X.Org core and sample applications | L3 |
| xorg-x11-devel | Include Files and Libraries mandatory for X11 Development. | L2 |
| xorg-x11-devel-32bit | Include Files and Libraries mandatory for X11 Development. | L2 |
| xorg-x11-driver-video | X.Org video drivers | L3 |
| xorg-x11-driver-video-intel | Various X.Org video drivers | L2 |
| xorg-x11-driver-video-nv | Various X.Org video drivers | L2 |
| xorg-x11-driver-video-nvidia | NVIDIA video dummy driver | L3 |
| xorg-x11-driver-video-radeon | X.Org radeon video driver update for SLE10-SP1 | L2 |
| xorg-x11-fonts-100dpi | 100dpi Bitmaps fonts for X11 | L2 |
| xorg-x11-fonts-75dpi | 75dpi Bitmap Fonts | L2 |
| xorg-x11-fonts-cyrillic | Cyrillic bitmaps fonts for X11 | L2 |
| xorg-x11-fonts-scalable | Scalable fonts for the X Window System | L2 |
| xorg-x11-fonts-syriac | Syriac OpenType Fonts for the X Window System | L2 |
| xorg-x11-libs | Remaining X.Org libraries | L3 |
| xorg-x11-libs-32bit | Remaining X.Org libraries | L3 |
| xorg-x11-man | On-line manuals for X11 | L3 |
| xorg-x11-server | X.Org Server | L3 |
| xorg-x11-server-glx | GLX extension and nvidia dummy driver modules | L3 |
| xorg-x11-Xnest | Hardware independent Xserver Xnest | L3 |
| xorg-x11-Xvfb | Hardware independent Xserver Xvfb | L3 |
| xorg-x11-Xvnc | VNC Server for the X Window System | L3 |
| xosd | X On-Screen Display library | L2 |
| xosd-devel | X On-Screen Display library development files | L2 |
| xournal | Xournal is an application for notetaking, sketching keeping a journal | L2 |
| xpdf-tools | Character maps and config files required by xpdf | L3 |
| xsane | A GTK-Based Graphical Scanning Front-End for SANE | L3 |
| xscreensaver | A screen saver and locker for the X Window System | L3 |
| xsp | Small Web Server Hosting ASP.NET | L3 |
| xstroke | Fullscreen gesture recognition for X | L1 |
| xterm | The basic X terminal program | L3 |
| xtermset | A program to change the settings of an xterm | L3 |
| xvkbd | Virtual Keyboard for the X Window System | L3 |
| yast2 | YaST2 - Main Package | L3 |
| yast2-apparmor | Yast2 plugins for AppArmor profile management | L3 |
| yast2-autofs | yast2 modul to create and manage autofs entries in LDAP | L3 |
| yast2-backup | YaST2 - System Backup | L3 |
| yast2-bluetooth | YaST2 Bluetooth Configuration | L3 |
| yast2-bootloader | YaST2 - Bootloader Configuration | L3 |
| yast2-CASA | Configuration for Novell CASA (Common Authentication Services Adapter) | L3 |
| yast2-control-center | YaST2 - Control Center | L3 |
| yast2-control-center-gnome | GNOME control center | L3 |
| yast2-control-center-qt | YaST2 - Control Center (Qt Version) | L3 |
| yast2-core | YaST2 - Core Libraries | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|------------------------------|---|---|
| yast2-country | YaST2 - Country Settings (Language, Keyboard and Timezone) | L3 |
| yast2-fingerprint-reader | YaST2 - Fingerprint Reader Configuration | L3 |
| yast2-firewall | YaST2 - Firewall Configuration | L3 |
| yast2-firstboot | YaST Initial System Configuration | L3 |
| yast2-hardware-detection | YaST2 Hardware Detection Interface | L3 |
| yast2-inetd | YaST2 - Network Services Configuration | L3 |
| yast2-installation | YaST2 - Installation Parts | L3 |
| yast2-irda | YaST2 - Infra-Red (IrDA) Access Configuration | L3 |
| yast2-kerberos-client | YaST2 - Kerberos Client Configuration | L3 |
| yast2-ldap | YaST2 - LDAP Agent | L3 |
| yast2-ldap-client | YaST2 - LDAP Client Configuration | L3 |
| yast2-linux-user-mgmt | Novell's Linux User Management configuration | L3 |
| yast2-mail | YaST2 - Mail Configuration | L3 |
| yast2-mail-aliases | YaST2 - Mail Configuration (Aliases) | L3 |
| yast2-mouse | YaST2 - Mouse Configuration | L3 |
| yast2-ncurses | YaST2 - Character Based User Interface | L3 |
| yast2-network | YaST2 - Network Configuration | L3 |
| yast2-nfs-client | YaST2 - NFS Configuration | L3 |
| yast2-nis-client | YaST2 - Network Information Services (NIS YP) Configuration | L3 |
| yast2-ntp-client | YaST2 - NTP Client Configuration | L3 |
| yast2-online-update | YaST2 - Online Update (YOU) | L3 |
| yast2-online-update-frontend | YaST2 - Online Update (YOU) | L3 |
| yast2-packager | YaST2 - Package Library | L3 |
| yast2-pam | YaST2 - PAM Agent | L3 |
| yast2-perl-bindings | YaST2 - Perl Bindings | L3 |
| yast2-phone-services | YaST2 - Phone Services Configuration | L3 |
| yast2-pkg-bindings | YaST2 Package Manager Access | L3 |
| yast2-power-management | YaST2 - Power Management Configuration | L3 |
| yast2-powertweak | YaST2 - Powertweak Configuration | L2 |
| yast2-printer | YaST2 - Printer Configuration | L3 |
| yast2-profile-manager | YaST2 Profile Configuration | L3 |
| yast2-qt | YaST2 - Graphical User Interface | L3 |
| yast2-registration | YaST2 Registration Module | L3 |
| yast2-repair | YaST2 - System Repair Tool | L2 |
| yast2-reipl | YaST2 - IPL loader | L2 |
| yast2-restore | YaST2 - System Restore | L3 |
| yast2-runlevel | YaST2 - Runlevel Editor | L3 |
| yast2-samba-client | YaST2 - Samba Client Configuration | L3 |
| yast2-samba-server | YaST2 - Samba Server Configuration | L3 |
| yast2-scanner | YaST2 Scanner Configuration | L3 |
| yast2-schema | AutoYaST Schema | L3 |
| yast2-security | YaST2 - Security Configuration | L3 |
| yast2-slp | SLP Agent and Browser for YaST | L3 |
| yast2-sound | YaST2 - Sound Configuration | L3 |
| yast2-storage | YaST2 - Storage Configuration | L3 |
| yast2-storage-lib | YaST2 - Storage Configuration Library | L3 |
| yast2-support | YaST2 - Support Inquiries | L3 |
| yast2-sysconfig | YaST2 - Sysconfig Editor | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|---------------------------|--|---|
| yast2-theme-NLD | YaST2 NLD Theme | L3 |
| yast2-trans-af | YaST2 - Afrikaans English Translations | L2 |
| yast2-trans-ar | YaST2 - Arabic Translations | L2 |
| yast2-trans-bg | YaST2 - Bulgarian Translations | L2 |
| yast2-trans-bn | YaST2 - Bengali Translations | L2 |
| yast2-trans-bs | YaST2 - Bosnian Translations | L2 |
| yast2-trans-ca | YaST2 - Catalan Translations | L2 |
| yast2-trans-cs | YaST2 - Czech Translations | L2 |
| yast2-trans-cy | YaST2 - Welsh Translations | L2 |
| yast2-trans-da | YaST2 - Danish Translations | L2 |
| yast2-trans-de | YaST2 - German Translations | L2 |
| yast2-trans-el_GR | YaST2 - Greek Translations | L2 |
| yast2-trans-en_GB | YaST2 - British English Translations | L2 |
| yast2-trans-en_US | YaST2 - American English Translations | L2 |
| yast2-trans-es | YaST2 - Spanish Translations | L2 |
| yast2-transfer | YaST2 - Agent for Various Transfer Protocols | L3 |
| yast2-trans-fi | YaST2 - Finnish Translations | L2 |
| yast2-trans-fr | YaST2 - French Translations | L2 |
| yast2-trans-gu | YaST2 - Gujarati Translations | L2 |
| yast2-trans-he | YaST2 - Hebrew Translations | L2 |
| yast2-trans-hi | YaST2 - Hindi Translations | L2 |
| yast2-trans-hr | YaST2 - Croatian Translations | L2 |
| yast2-trans-hu | YaST2 - Hungarian Translations | L2 |
| yast2-trans-it | YaST2 - Italian Translations | L2 |
| yast2-trans-ja | YaST2 - Japanese Translations | L2 |
| yast2-trans-km | YaST2 - Khmer Translations | L2 |
| yast2-trans-ko | YaST2 - Korean Translations | L2 |
| yast2-trans-lt | YaST2 - Lithuanian Translations | L2 |
| yast2-trans-mr | YaST2 - Marathi Translations | L2 |
| yast2-trans-nb | YaST2 - Norwegian Translations (Norwegian Bokmaal) | L2 |
| yast2-trans-nl | YaST2 - Dutch Translations | L2 |
| yast2-trans-pa | YaST2 - Punjabi Translations | L2 |
| yast2-trans-pl | YaST2 - Polish Translations | L2 |
| yast2-trans-pt | YaST2 - Portuguese Translations | L2 |
| yast2-trans-pt_BR | YaST2 - Brazilian Portuguese Translations | L2 |
| yast2-trans-ro | YaST2 - Romanian Translations | L2 |
| yast2-trans-ru | YaST2 - Russian Translations | L2 |
| yast2-trans-sk | YaST2 - Slovak Translations | L2 |
| yast2-trans-sl_SI | YaST2 - Slovene Translations | L2 |
| yast2-trans-sr | YaST2 - Serbian Translations | L2 |
| yast2-trans-stats | YaST2 - Translation Statistics | L2 |
| yast2-trans-sv | YaST2 - Swedish Translations | L2 |
| yast2-trans-ta | YaST2 - TA Translations | L2 |
| yast2-trans-tr | YaST2 - Turkish Translations | L2 |
| yast2-trans-uk | YaST2 - Ukrainian Translations | L2 |
| yast2-trans-xh | YaST2 - Xhosa Translations | L2 |
| yast2-trans-zh_CN | YaST2 - Simplified Chinese Translations | L2 |
| yast2-trans-zh_TW | YaST2 - Traditional Chinese Translations | L2 |
| yast2-trans-zu | YaST2 - Zulu Translations | L2 |
| yast2-tune | YaST2 - Hardware Tuning | L3 |

| Package Short Name | Package Description | Servicelevel SLED10 SP3 x86_64 |
|--------------------|---|--------------------------------------|
| yast2-tv | YaST2 - TV Configuration | L3 |
| yast2-update | YaST2 - Update | L3 |
| yast2-users | YaST2 - User and Group Configuration | L3 |
| yast2-vm | YaST2 Virtual Machine Installer | L3 |
| yast2-x11 | YaST2 - X Window System Configuration | L3 |
| yast2-xml | YaST2 - XML Agent | L3 |
| yauap | The useless audio player | L3 |
| yelp | The GNOME 2.x Desktop Help Browser | L3 |
| ypbind | NIS client daemon | L3 |
| yp-tools | Network Information Service (YP) client utilities | L3 |
| yum | RPM installer/updater | L2 |
| zaptel | Tools for the Zapata Telephony Interface Driver | L2 |
| zaptel-kmp-default | Zapata Telephony Interface Drivers | L2 |
| zaptel-kmp-smp | Zapata Telephony Interface Drivers | L2 |
| zenity | GNOME Command Line Dialog Utility | L3 |
| zen-updater | Novell ZENworks Linux Management daemon | L3 |
| zip | File compression program | L2 |
| ziptool | Tool for the Iomega ZIP and JAZ drives | L2 |
| zisoofs-tools | User tools for zisoofs | L3 |
| zlib | Data Compression Library | L3 |
| zlib-32bit | Data Compression Library | L3 |
| zlib-devel | Include Files and Libraries mandatory for Development | L2 |
| zlib-devel-32bit | Include Files and Libraries mandatory for Development | L2 |
| zmd | Novell ZENworks Linux Management daemon | L3 |
| zmd-inventory | Novell ZENworks Linux Management daemon | L3 |
| zoo | Pack Program | L2 |
| zsh | Shell with comprehensive completion | L3 |
| zvbi | VBI Decoding Library | L3 |
| zvbi-devel | VBI decoding library - devel package | L2 |
| zypper** | Command Line Package Management Using Libzypp | L2 |

| | |
|--|--|
| errors and omissions excepted subject to change without prior notice | |
|--|--|

| | |
|----|---|
| * | Mono Profile 1.0 supported. Profile 2.0 is a preview for testing and is not yet supported by Novell Technical Services. |
| ** | technical preview, for testing only; usage with KIWI and SLE POS is supported |
| 1 | for full support MySQL subscription is necessary |